



ZAP Scanning Report

Sites: <http://monitor.germainapm.com> <https://monitor.germainapm.com>
<http://qa.cloud.germainapm.com> <https://qa.cloud.germainapm.com>

Generated on Wed, 4 Jan 2023 17:55:30

Summary of Alerts

Risk Level	Number of Alerts
High	0
Medium	5
Low	9
Informational	3

Alerts

Name	Risk Level	Number of Instances
Absence of Anti-CSRF Tokens	Medium	1
Application Error Disclosure	Medium	6
Content Security Policy (CSP) Header Not Set	Medium	12
Missing Anti-clickjacking Header	Medium	10
Vulnerable JS Library	Medium	3
Application Error Disclosure	Low	1
Cookie Without Secure Flag	Low	5
Cookie without SameSite Attribute	Low	4
Information Disclosure - Debug Error Messages	Low	4
Private IP Disclosure	Low	11
Server Leaks Version Information via "Server" HTTP Response Header Field	Low	34
Strict-Transport-Security Header Not Set	Low	88
Timestamp Disclosure - Unix	Low	276
X-Content-Type-Options Header Missing	Low	75
Information Disclosure - Suspicious Comments	Informational	57
Modern Web Application	Informational	2
Re-examine Cache-control Directives	Informational	15

Alert Detail

Medium	Absence of Anti-CSRF Tokens
	<p>No Anti-CSRF tokens were found in a HTML submission form.</p> <p>A cross-site request forgery is an attack that involves forcing a victim to send an HTTP request to a target destination without their knowledge or intent in order to perform an action as the victim. The underlying cause is application functionality using predictable URL</p>

Description	/form actions in a repeatable way. The nature of the attack is that CSRF exploits the trust that a web site has for a user. By contrast, cross-site scripting (XSS) exploits the trust that a user has for a web site. Like XSS, CSRF attacks are not necessarily cross-site, but they can be. Cross-site request forgery is also known as CSRF, XSRF, one-click attack, session riding, confused deputy, and sea surf.
	CSRF attacks are effective in a number of situations, including:
	<ul style="list-style-type: none"> * The victim has an active session on the target site. * The victim is authenticated via HTTP auth on the target site. * The victim is on the same local network as the target site.
	CSRF has primarily been used to perform an action against a target site using the victim's privileges, but recent techniques have been discovered to disclose information by gaining access to the response. The risk of information disclosure is dramatically increased when the target site is vulnerable to XSS, because XSS can be used as a platform for CSRF, allowing the attack to operate within the bounds of the same-origin policy.
URL	https://qa.cloud.germainapm.com/germainapm/console/js/utils/html.js
Method	GET
Attack	
Evidence	<form/>
Instances	1
Solution	<p>Phase: Architecture and Design</p> <p>Use a vetted library or framework that does not allow this weakness to occur or provides constructs that make this weakness easier to avoid.</p> <p>For example, use anti-CSRF packages such as the OWASP CSRGGuard.</p> <p>Phase: Implementation</p> <p>Ensure that your application is free of cross-site scripting issues, because most CSRF defenses can be bypassed using attacker-controlled script.</p> <p>Phase: Architecture and Design</p> <p>Generate a unique nonce for each form, place the nonce into the form, and verify the nonce upon receipt of the form. Be sure that the nonce is not predictable (CWE-330).</p> <p>Note that this can be bypassed using XSS.</p> <p>Identify especially dangerous operations. When the user performs a dangerous operation, send a separate confirmation request to ensure that the user intended to perform that operation.</p> <p>Note that this can be bypassed using XSS.</p> <p>Use the ESAPI Session Management control.</p> <p>This control includes a component for CSRF.</p> <p>Do not use the GET method for any request that triggers a state change.</p> <p>Phase: Implementation</p> <p>Check the HTTP Referer header to see if the request originated from an expected page. This could break legitimate functionality, because users or proxies may have disabled sending the Referer for privacy reasons.</p>
Reference	http://projects.webappsec.org/Cross-Site-Request-Forgery http://cwe.mitre.org/data/definitions/352.html
CWE Id	352

WASC Id	9
Plugin Id	10202
Medium	Application Error Disclosure
Description	This page contains an error/warning message that may disclose sensitive information like the location of the file that produced the unhandled exception. This information can be used to launch further attacks against the web application. The alert could be a false positive if the error message is found inside a documentation page.
URL	https://qa.cloud.germainapm.com/config/config/germain.apm.monitoringClient.webUxMonitoringProfiles
Method	GET
Attack	
Evidence	Internal Server Error
URL	https://qa.cloud.germainapm.com/config/config/germain.apm.templates
Method	GET
Attack	
Evidence	Internal Server Error
URL	https://qa.cloud.germainapm.com/config/config/germain.apm.workspace.dashboards
Method	GET
Attack	
Evidence	MySQL Error
URL	https://qa.cloud.germainapm.com/config/config/shallow/germain.apm.monitoringClient.webUxMonitoringProfiles
Method	GET
Attack	
Evidence	Internal Server Error
URL	https://qa.cloud.germainapm.com/config/config/shallow/germain.apm.templates
Method	GET
Attack	
Evidence	Internal Server Error
URL	https://qa.cloud.germainapm.com/config/config/shallow/germain.apm.workspace.wizards/1
Method	GET
Attack	
Evidence	MySQL Error
Instances	6
Solution	Review the source code of this page. Implement custom error pages. Consider implementing a mechanism to provide a unique error reference/identifier to the client (browser) while logging the details on the server side and not exposing them to the user.
Reference	
CWE Id	200
WASC Id	13
Plugin Id	90022

Medium	Content Security Policy (CSP) Header Not Set
	Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks.

Description	These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
URL	http://monitor.germainapm.com/ingestion/
Method	GET
Attack	
Evidence	
URL	https://monitor.germainapm.com
Method	GET
Attack	
Evidence	
URL	https://monitor.germainapm.com/
Method	GET
Attack	
Evidence	
URL	https://monitor.germainapm.com/germainapm/workspace/app/
Method	GET
Attack	
Evidence	
URL	https://qa.cloud.germainapm.com/
Method	GET
Attack	
Evidence	
URL	https://qa.cloud.germainapm.com/germainapm/console/
Method	GET
Attack	
Evidence	
URL	https://qa.cloud.germainapm.com/germainapm/console/s/
Method	GET
Attack	
Evidence	
URL	https://qa.cloud.germainapm.com/germainapm/console/s/?elementName=ZAP&qualifiedName=%3C%40%3D+hash+%40%3E
Method	GET
Attack	
Evidence	
URL	https://qa.cloud.germainapm.com/germainapm/console/s/?qualifiedName=%3C%40%3D+hash+%40%3E
Method	GET
Attack	
Evidence	

URL	https://qa.cloud.germainapm.com/germainapm/console/s/validation/index.jsp
Method	GET
Attack	
Evidence	
URL	https://qa.cloud.germainapm.com/germainapm/workspace/
Method	GET
Attack	
Evidence	
URL	https://qa.cloud.germainapm.com/germainapm/workspace/app/
Method	GET
Attack	
Evidence	
Instances	12
Solution	Ensure that your web server, application server, load balancer, etc. is configured to set the Content-Security-Policy header, to achieve optimal browser support: "Content-Security-Policy" for Chrome 25+, Firefox 23+ and Safari 7+, "X-Content-Security-Policy" for Firefox 4.0+ and Internet Explorer 10+, and "X-WebKit-CSP" for Chrome 14+ and Safari 6+.
Reference	https://developer.mozilla.org/en-US/docs/Web/Security/CSP/Introducing_Content_Security_Policy https://cheatsheetseries.owasp.org/cheatsheets/Content_Security_Policy_Cheat_Sheet.html http://www.w3.org/TR/CSP/ http://w3c.github.io/webappsec/specs/content-security-policy/csp-specification.dev.html http://www.html5rocks.com/en/tutorials/security/content-security-policy/ http://caniuse.com/#feat=contentsecuritypolicy http://content-security-policy.com/
CWE Id	693
WASC Id	15
Plugin Id	10038

Medium	Missing Anti-clickjacking Header
Description	The response does not include either Content-Security-Policy with 'frame-ancestors' directive or X-Frame-Options to protect against 'ClickJacking' attacks.
URL	https://monitor.germainapm.com
Method	GET
Attack	
Evidence	
URL	https://monitor.germainapm.com/
Method	GET
Attack	
Evidence	
URL	https://monitor.germainapm.com/germainapm/workspace/app/
Method	GET
Attack	
Evidence	
URL	https://qa.cloud.germainapm.com/
Method	GET

Attack	
Evidence	
URL	https://qa.cloud.germainapm.com/germainapm/console/
Method	GET
Attack	
Evidence	
URL	https://qa.cloud.germainapm.com/germainapm/console/s/
Method	GET
Attack	
Evidence	
URL	https://qa.cloud.germainapm.com/germainapm/console/s/?elementName=ZAP&qualifiedName=%3C%40%3D+hash+%40%3E
Method	GET
Attack	
Evidence	
URL	https://qa.cloud.germainapm.com/germainapm/console/s/?qualifiedName=%3C%40%3D+hash+%40%3E
Method	GET
Attack	
Evidence	
URL	https://qa.cloud.germainapm.com/germainapm/workspace/
Method	GET
Attack	
Evidence	
URL	https://qa.cloud.germainapm.com/germainapm/workspace/app/
Method	GET
Attack	
Evidence	
Instances	10
Solution	<p>Modern Web browsers support the Content-Security-Policy and X-Frame-Options HTTP headers. Ensure one of them is set on all web pages returned by your site/app.</p> <p>If you expect the page to be framed only by pages on your server (e.g. it's part of a FRAMESET) then you'll want to use SAMEORIGIN, otherwise if you never expect the page to be framed, you should use DENY. Alternatively consider implementing Content Security Policy's "frame-ancestors" directive.</p>
Reference	https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/X-Frame-Options
CWE Id	1021
WASC Id	15
Plugin Id	10020

Medium	Vulnerable JS Library
Description	The identified library jquery, version 1.10.1 is vulnerable.
URL	https://qa.cloud.germainapm.com/germainapm/console/js/lib/jquery-1.10.1.min.js
Method	GET

Attack	
Evidence	jquery-1.10.1.min.js
URL	https://qa.cloud.germainapm.com/germainapm/console/js/lib/jquery-ui-1.10.3.custom.min.js
Method	GET
Attack	
Evidence	/*! jQuery UI - v1.10.3
URL	https://qa.cloud.germainapm.com/germainapm/console/js/lib/jquery.validate-1.11.1.min.js
Method	GET
Attack	
Evidence	jquery.validate-1.11.1.min.js
Instances	3
Solution	Please upgrade to the latest version of jquery.
Reference	https://github.com/jquery/jquery/issues/2432 http://blog.jquery.com/2016/01/08/jquery-2-2-and-1-12-released/ http://research.insecurelabs.org/jquery/test/ https://blog.jquery.com/2019/04/10/jquery-3-4-0-released/ https://nvd.nist.gov/vuln/detail/CVE-2019-11358 https://nvd.nist.gov/vuln/detail/CVE-2015-9251 https://github.com/jquery/jquery/commit/753d591aea698e57d6db58c9f722cd0808619b1b https://bugs.jquery.com/ticket/11974 https://blog.jquery.com/2020/04/10/jquery-3-5-0-released/
CWE Id	829
WASC Id	
Plugin Id	10003

Low	Application Error Disclosure
Description	This page contains an error/warning message that may disclose sensitive information like the location of the file that produced the unhandled exception. This information can be used to launch further attacks against the web application. The alert could be a false positive if the error message is found inside a documentation page.
URL	https://monitor.germainapm.com/ingestion/static/check
Method	GET
Attack	
Evidence	HTTP/1.1 500
Instances	1
Solution	Review the source code of this page. Implement custom error pages. Consider implementing a mechanism to provide a unique error reference/identifier to the client (browser) while logging the details on the server side and not exposing them to the user.
Reference	
CWE Id	200
WASC Id	13
Plugin Id	90022

Low	Cookie Without Secure Flag
Description	A cookie has been set without the secure flag, which means that the cookie can be accessed via unencrypted connections.
URL	https://monitor.germainapm.com
Method	GET
Attack	

Evidence	Set-Cookie: JSESSIONID
URL	https://monitor.germainapm.com/
Method	GET
Attack	
Evidence	Set-Cookie: JSESSIONID
URL	https://qa.cloud.germainapm.com/
Method	GET
Attack	
Evidence	Set-Cookie: JSESSIONID
URL	https://qa.cloud.germainapm.com/germainapm/console/
Method	GET
Attack	
Evidence	Set-Cookie: JSESSIONID
URL	https://qa.cloud.germainapm.com/authentication/login
Method	POST
Attack	
Evidence	Set-Cookie: SESSION
Instances	5
Solution	Whenever a cookie contains sensitive information or is a session token, then it should always be passed using an encrypted channel. Ensure that the secure flag is set for cookies containing such sensitive information.
Reference	https://owasp.org/www-project-web-security-testing-guide/v41/4-Web_Application_Security_Testing/06-Session_Management_Testing/02-Testing_for_Cookies_Attributes.html
CWE Id	614
WASC Id	13
Plugin Id	10011

Low	Cookie without SameSite Attribute
Description	A cookie has been set without the SameSite attribute, which means that the cookie can be sent as a result of a 'cross-site' request. The SameSite attribute is an effective counter measure to cross-site request forgery, cross-site script inclusion, and timing attacks.
URL	https://monitor.germainapm.com
Method	GET
Attack	
Evidence	Set-Cookie: JSESSIONID
URL	https://monitor.germainapm.com/
Method	GET
Attack	
Evidence	Set-Cookie: JSESSIONID
URL	https://qa.cloud.germainapm.com/
Method	GET
Attack	
Evidence	Set-Cookie: JSESSIONID

URL	https://qa.cloud.germainapm.com/germainapm/console/
Method	GET
Attack	
Evidence	Set-Cookie: JSESSIONID
Instances	4
Solution	Ensure that the SameSite attribute is set to either 'lax' or ideally 'strict' for all cookies.
Reference	https://tools.ietf.org/html/draft-ietf-httpbis-cookie-same-site
CWE Id	1275
WASC Id	13
Plugin Id	10054

Low	Information Disclosure - Debug Error Messages
Description	The response appeared to contain common error messages returned by platforms such as ASP.NET, and Web-servers such as IIS and Apache. You can configure the list of common debug messages.
URL	https://qa.cloud.germainapm.com/config/config/germain.apm.monitoringClient.webUxMonitoringProfiles
Method	GET
Attack	
Evidence	Internal Server Error
URL	https://qa.cloud.germainapm.com/config/config/germain.apm.templates
Method	GET
Attack	
Evidence	Internal Server Error
URL	https://qa.cloud.germainapm.com/config/config/shallow/germain.apm.monitoringClient.webUxMonitoringProfiles
Method	GET
Attack	
Evidence	Internal Server Error
URL	https://qa.cloud.germainapm.com/config/config/shallow/germain.apm.templates
Method	GET
Attack	
Evidence	Internal Server Error
Instances	4
Solution	Disable debugging messages before pushing to production.
Reference	
CWE Id	200
WASC Id	13
Plugin Id	10023

Low	Private IP Disclosure
Description	A private IP (such as 10.x.x.x, 172.x.x.x, 192.168.x.x) or an Amazon EC2 private hostname (for example, ip-10-0-56-78) has been found in the HTTP response body. This information might be helpful for further attacks targeting internal systems.
URL	https://monitor.germainapm.com/config/agent/lookup/Web%20UX
Method	GET

Attack	
Evidence	10.0.11.26
URL	https://qa.cloud.germainapm.com/authentication/session
Method	GET
Attack	
Evidence	ip-10-0-1-157
URL	https://qa.cloud.germainapm.com/authentication/session/authenticated
Method	GET
Attack	
Evidence	ip-10-0-1-157
URL	https://qa.cloud.germainapm.com/config/config/germain.apm.monitoringConfig.servers
Method	GET
Attack	
Evidence	ip-10-0-1-157
URL	https://qa.cloud.germainapm.com/config/config/germain.apm.monitoringNodes
Method	GET
Attack	
Evidence	ip-10-0-1-157
URL	https://qa.cloud.germainapm.com/config/config/germain.apm.services.authentication.providers
Method	GET
Attack	
Evidence	10.0.0.21
URL	https://qa.cloud.germainapm.com/config/config/shallow/germain.apm
Method	GET
Attack	
Evidence	ip-10-0-1-157
URL	https://qa.cloud.germainapm.com/config/note
Method	GET
Attack	
Evidence	172.18.0.1
URL	https://qa.cloud.germainapm.com/query/connections
Method	POST
Attack	
Evidence	10.0.1.5
URL	https://qa.cloud.germainapm.com/query/realtime
Method	POST
Attack	
Evidence	ip-10-0-1-157
URL	https://qa.cloud.germainapm.com/query/realtime/batch/grouped
Method	POST

Attack	
Evidence	ip-10-0-1-157
Instances	11
Solution	Remove the private IP address from the HTTP response body. For comments, use JSP/ASP /PHP comment instead of HTML/JavaScript comment which can be seen by client browsers.
Reference	https://tools.ietf.org/html/rfc1918
CWE Id	200
WASC Id	13
Plugin Id	2

Low	Server Leaks Version Information via "Server" HTTP Response Header Field
Description	The web/application server is leaking version information via the "Server" HTTP response header. Access to such information may facilitate attackers identifying other vulnerabilities your web/application server is subject to.
URL	http://monitor.germainapm.com/ingestion/
Method	GET
Attack	
Evidence	nginx/1.18.0 (Ubuntu)
URL	https://monitor.germainapm.com
Method	GET
Attack	
Evidence	nginx/1.18.0 (Ubuntu)
URL	https://monitor.germainapm.com/
Method	GET
Attack	
Evidence	nginx/1.18.0 (Ubuntu)
URL	https://monitor.germainapm.com/config
Method	GET
Attack	
Evidence	nginx/1.18.0 (Ubuntu)
URL	https://monitor.germainapm.com/config/agent
Method	GET
Attack	
Evidence	nginx/1.18.0 (Ubuntu)
URL	https://monitor.germainapm.com/config/agent/lookup
Method	GET
Attack	
Evidence	nginx/1.18.0 (Ubuntu)
URL	https://monitor.germainapm.com/config/agent/lookup/Web%20UX
Method	GET
Attack	
Evidence	nginx/1.18.0 (Ubuntu)
URL	https://monitor.germainapm.com/config/agent/lookup/Web%20UX/qa.cloud.germainapm.com

Method	GET
Attack	
Evidence	nginx/1.18.0 (Ubuntu)
URL	https://monitor.germainapm.com/config/agent/lookup/Web%20UX/qa.cloud.germainapm.com/Germain%20APM%20Workspace?profile=Germain%20APM%20Workspace
Method	GET
Attack	
Evidence	nginx/1.18.0 (Ubuntu)
URL	https://monitor.germainapm.com/germainapm/workspace/app/
Method	GET
Attack	
Evidence	nginx/1.18.0 (Ubuntu)
URL	https://monitor.germainapm.com/germainapm/workspace/app/favicon.png
Method	GET
Attack	
Evidence	nginx/1.18.0 (Ubuntu)
URL	https://monitor.germainapm.com/germainapm/workspace/app/js/build-info.js
Method	GET
Attack	
Evidence	nginx/1.18.0 (Ubuntu)
URL	https://monitor.germainapm.com/germainapm/workspace/app/js/germainapm-webux-agent.js
Method	GET
Attack	
Evidence	nginx/1.18.0 (Ubuntu)
URL	https://monitor.germainapm.com/germainapm/workspace/app/manifest.json
Method	GET
Attack	
Evidence	nginx/1.18.0 (Ubuntu)
URL	https://monitor.germainapm.com/germainapm/workspace/app/static/css/2.04452ca8.chunk.css
Method	GET
Attack	
Evidence	nginx/1.18.0 (Ubuntu)
URL	https://monitor.germainapm.com/germainapm/workspace/app/static/css/main.e7d2319f.chunk.css
Method	GET
Attack	
Evidence	nginx/1.18.0 (Ubuntu)
URL	https://monitor.germainapm.com/germainapm/workspace/app/static/js/2.9ab5f66e.chunk.js
Method	GET
Attack	
Evidence	nginx/1.18.0 (Ubuntu)

URL	https://monitor.germainapm.com/germainapm/workspace/app/static/js/main.84e9d08d.chunk.js
Method	GET
Attack	
Evidence	nginx/1.18.0 (Ubuntu)
URL	https://monitor.germainapm.com/ingestion
Method	GET
Attack	
Evidence	nginx/1.18.0 (Ubuntu)
URL	https://monitor.germainapm.com/ingestion/beacon
Method	GET
Attack	
Evidence	nginx/1.18.0 (Ubuntu)
URL	https://monitor.germainapm.com/ingestion/beacon/fact
Method	GET
Attack	
Evidence	nginx/1.18.0 (Ubuntu)
URL	https://monitor.germainapm.com/ingestion/beacon/fact?src=beaconapi
Method	GET
Attack	
Evidence	nginx/1.18.0 (Ubuntu)
URL	https://monitor.germainapm.com/ingestion/beacon/session
Method	GET
Attack	
Evidence	nginx/1.18.0 (Ubuntu)
URL	https://monitor.germainapm.com/ingestion/beacon/session/?src=beaconapi
Method	GET
Attack	
Evidence	nginx/1.18.0 (Ubuntu)
URL	https://monitor.germainapm.com/ingestion/static
Method	GET
Attack	
Evidence	nginx/1.18.0 (Ubuntu)
URL	https://monitor.germainapm.com/ingestion/static/check
Method	GET
Attack	
Evidence	nginx/1.18.0 (Ubuntu)
URL	https://monitor.germainapm.com/robots.txt
Method	GET
Attack	
Evidence	nginx/1.18.0 (Ubuntu)

URL	https://monitor.germainapm.com/sitemap.xml
Method	GET
Attack	
Evidence	nginx/1.18.0 (Ubuntu)
URL	https://monitor.germainapm.com/config/agent/lookup/Web%20UX/qa.cloud.germainapm.com/Germain%20APM%20Workspace?profile=Germain%20APM%20Workspace
Method	OPTIONS
Attack	
Evidence	nginx/1.18.0 (Ubuntu)
URL	https://monitor.germainapm.com/ingestion/beacon/fact
Method	POST
Attack	
Evidence	nginx/1.18.0 (Ubuntu)
URL	https://monitor.germainapm.com/ingestion/beacon/fact/?src=beaconapi
Method	POST
Attack	
Evidence	nginx/1.18.0 (Ubuntu)
URL	https://monitor.germainapm.com/ingestion/beacon/session
Method	POST
Attack	
Evidence	nginx/1.18.0 (Ubuntu)
URL	https://monitor.germainapm.com/ingestion/beacon/session/?src=beaconapi
Method	POST
Attack	
Evidence	nginx/1.18.0 (Ubuntu)
URL	https://monitor.germainapm.com/ingestion/static/check
Method	POST
Attack	
Evidence	nginx/1.18.0 (Ubuntu)
Instances	34
Solution	Ensure that your web server, application server, load balancer, etc. is configured to suppress the "Server" header or provide generic details.
Reference	http://httpd.apache.org/docs/current/mod/core.html#servertokens http://msdn.microsoft.com/en-us/library/ff648552.aspx#ht_urlscan_007 http://blogs.msdn.com/b/varunm/archive/2013/04/23/remove-unwanted-http-response-headers.aspx http://www.troyhunt.com/2012/02/shhh-dont-let-your-response-headers.html
CWE Id	200
WASC Id	13
Plugin Id	10036
Low	Strict-Transport-Security Header Not Set
Description	HTTP Strict Transport Security (HSTS) is a web security policy mechanism whereby a web server declares that complying user agents (such as a web browser) are to interact with it using only secure HTTPS connections (i.e. HTTP layered over TLS/SSL). HSTS is an IETF standards track protocol and is specified in RFC 6797.

URL	https://monitor.germainapm.com
Method	GET
Attack	
Evidence	
URL	https://monitor.germainapm.com/
Method	GET
Attack	
Evidence	
URL	https://monitor.germainapm.com/germainapm/workspace/app/
Method	GET
Attack	
Evidence	
URL	https://monitor.germainapm.com/germainapm/workspace/app/favicon.png
Method	GET
Attack	
Evidence	
URL	https://monitor.germainapm.com/germainapm/workspace/app/js/build-info.js
Method	GET
Attack	
Evidence	
URL	https://monitor.germainapm.com/germainapm/workspace/app/js/germainapm-webux-agent.js
Method	GET
Attack	
Evidence	
URL	https://monitor.germainapm.com/germainapm/workspace/app/manifest.json
Method	GET
Attack	
Evidence	
URL	https://monitor.germainapm.com/germainapm/workspace/app/static/css/2.04452ca8.chunk.css
Method	GET
Attack	
Evidence	
URL	https://monitor.germainapm.com/germainapm/workspace/app/static/css/main.e7d2319f.chunk.css
Method	GET
Attack	
Evidence	
URL	https://monitor.germainapm.com/germainapm/workspace/app/static/js/2.9ab5f66e.chunk.js
Method	GET
Attack	

Evidence	
URL	https://monitor.germainapm.com/germainapm/workspace/app/static/js/main.84e9d08d.chunk.js
Method	GET
Attack	
Evidence	
URL	https://monitor.germainapm.com/ingestion
Method	GET
Attack	
Evidence	
URL	https://monitor.germainapm.com/ingestion/beacon
Method	GET
Attack	
Evidence	
URL	https://monitor.germainapm.com/ingestion/beacon/fact
Method	GET
Attack	
Evidence	
URL	https://monitor.germainapm.com/ingestion/beacon/fact/?src=beaconapi
Method	GET
Attack	
Evidence	
URL	https://monitor.germainapm.com/ingestion/beacon/session
Method	GET
Attack	
Evidence	
URL	https://monitor.germainapm.com/ingestion/beacon/session/?src=beaconapi
Method	GET
Attack	
Evidence	
URL	https://monitor.germainapm.com/ingestion/static
Method	GET
Attack	
Evidence	
URL	https://monitor.germainapm.com/ingestion/static/check
Method	GET
Attack	
Evidence	
URL	https://qa.cloud.germainapm.com/
Method	GET
Attack	

Evidence	
URL	https://qa.cloud.germainapm.com/germainapm/console
Method	GET
Attack	
Evidence	
URL	https://qa.cloud.germainapm.com/germainapm/console/
Method	GET
Attack	
Evidence	
URL	https://qa.cloud.germainapm.com/germainapm/console/css/jquery.picadiff.css
Method	GET
Attack	
Evidence	
URL	https://qa.cloud.germainapm.com/germainapm/console/css/lib/bootstrap/bootstrap-responsive.css
Method	GET
Attack	
Evidence	
URL	https://qa.cloud.germainapm.com/germainapm/console/css/lib/bootstrap/bootstrap.css
Method	GET
Attack	
Evidence	
URL	https://qa.cloud.germainapm.com/germainapm/console/css/styles.css
Method	GET
Attack	
Evidence	
URL	https://qa.cloud.germainapm.com/germainapm/console/img/germain_logo.png
Method	GET
Attack	
Evidence	
URL	https://qa.cloud.germainapm.com/germainapm/console/js/lib/backbone-min.js
Method	GET
Attack	
Evidence	
URL	https://qa.cloud.germainapm.com/germainapm/console/js/lib/backbone.bootstrap-modal.js
Method	GET
Attack	
Evidence	
URL	https://qa.cloud.germainapm.com/germainapm/console/js/lib/bootstrap.min.js
Method	GET
Attack	

Evidence	
URL	https://qa.cloud.germainapm.com/germainapm/console/js/lib/diff/diff_match_patch.js
Method	GET
Attack	
Evidence	
URL	https://qa.cloud.germainapm.com/germainapm/console/js/lib/diff/diff_match_patch_extended.js
Method	GET
Attack	
Evidence	
URL	https://qa.cloud.germainapm.com/germainapm/console/js/lib/diff/picadiff.js
Method	GET
Attack	
Evidence	
URL	https://qa.cloud.germainapm.com/germainapm/console/js/lib/jquery-1.10.1.min.js
Method	GET
Attack	
Evidence	
URL	https://qa.cloud.germainapm.com/germainapm/console/js/lib/jquery-ui-1.10.3.custom.min.js
Method	GET
Attack	
Evidence	
URL	https://qa.cloud.germainapm.com/germainapm/console/js/lib/jquery.validate-1.11.1.min.js
Method	GET
Attack	
Evidence	
URL	https://qa.cloud.germainapm.com/germainapm/console/js/lib/underscore-min.js
Method	GET
Attack	
Evidence	
URL	https://qa.cloud.germainapm.com/germainapm/console/js/lib/underscore.string.js
Method	GET
Attack	
Evidence	
URL	https://qa.cloud.germainapm.com/germainapm/console/js/models/breadcrumb.model.js
Method	GET
Attack	
Evidence	
URL	https://qa.cloud.germainapm.com/germainapm/console/js/models/configmetadata.model.js
Method	GET
Attack	

Evidence	
URL	https://qa.cloud.germainapm.com/germainapm/console/js/models/configobject.model.js
Method	GET
Attack	
Evidence	
URL	https://qa.cloud.germainapm.com/germainapm/console/js/models/configtypepmeta.model.js
Method	GET
Attack	
Evidence	
URL	https://qa.cloud.germainapm.com/germainapm/console/js/router.js
Method	GET
Attack	
Evidence	
URL	https://qa.cloud.germainapm.com/germainapm/console/js/utils/APMconfig.js
Method	GET
Attack	
Evidence	
URL	https://qa.cloud.germainapm.com/germainapm/console/js/utils/feedback.js
Method	GET
Attack	
Evidence	
URL	https://qa.cloud.germainapm.com/germainapm/console/js/utils/html.js
Method	GET
Attack	
Evidence	
URL	https://qa.cloud.germainapm.com/germainapm/console/js/utils/utils.js
Method	GET
Attack	
Evidence	
URL	https://qa.cloud.germainapm.com/germainapm/console/js/utils/viewutils.js
Method	GET
Attack	
Evidence	
URL	https://qa.cloud.germainapm.com/germainapm/console/js/views/breadcrumb.view.js
Method	GET
Attack	
Evidence	
URL	https://qa.cloud.germainapm.com/germainapm/console/js/views/configobject.view.js
Method	GET
Attack	
Evidence	

URL	https://qa.cloud.germainapm.com/germainapm/console/js/views/createconfigobject.view.js
Method	GET
Attack	
Evidence	
URL	https://qa.cloud.germainapm.com/germainapm/console/js/views/modal.compare.view.js
Method	GET
Attack	
Evidence	
URL	https://qa.cloud.germainapm.com/germainapm/console/js/views/modal.diff.view.js
Method	GET
Attack	
Evidence	
URL	https://qa.cloud.germainapm.com/germainapm/console/js/views/modal.restclient.view.js
Method	GET
Attack	
Evidence	
URL	https://qa.cloud.germainapm.com/germainapm/console/js/views/modal.revert.view.js
Method	GET
Attack	
Evidence	
URL	https://qa.cloud.germainapm.com/germainapm/console/js/views/notfound.view.js
Method	GET
Attack	
Evidence	
URL	https://qa.cloud.germainapm.com/germainapm/console/s/
Method	GET
Attack	
Evidence	
URL	https://qa.cloud.germainapm.com/germainapm/console/s/?elementName=ZAP&qualifiedName=%3C%40%3D+hash+%40%3E
Method	GET
Attack	
Evidence	
URL	https://qa.cloud.germainapm.com/germainapm/console/s/?qualifiedName=%3C%40%3D+hash+%40%3E
Method	GET
Attack	
Evidence	
URL	https://qa.cloud.germainapm.com/germainapm/console/s/validation/index.jsp
Method	GET
Attack	
Evidence	

URL	https://qa.cloud.germainapm.com/germainapm/workspace
Method	GET
Attack	
Evidence	
URL	https://qa.cloud.germainapm.com/germainapm/workspace/
Method	GET
Attack	
Evidence	
URL	https://qa.cloud.germainapm.com/germainapm/workspace/app/
Method	GET
Attack	
Evidence	
URL	https://qa.cloud.germainapm.com/germainapm/workspace/app/favicon.png
Method	GET
Attack	
Evidence	
URL	https://qa.cloud.germainapm.com/germainapm/workspace/app/js/build-info.js
Method	GET
Attack	
Evidence	
URL	https://qa.cloud.germainapm.com/germainapm/workspace/app/js/germainapm-webux-agent.js
Method	GET
Attack	
Evidence	
URL	https://qa.cloud.germainapm.com/germainapm/workspace/app/js/monaco/min/vs/base/worker/workerMain.js
Method	GET
Attack	
Evidence	
URL	https://qa.cloud.germainapm.com/germainapm/workspace/app/js/monaco/min/vs/editor/editor.main.css
Method	GET
Attack	
Evidence	
URL	https://qa.cloud.germainapm.com/germainapm/workspace/app/js/monaco/min/vs/editor/editor.main.js
Method	GET
Attack	
Evidence	
URL	https://qa.cloud.germainapm.com/germainapm/workspace/app/js/monaco/min/vs/editor/editor.main.nls.js
Method	GET
Attack	
Evidence	

Attack	
Evidence	
URL	https://qa.cloud.germainapm.com/germainapm/workspace/app/js/monaco/min/vs/loader.js
Method	GET
Attack	
Evidence	
URL	https://qa.cloud.germainapm.com/germainapm/workspace/app/manifest.json
Method	GET
Attack	
Evidence	
URL	https://qa.cloud.germainapm.com/germainapm/workspace/app/static/css/2.04452ca8.chunk.css
Method	GET
Attack	
Evidence	
URL	https://qa.cloud.germainapm.com/germainapm/workspace/app/static/css/main.e7d2319f.chunk.css
Method	GET
Attack	
Evidence	
URL	https://qa.cloud.germainapm.com/germainapm/workspace/app/static/js/2.9ab5f66e.chunk.js
Method	GET
Attack	
Evidence	
URL	https://qa.cloud.germainapm.com/germainapm/workspace/app/static/js/main.84e9d08d.chunk.js
Method	GET
Attack	
Evidence	
URL	https://qa.cloud.germainapm.com/germainapm/workspace/app/static/media/fa-brands-400.ed311c7a.woff2
Method	GET
Attack	
Evidence	
URL	https://qa.cloud.germainapm.com/germainapm/workspace/app/static/media/fa-regular-400.b91d376b.woff2
Method	GET
Attack	
Evidence	
URL	https://qa.cloud.germainapm.com/germainapm/workspace/app/static/media/fa-solid-900.d824df7e.woff2
Method	GET
Attack	
Evidence	

URL	https://qa.cloud.germainapm.com/germainapm/workspace/app/static/media/open-sans-latin-400.33543c5c.woff2
Method	GET
Attack	
Evidence	
URL	https://qa.cloud.germainapm.com/germainapm/workspace/app/static/media/open-sans-latin-400italic.b61a9055.woff2
Method	GET
Attack	
Evidence	
URL	https://qa.cloud.germainapm.com/germainapm/workspace/app/static/media/open-sans-latin-600.819af3d3.woff2
Method	GET
Attack	
Evidence	
URL	https://qa.cloud.germainapm.com/germainapm/workspace/app/static/media/open-sans-latin-700.0edb7628.woff2
Method	GET
Attack	
Evidence	
URL	https://monitor.germainapm.com/ingestion/beacon/fact
Method	POST
Attack	
Evidence	
URL	https://monitor.germainapm.com/ingestion/beacon/fact?src=beaconapi
Method	POST
Attack	
Evidence	
URL	https://monitor.germainapm.com/ingestion/beacon/session
Method	POST
Attack	
Evidence	
URL	https://monitor.germainapm.com/ingestion/beacon/session?src=beaconapi
Method	POST
Attack	
Evidence	
URL	https://monitor.germainapm.com/ingestion/static/check
Method	POST
Attack	
Evidence	
Instances	88
Solution	Ensure that your web server, application server, load balancer, etc. is configured to enforce Strict-Transport-Security.

Reference	https://cheatsheetseries.owasp.org/cheatsheets/HTTP_Strict_Transport_Security_Cheat_Sheet.html https://owasp.org/www-community/Security_Headers http://en.wikipedia.org/wiki/HTTP_Strict_Transport_Security http://caniuse.com/stricttransportsecurity http://tools.ietf.org/html/rfc6797
CWE Id	319
WASC Id	15
Plugin Id	10035

Low	Timestamp Disclosure - Unix
Description	A timestamp was disclosed by the application/web server - Unix
URL	https://monitor.germainapm.com/config/agent/lookup/Web%20UX/qa.cloud.germainapm.com/Germain%20APM%20Workspace?profile=Germain%20APM%20Workspace
Method	GET
Attack	
Evidence	1359893119
URL	https://monitor.germainapm.com/config/agent/lookup/Web%20UX/qa.cloud.germainapm.com/Germain%20APM%20Workspace?profile=Germain%20APM%20Workspace
Method	GET
Attack	
Evidence	1363258195
URL	https://monitor.germainapm.com/config/agent/lookup/Web%20UX/qa.cloud.germainapm.com/Germain%20APM%20Workspace?profile=Germain%20APM%20Workspace
Method	GET
Attack	
Evidence	1396182291
URL	https://monitor.germainapm.com/config/agent/lookup/Web%20UX/qa.cloud.germainapm.com/Germain%20APM%20Workspace?profile=Germain%20APM%20Workspace
Method	GET
Attack	
Evidence	1398893684
URL	https://monitor.germainapm.com/config/agent/lookup/Web%20UX/qa.cloud.germainapm.com/Germain%20APM%20Workspace?profile=Germain%20APM%20Workspace
Method	GET
Attack	
Evidence	1426881987
URL	https://monitor.germainapm.com/config/agent/lookup/Web%20UX/qa.cloud.germainapm.com/Germain%20APM%20Workspace?profile=Germain%20APM%20Workspace
Method	GET
Attack	
Evidence	1431655765
URL	https://monitor.germainapm.com/config/agent/lookup/Web%20UX/qa.cloud.germainapm.com/Germain%20APM%20Workspace?profile=Germain%20APM%20Workspace
Method	GET
Attack	
Evidence	1432725776

URL	https://monitor.germainapm.com/config/agent/lookup/Web%20UX/qa.cloud.germainapm.com/Germain%20APM%20Workspace?profile=Germain%20APM%20Workspace
Method	GET
Attack	
Evidence	1467031594
URL	https://monitor.germainapm.com/config/agent/lookup/Web%20UX/qa.cloud.germainapm.com/Germain%20APM%20Workspace?profile=Germain%20APM%20Workspace
Method	GET
Attack	
Evidence	1476395008
URL	https://monitor.germainapm.com/config/agent/lookup/Web%20UX/qa.cloud.germainapm.com/Germain%20APM%20Workspace?profile=Germain%20APM%20Workspace
Method	GET
Attack	
Evidence	1476395009
URL	https://monitor.germainapm.com/config/agent/lookup/Web%20UX/qa.cloud.germainapm.com/Germain%20APM%20Workspace?profile=Germain%20APM%20Workspace
Method	GET
Attack	
Evidence	1495990901
URL	https://monitor.germainapm.com/config/agent/lookup/Web%20UX/qa.cloud.germainapm.com/Germain%20APM%20Workspace?profile=Germain%20APM%20Workspace
Method	GET
Attack	
Evidence	1501505948
URL	https://monitor.germainapm.com/config/agent/lookup/Web%20UX/qa.cloud.germainapm.com/Germain%20APM%20Workspace?profile=Germain%20APM%20Workspace
Method	GET
Attack	
Evidence	1508970993
URL	https://monitor.germainapm.com/config/agent/lookup/Web%20UX/qa.cloud.germainapm.com/Germain%20APM%20Workspace?profile=Germain%20APM%20Workspace
Method	GET
Attack	
Evidence	1518500249
URL	https://monitor.germainapm.com/config/agent/lookup/Web%20UX/qa.cloud.germainapm.com/Germain%20APM%20Workspace?profile=Germain%20APM%20Workspace
Method	GET
Attack	
Evidence	1522805485
URL	https://monitor.germainapm.com/config/agent/lookup/Web%20UX/qa.cloud.germainapm.com/Germain%20APM%20Workspace?profile=Germain%20APM%20Workspace
Method	GET
Attack	
Evidence	1537002063

URL	https://monitor.germainapm.com/config/agent/lookup/Web%20UX/qa.cloud.germainapm.com/Germain%20APM%20Workspace?profile=Germain%20APM%20Workspace
Method	GET
Attack	
Evidence	1541459225
URL	https://monitor.germainapm.com/config/agent/lookup/Web%20UX/qa.cloud.germainapm.com/Germain%20APM%20Workspace?profile=Germain%20APM%20Workspace
Method	GET
Attack	
Evidence	1546045734
URL	https://monitor.germainapm.com/config/agent/lookup/Web%20UX/qa.cloud.germainapm.com/Germain%20APM%20Workspace?profile=Germain%20APM%20Workspace
Method	GET
Attack	
Evidence	1548603684
URL	https://monitor.germainapm.com/config/agent/lookup/Web%20UX/qa.cloud.germainapm.com/Germain%20APM%20Workspace?profile=Germain%20APM%20Workspace
Method	GET
Attack	
Evidence	1549556828
URL	https://monitor.germainapm.com/config/agent/lookup/Web%20UX/qa.cloud.germainapm.com/Germain%20APM%20Workspace?profile=Germain%20APM%20Workspace
Method	GET
Attack	
Evidence	1555081692
URL	https://monitor.germainapm.com/config/agent/lookup/Web%20UX/qa.cloud.germainapm.com/Germain%20APM%20Workspace?profile=Germain%20APM%20Workspace
Method	GET
Attack	
Evidence	1575990012
URL	https://monitor.germainapm.com/config/agent/lookup/Web%20UX/qa.cloud.germainapm.com/Germain%20APM%20Workspace?profile=Germain%20APM%20Workspace
Method	GET
Attack	
Evidence	1595750129
URL	https://monitor.germainapm.com/config/agent/lookup/Web%20UX/qa.cloud.germainapm.com/Germain%20APM%20Workspace?profile=Germain%20APM%20Workspace
Method	GET
Attack	
Evidence	1607167915
URL	https://monitor.germainapm.com/config/agent/lookup/Web%20UX/qa.cloud.germainapm.com/Germain%20APM%20Workspace?profile=Germain%20APM%20Workspace
Method	GET
Attack	
Evidence	1610612736

URL	https://monitor.germainapm.com/config/agent/lookup/Web%20UX/qa.cloud.germainapm.com/Germain%20APM%20Workspace?profile=Germain%20APM%20Workspace
Method	GET
Attack	
Evidence	1610612737
URL	https://monitor.germainapm.com/config/agent/lookup/Web%20UX/qa.cloud.germainapm.com/Germain%20APM%20Workspace?profile=Germain%20APM%20Workspace
Method	GET
Attack	
Evidence	1653473432
URL	https://monitor.germainapm.com/config/agent/lookup/Web%20UX/qa.cloud.germainapm.com/Germain%20APM%20Workspace?profile=Germain%20APM%20Workspace
Method	GET
Attack	
Evidence	1654270250
URL	https://monitor.germainapm.com/config/agent/lookup/Web%20UX/qa.cloud.germainapm.com/Germain%20APM%20Workspace?profile=Germain%20APM%20Workspace
Method	GET
Attack	
Evidence	1671715886
URL	https://monitor.germainapm.com/config/agent/lookup/Web%20UX/qa.cloud.germainapm.com/Germain%20APM%20Workspace?profile=Germain%20APM%20Workspace
Method	GET
Attack	
Evidence	1694076839
URL	https://monitor.germainapm.com/config/agent/lookup/Web%20UX/qa.cloud.germainapm.com/Germain%20APM%20Workspace?profile=Germain%20APM%20Workspace
Method	GET
Attack	
Evidence	1695183700
URL	https://monitor.germainapm.com/config/agent/lookup/Web%20UX/qa.cloud.germainapm.com/Germain%20APM%20Workspace?profile=Germain%20APM%20Workspace
Method	GET
Attack	
Evidence	1701076831
URL	https://monitor.germainapm.com/config/agent/lookup/Web%20UX/qa.cloud.germainapm.com/Germain%20APM%20Workspace?profile=Germain%20APM%20Workspace
Method	GET
Attack	
Evidence	1731405415
URL	https://monitor.germainapm.com/config/agent/lookup/Web%20UX/qa.cloud.germainapm.com/Germain%20APM%20Workspace?profile=Germain%20APM%20Workspace
Method	GET
Attack	
Evidence	1732584193

URL	https://monitor.germainapm.com/config/agent/lookup/Web%20UX/qa.cloud.germainapm.com/Germain%20APM%20Workspace?profile=Germain%20APM%20Workspace
Method	GET
Attack	
Evidence	1744830464
URL	https://monitor.germainapm.com/config/agent/lookup/Web%20UX/qa.cloud.germainapm.com/Germain%20APM%20Workspace?profile=Germain%20APM%20Workspace
Method	GET
Attack	
Evidence	1744830465
URL	https://monitor.germainapm.com/config/agent/lookup/Web%20UX/qa.cloud.germainapm.com/Germain%20APM%20Workspace?profile=Germain%20APM%20Workspace
Method	GET
Attack	
Evidence	1747873779
URL	https://monitor.germainapm.com/config/agent/lookup/Web%20UX/qa.cloud.germainapm.com/Germain%20APM%20Workspace?profile=Germain%20APM%20Workspace
Method	GET
Attack	
Evidence	1750603025
URL	https://monitor.germainapm.com/config/agent/lookup/Web%20UX/qa.cloud.germainapm.com/Germain%20APM%20Workspace?profile=Germain%20APM%20Workspace
Method	GET
Attack	
Evidence	1779033703
URL	https://monitor.germainapm.com/config/agent/lookup/Web%20UX/qa.cloud.germainapm.com/Germain%20APM%20Workspace?profile=Germain%20APM%20Workspace
Method	GET
Attack	
Evidence	1816402316
URL	https://monitor.germainapm.com/config/agent/lookup/Web%20UX/qa.cloud.germainapm.com/Germain%20APM%20Workspace?profile=Germain%20APM%20Workspace
Method	GET
Attack	
Evidence	1836072691
URL	https://monitor.germainapm.com/config/agent/lookup/Web%20UX/qa.cloud.germainapm.com/Germain%20APM%20Workspace?profile=Germain%20APM%20Workspace
Method	GET
Attack	
Evidence	1856431235
URL	https://monitor.germainapm.com/config/agent/lookup/Web%20UX/qa.cloud.germainapm.com/Germain%20APM%20Workspace?profile=Germain%20APM%20Workspace
Method	GET
Attack	
Evidence	1859775393

URL	https://monitor.germainapm.com/config/agent/lookup/Web%20UX/qa.cloud.germainapm.com/Germain%20APM%20Workspace?profile=Germain%20APM%20Workspace
Method	GET
Attack	
Evidence	1879048192
URL	https://monitor.germainapm.com/config/agent/lookup/Web%20UX/qa.cloud.germainapm.com/Germain%20APM%20Workspace?profile=Germain%20APM%20Workspace
Method	GET
Attack	
Evidence	1879048193
URL	https://monitor.germainapm.com/config/agent/lookup/Web%20UX/qa.cloud.germainapm.com/Germain%20APM%20Workspace?profile=Germain%20APM%20Workspace
Method	GET
Attack	
Evidence	1894007588
URL	https://monitor.germainapm.com/config/agent/lookup/Web%20UX/qa.cloud.germainapm.com/Germain%20APM%20Workspace?profile=Germain%20APM%20Workspace
Method	GET
Attack	
Evidence	1899447441
URL	https://monitor.germainapm.com/config/agent/lookup/Web%20UX/qa.cloud.germainapm.com/Germain%20APM%20Workspace?profile=Germain%20APM%20Workspace
Method	GET
Attack	
Evidence	1914138554
URL	https://monitor.germainapm.com/config/agent/lookup/Web%20UX/qa.cloud.germainapm.com/Germain%20APM%20Workspace?profile=Germain%20APM%20Workspace
Method	GET
Attack	
Evidence	1925078388
URL	https://monitor.germainapm.com/config/agent/lookup/Web%20UX/qa.cloud.germainapm.com/Germain%20APM%20Workspace?profile=Germain%20APM%20Workspace
Method	GET
Attack	
Evidence	1955562222
URL	https://monitor.germainapm.com/config/agent/lookup/Web%20UX/qa.cloud.germainapm.com/Germain%20APM%20Workspace?profile=Germain%20APM%20Workspace
Method	GET
Attack	
Evidence	1986661051
URL	https://monitor.germainapm.com/germainapm/workspace/app/static/js/2.9ab5f66e.chunk.js
Method	GET
Attack	
Evidence	1416354905
URL	https://monitor.germainapm.com/germainapm/workspace/app/static/js/2.9ab5f66e.chunk.js

Method	GET
Attack	
Evidence	1433087999
URL	https://monitor.germainapm.com/germainapm/workspace/app/static/js/2.9ab5f66e.chunk.js
Method	GET
Attack	
Evidence	1444681467
URL	https://monitor.germainapm.com/germainapm/workspace/app/static/js/2.9ab5f66e.chunk.js
Method	GET
Attack	
Evidence	1473231341
URL	https://monitor.germainapm.com/germainapm/workspace/app/static/js/2.9ab5f66e.chunk.js
Method	GET
Attack	
Evidence	1502002290
URL	https://monitor.germainapm.com/germainapm/workspace/app/static/js/2.9ab5f66e.chunk.js
Method	GET
Attack	
Evidence	1530992060
URL	https://monitor.germainapm.com/germainapm/workspace/app/static/js/2.9ab5f66e.chunk.js
Method	GET
Attack	
Evidence	1540483477
URL	https://monitor.germainapm.com/germainapm/workspace/app/static/js/2.9ab5f66e.chunk.js
Method	GET
Attack	
Evidence	1560198380
URL	https://monitor.germainapm.com/germainapm/workspace/app/static/js/2.9ab5f66e.chunk.js
Method	GET
Attack	
Evidence	1604231423
URL	https://monitor.germainapm.com/germainapm/workspace/app/static/js/2.9ab5f66e.chunk.js
Method	GET
Attack	
Evidence	1687547391
URL	https://monitor.germainapm.com/germainapm/workspace/app/static/js/2.9ab5f66e.chunk.js
Method	GET
Attack	
Evidence	1700485571
URL	https://monitor.germainapm.com/germainapm/workspace/app/static/js/2.9ab5f66e.chunk.js
Method	GET

Attack	
Evidence	1714657791
URL	https://monitor.germainapm.com/germainapm/workspace/app/static/js/2.9ab5f66e.chunk.js
Method	GET
Attack	
Evidence	1724754687
URL	https://monitor.germainapm.com/germainapm/workspace/app/static/js/2.9ab5f66e.chunk.js
Method	GET
Attack	
Evidence	1732584193
URL	https://monitor.germainapm.com/germainapm/workspace/app/static/js/2.9ab5f66e.chunk.js
Method	GET
Attack	
Evidence	1732584194
URL	https://monitor.germainapm.com/germainapm/workspace/app/static/js/2.9ab5f66e.chunk.js
Method	GET
Attack	
Evidence	1735328473
URL	https://monitor.germainapm.com/germainapm/workspace/app/static/js/2.9ab5f66e.chunk.js
Method	GET
Attack	
Evidence	1768516095
URL	https://monitor.germainapm.com/germainapm/workspace/app/static/js/2.9ab5f66e.chunk.js
Method	GET
Attack	
Evidence	1770035416
URL	https://monitor.germainapm.com/germainapm/workspace/app/static/js/2.9ab5f66e.chunk.js
Method	GET
Attack	
Evidence	1784335871
URL	https://monitor.germainapm.com/germainapm/workspace/app/static/js/2.9ab5f66e.chunk.js
Method	GET
Attack	
Evidence	1804477439
URL	https://monitor.germainapm.com/germainapm/workspace/app/static/js/2.9ab5f66e.chunk.js
Method	GET
Attack	
Evidence	1804603682
URL	https://monitor.germainapm.com/germainapm/workspace/app/static/js/2.9ab5f66e.chunk.js
Method	GET
Attack	

Evidence	1839030562
URL	https://monitor.germainapm.com/germainapm/workspace/app/static/js/2.9ab5f66e.chunk.js
Method	GET
Attack	
Evidence	1873313359
URL	https://monitor.germainapm.com/germainapm/workspace/app/static/js/2.9ab5f66e.chunk.js
Method	GET
Attack	
Evidence	1887473919
URL	https://monitor.germainapm.com/germainapm/workspace/app/static/js/2.9ab5f66e.chunk.js
Method	GET
Attack	
Evidence	1894986606
URL	https://monitor.germainapm.com/germainapm/workspace/app/static/js/2.9ab5f66e.chunk.js
Method	GET
Attack	
Evidence	1926607734
URL	https://monitor.germainapm.com/germainapm/workspace/app/static/js/2.9ab5f66e.chunk.js
Method	GET
Attack	
Evidence	1958414417
URL	https://qa.cloud.germainapm.com/config/config/germain.apm.monitoringClient.webUxMonitoringProfiles
Method	GET
Attack	
Evidence	1359893119
URL	https://qa.cloud.germainapm.com/config/config/germain.apm.monitoringClient.webUxMonitoringProfiles
Method	GET
Attack	
Evidence	1363258195
URL	https://qa.cloud.germainapm.com/config/config/germain.apm.monitoringClient.webUxMonitoringProfiles
Method	GET
Attack	
Evidence	1396182291
URL	https://qa.cloud.germainapm.com/config/config/germain.apm.monitoringClient.webUxMonitoringProfiles
Method	GET
Attack	
Evidence	1398893684
URL	https://qa.cloud.germainapm.com/config/config/germain.apm.monitoringClient.webUxMonitoringProfiles

Method	GET
Attack	
Evidence	1426881987
URL	https://qa.cloud.germainapm.com/config/config/germain.apm.monitoringClient.webUxMonitoringProfiles
Method	GET
Attack	
Evidence	1431655765
URL	https://qa.cloud.germainapm.com/config/config/germain.apm.monitoringClient.webUxMonitoringProfiles
Method	GET
Attack	
Evidence	1432725776
URL	https://qa.cloud.germainapm.com/config/config/germain.apm.monitoringClient.webUxMonitoringProfiles
Method	GET
Attack	
Evidence	1467031594
URL	https://qa.cloud.germainapm.com/config/config/germain.apm.monitoringClient.webUxMonitoringProfiles
Method	GET
Attack	
Evidence	1476395008
URL	https://qa.cloud.germainapm.com/config/config/germain.apm.monitoringClient.webUxMonitoringProfiles
Method	GET
Attack	
Evidence	1476395009
URL	https://qa.cloud.germainapm.com/config/config/germain.apm.monitoringClient.webUxMonitoringProfiles
Method	GET
Attack	
Evidence	1495990901
URL	https://qa.cloud.germainapm.com/config/config/germain.apm.monitoringClient.webUxMonitoringProfiles
Method	GET
Attack	
Evidence	1501505948
URL	https://qa.cloud.germainapm.com/config/config/germain.apm.monitoringClient.webUxMonitoringProfiles
Method	GET
Attack	
Evidence	1508970993
URL	https://qa.cloud.germainapm.com/config/config/germain.apm.monitoringClient.webUxMonitoringProfiles

Method	GET
Attack	
Evidence	1518500249
URL	https://qa.cloud.germainapm.com/config/config/germain.apm.monitoringClient.webUxMonitoringProfiles
Method	GET
Attack	
Evidence	1522805485
URL	https://qa.cloud.germainapm.com/config/config/germain.apm.monitoringClient.webUxMonitoringProfiles
Method	GET
Attack	
Evidence	1537002063
URL	https://qa.cloud.germainapm.com/config/config/germain.apm.monitoringClient.webUxMonitoringProfiles
Method	GET
Attack	
Evidence	1541459225
URL	https://qa.cloud.germainapm.com/config/config/germain.apm.monitoringClient.webUxMonitoringProfiles
Method	GET
Attack	
Evidence	1546045734
URL	https://qa.cloud.germainapm.com/config/config/germain.apm.monitoringClient.webUxMonitoringProfiles
Method	GET
Attack	
Evidence	1548603684
URL	https://qa.cloud.germainapm.com/config/config/germain.apm.monitoringClient.webUxMonitoringProfiles
Method	GET
Attack	
Evidence	1549556828
URL	https://qa.cloud.germainapm.com/config/config/germain.apm.monitoringClient.webUxMonitoringProfiles
Method	GET
Attack	
Evidence	1555081692
URL	https://qa.cloud.germainapm.com/config/config/germain.apm.monitoringClient.webUxMonitoringProfiles
Method	GET
Attack	
Evidence	1575990012
URL	https://qa.cloud.germainapm.com/config/config/germain.apm.monitoringClient.webUxMonitoringProfiles

Method	GET
Attack	
Evidence	1595750129
URL	https://qa.cloud.germainapm.com/config/config/germain.apm.monitoringClient.webUxMonitoringProfiles
Method	GET
Attack	
Evidence	1607167915
URL	https://qa.cloud.germainapm.com/config/config/germain.apm.monitoringClient.webUxMonitoringProfiles
Method	GET
Attack	
Evidence	1610612736
URL	https://qa.cloud.germainapm.com/config/config/germain.apm.monitoringClient.webUxMonitoringProfiles
Method	GET
Attack	
Evidence	1610612737
URL	https://qa.cloud.germainapm.com/config/config/germain.apm.monitoringClient.webUxMonitoringProfiles
Method	GET
Attack	
Evidence	1654270250
URL	https://qa.cloud.germainapm.com/config/config/germain.apm.monitoringClient.webUxMonitoringProfiles
Method	GET
Attack	
Evidence	1669938803
URL	https://qa.cloud.germainapm.com/config/config/germain.apm.monitoringClient.webUxMonitoringProfiles
Method	GET
Attack	
Evidence	1670340332
URL	https://qa.cloud.germainapm.com/config/config/germain.apm.monitoringClient.webUxMonitoringProfiles
Method	GET
Attack	
Evidence	1671715886
URL	https://qa.cloud.germainapm.com/config/config/germain.apm.monitoringClient.webUxMonitoringProfiles
Method	GET
Attack	
Evidence	1694076839
URL	https://qa.cloud.germainapm.com/config/config/germain.apm.monitoringClient.webUxMonitoringProfiles

Method	GET
Attack	
Evidence	1695183700
URL	https://qa.cloud.germainapm.com/config/config/germain.apm.monitoringClient.webUxMonitoringProfiles
Method	GET
Attack	
Evidence	1701076831
URL	https://qa.cloud.germainapm.com/config/config/germain.apm.monitoringClient.webUxMonitoringProfiles
Method	GET
Attack	
Evidence	1731405415
URL	https://qa.cloud.germainapm.com/config/config/germain.apm.monitoringClient.webUxMonitoringProfiles
Method	GET
Attack	
Evidence	1732584193
URL	https://qa.cloud.germainapm.com/config/config/germain.apm.monitoringClient.webUxMonitoringProfiles
Method	GET
Attack	
Evidence	1744830464
URL	https://qa.cloud.germainapm.com/config/config/germain.apm.monitoringClient.webUxMonitoringProfiles
Method	GET
Attack	
Evidence	1744830465
URL	https://qa.cloud.germainapm.com/config/config/germain.apm.monitoringClient.webUxMonitoringProfiles
Method	GET
Attack	
Evidence	1747873779
URL	https://qa.cloud.germainapm.com/config/config/germain.apm.monitoringClient.webUxMonitoringProfiles
Method	GET
Attack	
Evidence	1750603025
URL	https://qa.cloud.germainapm.com/config/config/germain.apm.monitoringClient.webUxMonitoringProfiles
Method	GET
Attack	
Evidence	1772526188
URL	https://qa.cloud.germainapm.com/config/config/germain.apm.monitoringClient.webUxMonitoringProfiles

Method	GET
Attack	
Evidence	1779033703
URL	https://qa.cloud.germainapm.com/config/config/germain.apm.monitoringClient.webUxMonitoringProfiles
Method	GET
Attack	
Evidence	1816402316
URL	https://qa.cloud.germainapm.com/config/config/germain.apm.monitoringClient.webUxMonitoringProfiles
Method	GET
Attack	
Evidence	1836072691
URL	https://qa.cloud.germainapm.com/config/config/germain.apm.monitoringClient.webUxMonitoringProfiles
Method	GET
Attack	
Evidence	1856431235
URL	https://qa.cloud.germainapm.com/config/config/germain.apm.monitoringClient.webUxMonitoringProfiles
Method	GET
Attack	
Evidence	1859775393
URL	https://qa.cloud.germainapm.com/config/config/germain.apm.monitoringClient.webUxMonitoringProfiles
Method	GET
Attack	
Evidence	1879048192
URL	https://qa.cloud.germainapm.com/config/config/germain.apm.monitoringClient.webUxMonitoringProfiles
Method	GET
Attack	
Evidence	1879048193
URL	https://qa.cloud.germainapm.com/config/config/germain.apm.monitoringClient.webUxMonitoringProfiles
Method	GET
Attack	
Evidence	1894007588
URL	https://qa.cloud.germainapm.com/config/config/germain.apm.monitoringClient.webUxMonitoringProfiles
Method	GET
Attack	
Evidence	1899447441
URL	https://qa.cloud.germainapm.com/config/config/germain.apm.monitoringClient.webUxMonitoringProfiles

Method	GET
Attack	
Evidence	1914138554
URL	https://qa.cloud.germainapm.com/config/config/germain.apm.monitoringClient.webUxMonitoringProfiles
Method	GET
Attack	
Evidence	1925078388
URL	https://qa.cloud.germainapm.com/config/config/germain.apm.monitoringClient.webUxMonitoringProfiles
Method	GET
Attack	
Evidence	1955562222
URL	https://qa.cloud.germainapm.com/config/config/germain.apm.monitoringClient.webUxMonitoringProfiles
Method	GET
Attack	
Evidence	1986661051
URL	https://qa.cloud.germainapm.com/config/config/shallow/germain.apm.monitoringClient.webUxMonitoringProfiles
Method	GET
Attack	
Evidence	1359893119
URL	https://qa.cloud.germainapm.com/config/config/shallow/germain.apm.monitoringClient.webUxMonitoringProfiles
Method	GET
Attack	
Evidence	1363258195
URL	https://qa.cloud.germainapm.com/config/config/shallow/germain.apm.monitoringClient.webUxMonitoringProfiles
Method	GET
Attack	
Evidence	1396182291
URL	https://qa.cloud.germainapm.com/config/config/shallow/germain.apm.monitoringClient.webUxMonitoringProfiles
Method	GET
Attack	
Evidence	1398893684
URL	https://qa.cloud.germainapm.com/config/config/shallow/germain.apm.monitoringClient.webUxMonitoringProfiles
Method	GET
Attack	
Evidence	1426881987
URL	https://qa.cloud.germainapm.com/config/config/shallow/germain.apm.monitoringClient.webUxMonitoringProfiles

Method	GET
Attack	
Evidence	1431655765
URL	https://qa.cloud.germainapm.com/config/config/shallow/germain.apm.monitoringClient.webUxMonitoringProfiles
Method	GET
Attack	
Evidence	1432725776
URL	https://qa.cloud.germainapm.com/config/config/shallow/germain.apm.monitoringClient.webUxMonitoringProfiles
Method	GET
Attack	
Evidence	1467031594
URL	https://qa.cloud.germainapm.com/config/config/shallow/germain.apm.monitoringClient.webUxMonitoringProfiles
Method	GET
Attack	
Evidence	1476395008
URL	https://qa.cloud.germainapm.com/config/config/shallow/germain.apm.monitoringClient.webUxMonitoringProfiles
Method	GET
Attack	
Evidence	1476395009
URL	https://qa.cloud.germainapm.com/config/config/shallow/germain.apm.monitoringClient.webUxMonitoringProfiles
Method	GET
Attack	
Evidence	1495990901
URL	https://qa.cloud.germainapm.com/config/config/shallow/germain.apm.monitoringClient.webUxMonitoringProfiles
Method	GET
Attack	
Evidence	1501505948
URL	https://qa.cloud.germainapm.com/config/config/shallow/germain.apm.monitoringClient.webUxMonitoringProfiles
Method	GET
Attack	
Evidence	1508970993
URL	https://qa.cloud.germainapm.com/config/config/shallow/germain.apm.monitoringClient.webUxMonitoringProfiles
Method	GET
Attack	
Evidence	1518500249
URL	https://qa.cloud.germainapm.com/config/config/shallow/germain.apm.monitoringClient.webUxMonitoringProfiles

Method	GET
Attack	
Evidence	1522805485
URL	https://qa.cloud.germainapm.com/config/config/shallow/germain.apm.monitoringClient.webUxMonitoringProfiles
Method	GET
Attack	
Evidence	1537002063
URL	https://qa.cloud.germainapm.com/config/config/shallow/germain.apm.monitoringClient.webUxMonitoringProfiles
Method	GET
Attack	
Evidence	1541459225
URL	https://qa.cloud.germainapm.com/config/config/shallow/germain.apm.monitoringClient.webUxMonitoringProfiles
Method	GET
Attack	
Evidence	1546045734
URL	https://qa.cloud.germainapm.com/config/config/shallow/germain.apm.monitoringClient.webUxMonitoringProfiles
Method	GET
Attack	
Evidence	1548603684
URL	https://qa.cloud.germainapm.com/config/config/shallow/germain.apm.monitoringClient.webUxMonitoringProfiles
Method	GET
Attack	
Evidence	1549556828
URL	https://qa.cloud.germainapm.com/config/config/shallow/germain.apm.monitoringClient.webUxMonitoringProfiles
Method	GET
Attack	
Evidence	1555081692
URL	https://qa.cloud.germainapm.com/config/config/shallow/germain.apm.monitoringClient.webUxMonitoringProfiles
Method	GET
Attack	
Evidence	1575990012
URL	https://qa.cloud.germainapm.com/config/config/shallow/germain.apm.monitoringClient.webUxMonitoringProfiles
Method	GET
Attack	
Evidence	1595750129
URL	https://qa.cloud.germainapm.com/config/config/shallow/germain.apm.monitoringClient.webUxMonitoringProfiles

Method	GET
Attack	
Evidence	1607167915
URL	https://qa.cloud.germainapm.com/config/config/shallow/germain.apm.monitoringClient.webUxMonitoringProfiles
Method	GET
Attack	
Evidence	1610612736
URL	https://qa.cloud.germainapm.com/config/config/shallow/germain.apm.monitoringClient.webUxMonitoringProfiles
Method	GET
Attack	
Evidence	1610612737
URL	https://qa.cloud.germainapm.com/config/config/shallow/germain.apm.monitoringClient.webUxMonitoringProfiles
Method	GET
Attack	
Evidence	1654270250
URL	https://qa.cloud.germainapm.com/config/config/shallow/germain.apm.monitoringClient.webUxMonitoringProfiles
Method	GET
Attack	
Evidence	1669938803
URL	https://qa.cloud.germainapm.com/config/config/shallow/germain.apm.monitoringClient.webUxMonitoringProfiles
Method	GET
Attack	
Evidence	1670340332
URL	https://qa.cloud.germainapm.com/config/config/shallow/germain.apm.monitoringClient.webUxMonitoringProfiles
Method	GET
Attack	
Evidence	1671715886
URL	https://qa.cloud.germainapm.com/config/config/shallow/germain.apm.monitoringClient.webUxMonitoringProfiles
Method	GET
Attack	
Evidence	1694076839
URL	https://qa.cloud.germainapm.com/config/config/shallow/germain.apm.monitoringClient.webUxMonitoringProfiles
Method	GET
Attack	
Evidence	1695183700
URL	https://qa.cloud.germainapm.com/config/config/shallow/germain.apm.monitoringClient.webUxMonitoringProfiles

Method	GET
Attack	
Evidence	1701076831
URL	https://qa.cloud.germainapm.com/config/config/shallow/germain.apm.monitoringClient.webUxMonitoringProfiles
Method	GET
Attack	
Evidence	1731405415
URL	https://qa.cloud.germainapm.com/config/config/shallow/germain.apm.monitoringClient.webUxMonitoringProfiles
Method	GET
Attack	
Evidence	1732584193
URL	https://qa.cloud.germainapm.com/config/config/shallow/germain.apm.monitoringClient.webUxMonitoringProfiles
Method	GET
Attack	
Evidence	1744830464
URL	https://qa.cloud.germainapm.com/config/config/shallow/germain.apm.monitoringClient.webUxMonitoringProfiles
Method	GET
Attack	
Evidence	1744830465
URL	https://qa.cloud.germainapm.com/config/config/shallow/germain.apm.monitoringClient.webUxMonitoringProfiles
Method	GET
Attack	
Evidence	1747873779
URL	https://qa.cloud.germainapm.com/config/config/shallow/germain.apm.monitoringClient.webUxMonitoringProfiles
Method	GET
Attack	
Evidence	1750603025
URL	https://qa.cloud.germainapm.com/config/config/shallow/germain.apm.monitoringClient.webUxMonitoringProfiles
Method	GET
Attack	
Evidence	1772526188
URL	https://qa.cloud.germainapm.com/config/config/shallow/germain.apm.monitoringClient.webUxMonitoringProfiles
Method	GET
Attack	
Evidence	1779033703
URL	https://qa.cloud.germainapm.com/config/config/shallow/germain.apm.monitoringClient.webUxMonitoringProfiles

Method	GET
Attack	
Evidence	1816402316
URL	https://qa.cloud.germainapm.com/config/config/shallow/germain.apm.monitoringClient.webUxMonitoringProfiles
Method	GET
Attack	
Evidence	1836072691
URL	https://qa.cloud.germainapm.com/config/config/shallow/germain.apm.monitoringClient.webUxMonitoringProfiles
Method	GET
Attack	
Evidence	1856431235
URL	https://qa.cloud.germainapm.com/config/config/shallow/germain.apm.monitoringClient.webUxMonitoringProfiles
Method	GET
Attack	
Evidence	1859775393
URL	https://qa.cloud.germainapm.com/config/config/shallow/germain.apm.monitoringClient.webUxMonitoringProfiles
Method	GET
Attack	
Evidence	1879048192
URL	https://qa.cloud.germainapm.com/config/config/shallow/germain.apm.monitoringClient.webUxMonitoringProfiles
Method	GET
Attack	
Evidence	1879048193
URL	https://qa.cloud.germainapm.com/config/config/shallow/germain.apm.monitoringClient.webUxMonitoringProfiles
Method	GET
Attack	
Evidence	1894007588
URL	https://qa.cloud.germainapm.com/config/config/shallow/germain.apm.monitoringClient.webUxMonitoringProfiles
Method	GET
Attack	
Evidence	1899447441
URL	https://qa.cloud.germainapm.com/config/config/shallow/germain.apm.monitoringClient.webUxMonitoringProfiles
Method	GET
Attack	
Evidence	1914138554
URL	https://qa.cloud.germainapm.com/config/config/shallow/germain.apm.monitoringClient.webUxMonitoringProfiles

Method	GET
Attack	
Evidence	1925078388
URL	https://qa.cloud.germainapm.com/config/config/shallow/germain.apm.monitoringClient.webUxMonitoringProfiles
Method	GET
Attack	
Evidence	1955562222
URL	https://qa.cloud.germainapm.com/config/config/shallow/germain.apm.monitoringClient.webUxMonitoringProfiles
Method	GET
Attack	
Evidence	1986661051
URL	https://qa.cloud.germainapm.com/config/note
Method	GET
Attack	
Evidence	1363383919
URL	https://qa.cloud.germainapm.com/config/note
Method	GET
Attack	
Evidence	1364686800
URL	https://qa.cloud.germainapm.com/config/note
Method	GET
Attack	
Evidence	1377472983
URL	https://qa.cloud.germainapm.com/config/note
Method	GET
Attack	
Evidence	1381797642
URL	https://qa.cloud.germainapm.com/config/note
Method	GET
Attack	
Evidence	1424401639
URL	https://qa.cloud.germainapm.com/config/note
Method	GET
Attack	
Evidence	1453145669
URL	https://qa.cloud.germainapm.com/config/note
Method	GET
Attack	
Evidence	1459532379
URL	https://qa.cloud.germainapm.com/config/note

Method	GET
Attack	
Evidence	1462062004
URL	https://qa.cloud.germainapm.com/config/note
Method	GET
Attack	
Evidence	1485414607
URL	https://qa.cloud.germainapm.com/config/note
Method	GET
Attack	
Evidence	1497943104
URL	https://qa.cloud.germainapm.com/config/note
Method	GET
Attack	
Evidence	1507851573
URL	https://qa.cloud.germainapm.com/config/note
Method	GET
Attack	
Evidence	1509052467
URL	https://qa.cloud.germainapm.com/config/note
Method	GET
Attack	
Evidence	1552491104
URL	https://qa.cloud.germainapm.com/config/note
Method	GET
Attack	
Evidence	1618171350
URL	https://qa.cloud.germainapm.com/config/note
Method	GET
Attack	
Evidence	1625417043
URL	https://qa.cloud.germainapm.com/config/note
Method	GET
Attack	
Evidence	1636495034
URL	https://qa.cloud.germainapm.com/config/note
Method	GET
Attack	
Evidence	1651649133
URL	https://qa.cloud.germainapm.com/config/note
Method	GET

Attack	
Evidence	1652436407
URL	https://qa.cloud.germainapm.com/config/note
Method	GET
Attack	
Evidence	1652781973
URL	https://qa.cloud.germainapm.com/config/note
Method	GET
Attack	
Evidence	1652880463
URL	https://qa.cloud.germainapm.com/config/note
Method	GET
Attack	
Evidence	1652935359
URL	https://qa.cloud.germainapm.com/config/note
Method	GET
Attack	
Evidence	1653454301
URL	https://qa.cloud.germainapm.com/config/note
Method	GET
Attack	
Evidence	1653473432
URL	https://qa.cloud.germainapm.com/config/note
Method	GET
Attack	
Evidence	1653894537
URL	https://qa.cloud.germainapm.com/config/note
Method	GET
Attack	
Evidence	1654842124
URL	https://qa.cloud.germainapm.com/config/note
Method	GET
Attack	
Evidence	1655883543
URL	https://qa.cloud.germainapm.com/config/note
Method	GET
Attack	
Evidence	1657711680
URL	https://qa.cloud.germainapm.com/config/note
Method	GET
Attack	

Evidence	1657889610
URL	https://qa.cloud.germainapm.com/config/note
Method	GET
Attack	
Evidence	1659423291
URL	https://qa.cloud.germainapm.com/config/note
Method	GET
Attack	
Evidence	1659601136
URL	https://qa.cloud.germainapm.com/config/note
Method	GET
Attack	
Evidence	1660904339
URL	https://qa.cloud.germainapm.com/config/note
Method	GET
Attack	
Evidence	1661240280
URL	https://qa.cloud.germainapm.com/config/note
Method	GET
Attack	
Evidence	1661462205
URL	https://qa.cloud.germainapm.com/config/note
Method	GET
Attack	
Evidence	1661941040
URL	https://qa.cloud.germainapm.com/config/note
Method	GET
Attack	
Evidence	1661947333
URL	https://qa.cloud.germainapm.com/config/note
Method	GET
Attack	
Evidence	1663104443
URL	https://qa.cloud.germainapm.com/config/note
Method	GET
Attack	
Evidence	1663328795
URL	https://qa.cloud.germainapm.com/config/note
Method	GET
Attack	
Evidence	1664793007

URL	https://qa.cloud.germainapm.com/config/note
Method	GET
Attack	
Evidence	1666103485
URL	https://qa.cloud.germainapm.com/config/note
Method	GET
Attack	
Evidence	1666340181
URL	https://qa.cloud.germainapm.com/config/note
Method	GET
Attack	
Evidence	1666979070
URL	https://qa.cloud.germainapm.com/config/note
Method	GET
Attack	
Evidence	1671715886
URL	https://qa.cloud.germainapm.com/config/note
Method	GET
Attack	
Evidence	1683567737
URL	https://qa.cloud.germainapm.com/config/note
Method	GET
Attack	
Evidence	1684939115
URL	https://qa.cloud.germainapm.com/config/note
Method	GET
Attack	
Evidence	1721774327
URL	https://qa.cloud.germainapm.com/config/note
Method	GET
Attack	
Evidence	1725763707
URL	https://qa.cloud.germainapm.com/config/note
Method	GET
Attack	
Evidence	1729552769
URL	https://qa.cloud.germainapm.com/config/note
Method	GET
Attack	
Evidence	1754088393
URL	https://qa.cloud.germainapm.com/config/note

Method	GET
Attack	
Evidence	1758666065
URL	https://qa.cloud.germainapm.com/config/note
Method	GET
Attack	
Evidence	1776375065
URL	https://qa.cloud.germainapm.com/config/note
Method	GET
Attack	
Evidence	1783231956
URL	https://qa.cloud.germainapm.com/config/note
Method	GET
Attack	
Evidence	1793523779
URL	https://qa.cloud.germainapm.com/config/note
Method	GET
Attack	
Evidence	1825671276
URL	https://qa.cloud.germainapm.com/config/note
Method	GET
Attack	
Evidence	1835629619
URL	https://qa.cloud.germainapm.com/config/note
Method	GET
Attack	
Evidence	1859214114
URL	https://qa.cloud.germainapm.com/config/note
Method	GET
Attack	
Evidence	1862321561
URL	https://qa.cloud.germainapm.com/config/note
Method	GET
Attack	
Evidence	1866887380
URL	https://qa.cloud.germainapm.com/config/note
Method	GET
Attack	
Evidence	1928644885
URL	https://qa.cloud.germainapm.com/config/note
Method	GET

Attack	
Evidence	1963832261
URL	https://qa.cloud.germainapm.com/germainapm/workspace/app/js/monaco/min/vs/base/_worker/workerMain.js
Method	GET
Attack	
Evidence	1518500249
URL	https://qa.cloud.germainapm.com/germainapm/workspace/app/js/monaco/min/vs/base/_worker/workerMain.js
Method	GET
Attack	
Evidence	1732584193
URL	https://qa.cloud.germainapm.com/germainapm/workspace/app/js/monaco/min/vs/base/_worker/workerMain.js
Method	GET
Attack	
Evidence	1859775393
URL	https://qa.cloud.germainapm.com/germainapm/workspace/app/js/monaco/min/vs/editor/_editor.main.js
Method	GET
Attack	
Evidence	1518500249
URL	https://qa.cloud.germainapm.com/germainapm/workspace/app/js/monaco/min/vs/editor/_editor.main.js
Method	GET
Attack	
Evidence	1732584193
URL	https://qa.cloud.germainapm.com/germainapm/workspace/app/js/monaco/min/vs/editor/_editor.main.js
Method	GET
Attack	
Evidence	1859775393
URL	https://qa.cloud.germainapm.com/germainapm/workspace/app/static/js/2.9ab5f66e.chunk.js
Method	GET
Attack	
Evidence	1416354905
URL	https://qa.cloud.germainapm.com/germainapm/workspace/app/static/js/2.9ab5f66e.chunk.js
Method	GET
Attack	
Evidence	1433087999
URL	https://qa.cloud.germainapm.com/germainapm/workspace/app/static/js/2.9ab5f66e.chunk.js
Method	GET
Attack	
Evidence	1444681467

URL	https://qa.cloud.germainapm.com/germainapm/workspace/app/static/js/2.9ab5f66e.chunk.js
Method	GET
Attack	
Evidence	1473231341
URL	https://qa.cloud.germainapm.com/germainapm/workspace/app/static/js/2.9ab5f66e.chunk.js
Method	GET
Attack	
Evidence	1502002290
URL	https://qa.cloud.germainapm.com/germainapm/workspace/app/static/js/2.9ab5f66e.chunk.js
Method	GET
Attack	
Evidence	1530992060
URL	https://qa.cloud.germainapm.com/germainapm/workspace/app/static/js/2.9ab5f66e.chunk.js
Method	GET
Attack	
Evidence	1540483477
URL	https://qa.cloud.germainapm.com/germainapm/workspace/app/static/js/2.9ab5f66e.chunk.js
Method	GET
Attack	
Evidence	1560198380
URL	https://qa.cloud.germainapm.com/germainapm/workspace/app/static/js/2.9ab5f66e.chunk.js
Method	GET
Attack	
Evidence	1604231423
URL	https://qa.cloud.germainapm.com/germainapm/workspace/app/static/js/2.9ab5f66e.chunk.js
Method	GET
Attack	
Evidence	1687547391
URL	https://qa.cloud.germainapm.com/germainapm/workspace/app/static/js/2.9ab5f66e.chunk.js
Method	GET
Attack	
Evidence	1700485571
URL	https://qa.cloud.germainapm.com/germainapm/workspace/app/static/js/2.9ab5f66e.chunk.js
Method	GET
Attack	
Evidence	1714657791
URL	https://qa.cloud.germainapm.com/germainapm/workspace/app/static/js/2.9ab5f66e.chunk.js
Method	GET
Attack	
Evidence	1724754687
URL	https://qa.cloud.germainapm.com/germainapm/workspace/app/static/js/2.9ab5f66e.chunk.js

Method	GET
Attack	
Evidence	1732584193
URL	https://qa.cloud.germainapm.com/germainapm/workspace/app/static/js/2.9ab5f66e.chunk.js
Method	GET
Attack	
Evidence	1732584194
URL	https://qa.cloud.germainapm.com/germainapm/workspace/app/static/js/2.9ab5f66e.chunk.js
Method	GET
Attack	
Evidence	1735328473
URL	https://qa.cloud.germainapm.com/germainapm/workspace/app/static/js/2.9ab5f66e.chunk.js
Method	GET
Attack	
Evidence	1768516095
URL	https://qa.cloud.germainapm.com/germainapm/workspace/app/static/js/2.9ab5f66e.chunk.js
Method	GET
Attack	
Evidence	1770035416
URL	https://qa.cloud.germainapm.com/germainapm/workspace/app/static/js/2.9ab5f66e.chunk.js
Method	GET
Attack	
Evidence	1784335871
URL	https://qa.cloud.germainapm.com/germainapm/workspace/app/static/js/2.9ab5f66e.chunk.js
Method	GET
Attack	
Evidence	1804477439
URL	https://qa.cloud.germainapm.com/germainapm/workspace/app/static/js/2.9ab5f66e.chunk.js
Method	GET
Attack	
Evidence	1804603682
URL	https://qa.cloud.germainapm.com/germainapm/workspace/app/static/js/2.9ab5f66e.chunk.js
Method	GET
Attack	
Evidence	1839030562
URL	https://qa.cloud.germainapm.com/germainapm/workspace/app/static/js/2.9ab5f66e.chunk.js
Method	GET
Attack	
Evidence	1873313359
URL	https://qa.cloud.germainapm.com/germainapm/workspace/app/static/js/2.9ab5f66e.chunk.js
Method	GET

Attack	
Evidence	1887473919
URL	https://qa.cloud.germainapm.com/germainapm/workspace/app/static/js/2.9ab5f66e.chunk.js
Method	GET
Attack	
Evidence	1894986606
URL	https://qa.cloud.germainapm.com/germainapm/workspace/app/static/js/2.9ab5f66e.chunk.js
Method	GET
Attack	
Evidence	1926607734
URL	https://qa.cloud.germainapm.com/germainapm/workspace/app/static/js/2.9ab5f66e.chunk.js
Method	GET
Attack	
Evidence	1958414417
Instances	276
Solution	Manually confirm that the timestamp data is not sensitive, and that the data cannot be aggregated to disclose exploitable patterns.
Reference	http://projects.webappsec.org/w/page/13246936/Information%20Leakage
CWE Id	200
WASC Id	13
Plugin Id	10096

Low	X-Content-Type-Options Header Missing
Description	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
URL	https://monitor.germainapm.com
Method	GET
Attack	
Evidence	
URL	https://monitor.germainapm.com/
Method	GET
Attack	
Evidence	
URL	https://monitor.germainapm.com/germainapm/workspace/app/
Method	GET
Attack	
Evidence	
URL	https://monitor.germainapm.com/germainapm/workspace/app/favicon.png
Method	GET
Attack	

Evidence	
URL	https://monitor.germainapm.com/germainapm/workspace/app/js/build-info.js
Method	GET
Attack	
Evidence	
URL	https://monitor.germainapm.com/germainapm/workspace/app/js/germainapm-webux-agent.js
Method	GET
Attack	
Evidence	
URL	https://monitor.germainapm.com/germainapm/workspace/app/manifest.json
Method	GET
Attack	
Evidence	
URL	https://monitor.germainapm.com/germainapm/workspace/app/static/css/2.04452ca8.chunk.css
Method	GET
Attack	
Evidence	
URL	https://monitor.germainapm.com/germainapm/workspace/app/static/css/main.e7d2319f.chunk.css
Method	GET
Attack	
Evidence	
URL	https://monitor.germainapm.com/germainapm/workspace/app/static/js/2.9ab5f66e.chunk.js
Method	GET
Attack	
Evidence	
URL	https://monitor.germainapm.com/germainapm/workspace/app/static/js/main.84e9d08d.chunk.js
Method	GET
Attack	
Evidence	
URL	https://qa.cloud.germainapm.com/
Method	GET
Attack	
Evidence	
URL	https://qa.cloud.germainapm.com/germainapm/console/
Method	GET
Attack	
Evidence	
URL	https://qa.cloud.germainapm.com/germainapm/console/css/jquery.picadiff.css
Method	GET

Attack	
Evidence	
URL	https://qa.cloud.germainapm.com/germainapm/console/css/lib/bootstrap/bootstrap-responsive.css
Method	GET
Attack	
Evidence	
URL	https://qa.cloud.germainapm.com/germainapm/console/css/lib/bootstrap/bootstrap.css
Method	GET
Attack	
Evidence	
URL	https://qa.cloud.germainapm.com/germainapm/console/css/styles.css
Method	GET
Attack	
Evidence	
URL	https://qa.cloud.germainapm.com/germainapm/console/img/germain_logo.png
Method	GET
Attack	
Evidence	
URL	https://qa.cloud.germainapm.com/germainapm/console/js/lib/backbone-min.js
Method	GET
Attack	
Evidence	
URL	https://qa.cloud.germainapm.com/germainapm/console/js/lib/backbone.bootstrap-modal.js
Method	GET
Attack	
Evidence	
URL	https://qa.cloud.germainapm.com/germainapm/console/js/lib/bootstrap.min.js
Method	GET
Attack	
Evidence	
URL	https://qa.cloud.germainapm.com/germainapm/console/js/lib/diff/diff_match_patch.js
Method	GET
Attack	
Evidence	
URL	https://qa.cloud.germainapm.com/germainapm/console/js/lib/diff/diff_match_patch_extended.js
Method	GET
Attack	
Evidence	
URL	https://qa.cloud.germainapm.com/germainapm/console/js/lib/diff/picadiff.js
Method	GET

Attack	
Evidence	
URL	https://qa.cloud.germainapm.com/germainapm/console/js/lib/jquery-1.10.1.min.js
Method	GET
Attack	
Evidence	
URL	https://qa.cloud.germainapm.com/germainapm/console/js/lib/jquery-ui-1.10.3.custom.min.js
Method	GET
Attack	
Evidence	
URL	https://qa.cloud.germainapm.com/germainapm/console/js/lib/jquery.validate-1.11.1.min.js
Method	GET
Attack	
Evidence	
URL	https://qa.cloud.germainapm.com/germainapm/console/js/lib/underscore-min.js
Method	GET
Attack	
Evidence	
URL	https://qa.cloud.germainapm.com/germainapm/console/js/lib/underscore.string.js
Method	GET
Attack	
Evidence	
URL	https://qa.cloud.germainapm.com/germainapm/console/js/models/breadcrumb.model.js
Method	GET
Attack	
Evidence	
URL	https://qa.cloud.germainapm.com/germainapm/console/js/models/configmetadata.model.js
Method	GET
Attack	
Evidence	
URL	https://qa.cloud.germainapm.com/germainapm/console/js/models/configobject.model.js
Method	GET
Attack	
Evidence	
URL	https://qa.cloud.germainapm.com/germainapm/console/js/models/configtypemeta.model.js
Method	GET
Attack	
Evidence	
URL	https://qa.cloud.germainapm.com/germainapm/console/js/router.js
Method	GET
Attack	

Evidence	
URL	https://qa.cloud.germainapm.com/germainapm/console/js/utils/APMconfig.js
Method	GET
Attack	
Evidence	
URL	https://qa.cloud.germainapm.com/germainapm/console/js/utils/feedback.js
Method	GET
Attack	
Evidence	
URL	https://qa.cloud.germainapm.com/germainapm/console/js/utils/html.js
Method	GET
Attack	
Evidence	
URL	https://qa.cloud.germainapm.com/germainapm/console/js/utils/utils.js
Method	GET
Attack	
Evidence	
URL	https://qa.cloud.germainapm.com/germainapm/console/js/utils/viewutils.js
Method	GET
Attack	
Evidence	
URL	https://qa.cloud.germainapm.com/germainapm/console/js/views/breadcrumb.view.js
Method	GET
Attack	
Evidence	
URL	https://qa.cloud.germainapm.com/germainapm/console/js/views/configobject.view.js
Method	GET
Attack	
Evidence	
URL	https://qa.cloud.germainapm.com/germainapm/console/js/views/createconfigobject.view.js
Method	GET
Attack	
Evidence	
URL	https://qa.cloud.germainapm.com/germainapm/console/js/views/modal.compare.view.js
Method	GET
Attack	
Evidence	
URL	https://qa.cloud.germainapm.com/germainapm/console/js/views/modal.diff.view.js
Method	GET
Attack	
Evidence	

URL	https://qa.cloud.germainapm.com/germainapm/console/js/views/modal.restclient.view.js
Method	GET
Attack	
Evidence	
URL	https://qa.cloud.germainapm.com/germainapm/console/js/views/modal.revert.view.js
Method	GET
Attack	
Evidence	
URL	https://qa.cloud.germainapm.com/germainapm/console/js/views/notfound.view.js
Method	GET
Attack	
Evidence	
URL	https://qa.cloud.germainapm.com/germainapm/console/s/
Method	GET
Attack	
Evidence	
URL	https://qa.cloud.germainapm.com/germainapm/console/s/?elementName=ZAP&qualifiedName=%3C%40%3D+hash+%40%3E
Method	GET
Attack	
Evidence	
URL	https://qa.cloud.germainapm.com/germainapm/console/s/?qualifiedName=%3C%40%3D+hash+%40%3E
Method	GET
Attack	
Evidence	
URL	https://qa.cloud.germainapm.com/germainapm/workspace/
Method	GET
Attack	
Evidence	
URL	https://qa.cloud.germainapm.com/germainapm/workspace/app/
Method	GET
Attack	
Evidence	
URL	https://qa.cloud.germainapm.com/germainapm/workspace/app/favicon.png
Method	GET
Attack	
Evidence	
URL	https://qa.cloud.germainapm.com/germainapm/workspace/app/js/build-info.js
Method	GET
Attack	
Evidence	

URL	https://qa.cloud.germainapm.com/germainapm/workspace/app/js/germainapm-webux-agent.js
Method	GET
Attack	
Evidence	
URL	https://qa.cloud.germainapm.com/germainapm/workspace/app/js/monaco/min/vs/base/worker/workerMain.js
Method	GET
Attack	
Evidence	
URL	https://qa.cloud.germainapm.com/germainapm/workspace/app/js/monaco/min/vs/editor/editor.main.css
Method	GET
Attack	
Evidence	
URL	https://qa.cloud.germainapm.com/germainapm/workspace/app/js/monaco/min/vs/editor/editor.main.js
Method	GET
Attack	
Evidence	
URL	https://qa.cloud.germainapm.com/germainapm/workspace/app/js/monaco/min/vs/loader/editor.main.nls.js
Method	GET
Attack	
Evidence	
URL	https://qa.cloud.germainapm.com/germainapm/workspace/app/manifest.json
Method	GET
Attack	
Evidence	
URL	https://qa.cloud.germainapm.com/germainapm/workspace/app/static/css/2.04452ca8.chunk.css
Method	GET
Attack	
Evidence	
URL	https://qa.cloud.germainapm.com/germainapm/workspace/app/static/css/main.e7d2319f.chunk.css
Method	GET
Attack	
Evidence	
URL	https://qa.cloud.germainapm.com/germainapm/workspace/app/static/js/2.9ab5f66e.chunk.js

Method	GET
Attack	
Evidence	
URL	https://qa.cloud.germainapm.com/germainapm/workspace/app/static/js/main.84e9d08d.chunk.js
Method	GET
Attack	
Evidence	
URL	https://qa.cloud.germainapm.com/germainapm/workspace/app/static/media/fa-brands-400.ed311c7a.woff2
Method	GET
Attack	
Evidence	
URL	https://qa.cloud.germainapm.com/germainapm/workspace/app/static/media/fa-regular-400.b91d376b.woff2
Method	GET
Attack	
Evidence	
URL	https://qa.cloud.germainapm.com/germainapm/workspace/app/static/media/fa-solid-900.d824df7e.woff2
Method	GET
Attack	
Evidence	
URL	https://qa.cloud.germainapm.com/germainapm/workspace/app/static/media/open-sans-latin-400.33543c5c.woff2
Method	GET
Attack	
Evidence	
URL	https://qa.cloud.germainapm.com/germainapm/workspace/app/static/media/open-sans-latin-400italic.b61a9055.woff2
Method	GET
Attack	
Evidence	
URL	https://qa.cloud.germainapm.com/germainapm/workspace/app/static/media/open-sans-latin-600.819af3d3.woff2
Method	GET
Attack	
Evidence	
URL	https://qa.cloud.germainapm.com/germainapm/workspace/app/static/media/open-sans-latin-700.0edb7628.woff2
Method	GET
Attack	
Evidence	
URL	https://monitor.germainapm.com/ingestion/beacon/session
Method	POST

Attack	
Evidence	
URL	https://monitor.germainapm.com/ingestion/beacon/session/?src=beaconapi
Method	POST
Attack	
Evidence	
URL	https://monitor.germainapm.com/ingestion/static/check
Method	POST
Attack	
Evidence	
Instances	75
Solution	<p>Ensure that the application/web server sets the Content-Type header appropriately, and that it sets the X-Content-Type-Options header to 'nosniff' for all web pages.</p> <p>If possible, ensure that the end user uses a standards-compliant and modern web browser that does not perform MIME-sniffing at all, or that can be directed by the web application /web server to not perform MIME-sniffing.</p>
Reference	http://msdn.microsoft.com/en-us/library/ie/gg622941%28v=vs.85%29.aspx https://owasp.org/www-community/Security_Headers
CWE Id	693
WASC Id	15
Plugin Id	10021

Informational	Information Disclosure - Suspicious Comments
Description	The response appears to contain suspicious comments which may help an attacker. Note: Matches made within script blocks or files are against the entire content not only comments.
URL	https://monitor.germainapm.com/germainapm/workspace/app/js/germainapm-webux-agent.js
Method	GET
Attack	
Evidence	from
URL	https://monitor.germainapm.com/germainapm/workspace/app/static/js/2.9ab5f66e.chunk.js
Method	GET
Attack	
Evidence	todo
URL	https://monitor.germainapm.com/germainapm/workspace/app/static/js/main.84e9d08d.chunk.js
Method	GET
Attack	
Evidence	TODO
URL	https://qa.cloud.germainapm.com/config/download/file/agents%7Cwebux%7Cgermainapm.js?appName=%24%7BappName%7D&defaultProfileName=%24%7BdefaultProfileName%7D
Method	GET
Attack	
Evidence	from

URL	https://qa.cloud.germainapm.com/germainapm/console/js/lib/backbone-min.js
Method	GET
Attack	
Evidence	select
URL	https://qa.cloud.germainapm.com/germainapm/console/js/lib/backbone.bootstrap-modal.js
Method	GET
Attack	
Evidence	from
URL	https://qa.cloud.germainapm.com/germainapm/console/js/lib/bootstrap.min.js
Method	GET
Attack	
Evidence	query
URL	https://qa.cloud.germainapm.com/germainapm/console/js/lib/diff/diff_match_patch_extended.js
Method	GET
Attack	
Evidence	where
URL	https://qa.cloud.germainapm.com/germainapm/console/js/lib/jquery-1.10.1.min.js
Method	GET
Attack	
Evidence	select
URL	https://qa.cloud.germainapm.com/germainapm/console/js/lib/jquery-1.10.1.min.js
Method	GET
Attack	
Evidence	username
URL	https://qa.cloud.germainapm.com/germainapm/console/js/lib/jquery-ui-1.10.3.custom.min.js
Method	GET
Attack	
Evidence	select
URL	https://qa.cloud.germainapm.com/germainapm/console/js/lib/jquery.validate-1.11.1.min.js
Method	GET
Attack	
Evidence	select
URL	https://qa.cloud.germainapm.com/germainapm/console/js/lib/underscore-min.js
Method	GET
Attack	
Evidence	select
URL	https://qa.cloud.germainapm.com/germainapm/console/js/lib/underscore.string.js
Method	GET
Attack	
Evidence	from

URL	https://qa.cloud.germainapm.com/germainapm/console/js/models/configobject.model.js
Method	GET
Attack	
Evidence	FIXME
URL	https://qa.cloud.germainapm.com/germainapm/console/js/models/configobject.model.js
Method	GET
Attack	
Evidence	from
URL	https://qa.cloud.germainapm.com/germainapm/console/js/models/configobject.model.js
Method	GET
Attack	
Evidence	TODO
URL	https://qa.cloud.germainapm.com/germainapm/console/js/models/configobject.model.js
Method	GET
Attack	
Evidence	user
URL	https://qa.cloud.germainapm.com/germainapm/console/js/models/configtypemeta.model.js
Method	GET
Attack	
Evidence	where
URL	https://qa.cloud.germainapm.com/germainapm/console/js/router.js
Method	GET
Attack	
Evidence	todo
URL	https://qa.cloud.germainapm.com/germainapm/console/js/utils/APMconfig.js
Method	GET
Attack	
Evidence	TODO
URL	https://qa.cloud.germainapm.com/germainapm/console/js/utils/html.js
Method	GET
Attack	
Evidence	select
URL	https://qa.cloud.germainapm.com/germainapm/console/js/utils/utils.js
Method	GET
Attack	
Evidence	from
URL	https://qa.cloud.germainapm.com/germainapm/console/js/utils/utils.js
Method	GET
Attack	
Evidence	select
URL	https://qa.cloud.germainapm.com/germainapm/console/js/utils/utils.js

Method	GET
Attack	
Evidence	where
URL	https://qa.cloud.germainapm.com/germainapm/console/js/utils/viewutils.js
Method	GET
Attack	
Evidence	select
URL	https://qa.cloud.germainapm.com/germainapm/console/js/views/configobject.view.js
Method	GET
Attack	
Evidence	from
URL	https://qa.cloud.germainapm.com/germainapm/console/js/views/configobject.view.js
Method	GET
Attack	
Evidence	Select
URL	https://qa.cloud.germainapm.com/germainapm/console/js/views/configobject.view.js
Method	GET
Attack	
Evidence	TODO
URL	https://qa.cloud.germainapm.com/germainapm/console/js/views/configobject.view.js
Method	GET
Attack	
Evidence	User
URL	https://qa.cloud.germainapm.com/germainapm/console/js/views/createconfigobject.view.js
Method	GET
Attack	
Evidence	select
URL	https://qa.cloud.germainapm.com/germainapm/console/js/views/createconfigobject.view.js
Method	GET
Attack	
Evidence	User
URL	https://qa.cloud.germainapm.com/germainapm/console/js/views/modal.compare.view.js
Method	GET
Attack	
Evidence	where
URL	https://qa.cloud.germainapm.com/germainapm/console/js/views/modal.restclient.view.js
Method	GET
Attack	
Evidence	where
URL	https://qa.cloud.germainapm.com/germainapm/console/js/views/modal.revert.view.js
Method	GET

Attack	
Evidence	where
URL	https://qa.cloud.germainapm.com/germainapm/console/s/
Method	GET
Attack	
Evidence	select
URL	https://qa.cloud.germainapm.com/germainapm/console/s/?elementName=ZAP&qualifiedName=%3C%40%3D+hash+%40%3E
Method	GET
Attack	
Evidence	select
URL	https://qa.cloud.germainapm.com/germainapm/console/s/?qualifiedName=%3C%40%3D+hash+%40%3E
Method	GET
Attack	
Evidence	select
URL	https://qa.cloud.germainapm.com/germainapm/workspace/app/js/germainapm-webux-agent.js
Method	GET
Attack	
Evidence	from
URL	https://qa.cloud.germainapm.com/germainapm/workspace/app/js/monaco/min/vs/base/worker/workerMain.js
Method	GET
Attack	
Evidence	bug
URL	https://qa.cloud.germainapm.com/germainapm/workspace/app/js/monaco/min/vs/base/worker/workerMain.js
Method	GET
Attack	
Evidence	from
URL	https://qa.cloud.germainapm.com/germainapm/workspace/app/js/monaco/min/vs/base/worker/workerMain.js
Method	GET
Attack	
Evidence	query
URL	https://qa.cloud.germainapm.com/germainapm/workspace/app/js/monaco/min/vs/base/worker/workerMain.js
Method	GET
Attack	
Evidence	Select
URL	https://qa.cloud.germainapm.com/germainapm/workspace/app/js/monaco/min/vs/base/worker/workerMain.js
Method	GET
Attack	

Evidence	User
URL	https://qa.cloud.germainapm.com/germainapm/workspace/app/js/monaco/min/vs/editor/editor.main.js
Method	GET
Attack	
Evidence	bug
URL	https://qa.cloud.germainapm.com/germainapm/workspace/app/js/monaco/min/vs/editor/editor.main.js
Method	GET
Attack	
Evidence	from
URL	https://qa.cloud.germainapm.com/germainapm/workspace/app/js/monaco/min/vs/editor/editor.main.js
Method	GET
Attack	
Evidence	query
URL	https://qa.cloud.germainapm.com/germainapm/workspace/app/js/monaco/min/vs/editor/editor.main.js
Method	GET
Attack	
Evidence	Select
URL	https://qa.cloud.germainapm.com/germainapm/workspace/app/js/monaco/min/vs/editor/editor.main.js
Method	GET
Attack	
Evidence	user
URL	https://qa.cloud.germainapm.com/germainapm/workspace/app/js/monaco/min/vs/editor/editor.main.js
Method	GET
Attack	
Evidence	where
URL	https://qa.cloud.germainapm.com/germainapm/workspace/app/js/monaco/min/vs/editor/editor.nls.js
Method	GET
Attack	
Evidence	from
URL	https://qa.cloud.germainapm.com/germainapm/workspace/app/js/monaco/min/vs/editor/editor.nls.js
Method	GET
Attack	
Evidence	query
URL	https://qa.cloud.germainapm.com/germainapm/workspace/app/js/monaco/min/vs/editor/editor.nls.js
Method	GET
Attack	

Evidence	Select
URL	https://qa.cloud.germainapm.com/germainapm/workspace/app/js/monaco/min/vs/editor/editor.main.nls.js
Method	GET
Attack	
Evidence	user
URL	https://qa.cloud.germainapm.com/germainapm/workspace/app/js/monaco/min/vs/loader.js
Method	GET
Attack	
Evidence	from
URL	https://qa.cloud.germainapm.com/germainapm/workspace/app/static/js/2.9ab5f66e.chunk.js
Method	GET
Attack	
Evidence	todo
URL	https://qa.cloud.germainapm.com/germainapm/workspace/app/static/js/main.84e9d08d.chunk.js
Method	GET
Attack	
Evidence	TODO
Instances	57
Solution	Remove all comments that return information that may help an attacker and fix any underlying problems they refer to.
Reference	
CWE Id	200
WASC Id	13
Plugin Id	10027

Informational	Modern Web Application
Description	The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
URL	https://monitor.germainapm.com/germainapm/workspace/app/
Method	GET
Attack	
Evidence	<script src="/germainapm/workspace/app/js/germainapm-webux-agent.js"></script>
URL	https://qa.cloud.germainapm.com/germainapm/workspace/app/
Method	GET
Attack	
Evidence	<script src="/germainapm/workspace/app/js/germainapm-webux-agent.js"></script>
Instances	2
Solution	This is an informational alert and so no changes are required.
Reference	
CWE Id	
WASC Id	
Plugin Id	10109

Informational	Re-examine Cache-control Directives
Description	The cache-control header has not been set properly or is missing, allowing the browser and proxies to cache content. For static assets like css, js, or image files this might be intended, however, the resources should be reviewed to ensure that no sensitive content will be cached.
URL	https://monitor.germainapm.com/
Method	GET
Attack	
Evidence	private
URL	https://monitor.germainapm.com/
Method	GET
Attack	
Evidence	private
URL	https://monitor.germainapm.com/germainapm/workspace/app/
Method	GET
Attack	
Evidence	private
URL	https://monitor.germainapm.com/germainapm/workspace/app/manifest.json
Method	GET
Attack	
Evidence	private
URL	https://qa.cloud.germainapm.com/
Method	GET
Attack	
Evidence	private
URL	https://qa.cloud.germainapm.com/germainapm/console/
Method	GET
Attack	
Evidence	
URL	https://qa.cloud.germainapm.com/germainapm/console/s/
Method	GET
Attack	
Evidence	
URL	https://qa.cloud.germainapm.com/germainapm/console/s/?elementName=ZAP&qualifiedName=%3C%40%3D+hash+%40%3E
Method	GET
Attack	
Evidence	
URL	https://qa.cloud.germainapm.com/germainapm/console/s/?qualifiedName=%3C%40%3D+hash+%40%3E
Method	GET
Attack	
Evidence	

URL	https://qa.cloud.germainapm.com/germainapm/workspace/
Method	GET
Attack	
Evidence	private
URL	https://qa.cloud.germainapm.com/germainapm/workspace/app/
Method	GET
Attack	
Evidence	private
URL	https://qa.cloud.germainapm.com/germainapm/workspace/app/manifest.json
Method	GET
Attack	
Evidence	private
URL	https://monitor.germainapm.com/ingestion/beacon/session
Method	POST
Attack	
Evidence	no-store
URL	https://monitor.germainapm.com/ingestion/beacon/session/?src=beaconapi
Method	POST
Attack	
Evidence	no-store
URL	https://monitor.germainapm.com/ingestion/static/check
Method	POST
Attack	
Evidence	
Instances	15
Solution	For secure content, ensure the cache-control HTTP header is set with "no-cache, no-store, must-revalidate". If an asset should be cached consider setting the directives "public, max-age, immutable".
Reference	https://cheatsheetseries.owasp.org/cheatsheets/Session_Management_Cheat_Sheet.html#web-content-caching https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/Cache-Control https://grayduck.mn/2021/09/13/cache-control-recommendations/
CWE Id	525
WASC Id	13
Plugin Id	10015