https://germainux.com/ https://germainux.com

Largest Contentful Paint (LCP)
2.685 s

First Input Delay (FID)
n/a

Cumulative Layout Shift (CLS)
0.01

First Contentful Paint (FCP)
1.563 s

Interaction to Next Paint (INP)
n/a

Time to First Byte (TTFB)
0.671 s



Performance

First Contentful Paint (FCP)

0.684 s

Total Blocking Time (TBT)

1.153 s

Speed Index (SI)

2.613 s

Largest Contentful Paint (LCP)

1.908 s

Cumulative Layout Shift (CLS)

0.166




0.944 s

1.888 s

2.832 s

3.776 s

4.719 s

5.663 s

6.607 s

7.551 s

DIAGNOSTICS (33)

▲ Minimize main-thread work - 5.0 s

Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. Learn how to minimize main-thread work

Category	Time Spent
Script Evaluation	3576 ms
Other	466 ms
Style & Layout	366 ms
Garbage Collection	298 ms
Script Parsing & Compilation	121 ms
Parse HTML & CSS	71 ms
Rendering	68 ms

▲ Reduce unused JavaScript - Potential savings of 633 KiB

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. Learn how to reduce unused JavaScript.

Consider reducing, or switching, the number of WordPress plugins loading unused JavaScript in your page. To identify plugins that are adding extraneous JS, try running code coverage in Chrome DevTools. You can identify the theme/plugin responsible from the URL of the script. Look out for plugins that have many scripts in the list which have a lot of red in code coverage. A plugin should only enqueue a script if it is actually used on the page.

Enable Delay JavaScript execution in 'WP Rocket' to fix this problem. It will improve the loading of your page by delaying the execution of scripts until user interaction. If your site has iframes, you can use WP Rocket's LazyLoad for iframes and videos and Replace YouTube iframe with preview image as well.

If you are not server-side rendering, split your JavaScript bundles with React.lazy(). Otherwise, code-split using a third-party library such as loadable-components.

URL	Transfer Size	Potential Savings
https://js.intercomcdn.com/frame-modern.023e02fb.js	255.099 KiB	171.712 KiB
https://js.intercomcdn.com/app-modern.c37715be.js	131.94 KiB	86.767 KiB
https://assets.vidyard.com/play/js/7-3b17bdd35f1834729bf3956d98183551.js	99.853 KiB	67.295 KiB
https://js.intercomcdn.com/vendor-modern.c93438f4.js	143.801 KiB	59.081 KiB
https://js.intercomcdn.com/vendors~app~tooltips-modern.e8f447f4.js	154.897 KiB	43.154 KiB
https://www.googletagmanager.com/gtm.js?id=GTM-T45WTK6	75.883 KiB	33.78 KiB
https://www.googletagmanager.com/gtag/js?id=G-1QPRD4B0EC&l=dataLayer&cx=c	95.938 KiB	33.543 KiB
https://germainux.com/wp-content/plugins/super-elements-for-elementor/assets/js/TweenMax.min.js?ver=2.2.1	39.24 KiB	30.184 KiB
https://www.googletagmanager.com/gtag/js?id=customer	44.406 KiB	28.052 KiB
https://js.intercomcdn.com/app~tooltips-modern.d0c7debb.js	52.414 KiB	26.513 KiB
https://assets.vidyard.com/play/js/vendors~access-code~player-pomo~whitelisted-embed-61d05a035333aec4c9f4860e28e0b0c5.js	29.189 KiB	23.141 KiB
https://germainux.com/wp-content/plugins/elementor/assets/lib/swiper/v8/swiper.min.js?ver=8.4.5	40.55 KiB	22.598 KiB
https://assets.vidyard.com/play/js/vendors~player~player-pomo~unreleased-b9e7f416df9669c194b8ade451a1041c.js	47.084 KiB	22.365 KiB

▲ Reduce the impact of third-party code - Third-party code blocked the main thread for 620 ms

Third-party code can significantly impact load performance. Limit the number of redundant third-party providers and try to load third-party code after your page has primarily finished loading. Learn how to minimize third-party impact.

Third-Party	Transfer Size	Main-Thread Blocking Time
Intercom	773.4 KiB	534 ms
https://js.intercomcdn.com/frame-modern.023e02fb.js	255.978 KiB	349 ms
https://js.intercomcdn.com/app-modern.c37715be.js	132.833 KiB	185 ms
https://js.intercomcdn.com/vendors~app~tooltips-modern.e8f447f4.js	164.006 KiB	0 ms
https://js.intercomcdn.com/vendor-modern.c93438f4.js	144.781 KiB	0 ms
https://js.intercomcdn.com/app~tooltips-modern.d0c7debb.js	53.312 KiB	0 ms
https://js.intercomcdn.com/vendors~app-modern.63b80d09.js	16.371 KiB	0 ms
https://widget.intercom.io/widget/j6zn8v4r	3.441 KiB	0 ms
https://api-iam.intercom.io/messenger/web/ping	2.678 KiB	0 ms
Google Tag Manager	218.368 KiB	44 ms
https://www.googletagmanager.com/gtag/js?id=G-1QPRD4B0EC&l=dataLayer&cx=c	96.623 KiB	44 ms
https://www.googletagmanager.com/gtm.js?id=GTM-T45WTK6	76.612 KiB	0 ms
https://www.googletagmanager.com/gtag/js?id=customer	45.133 KiB	0 ms
Vidyard	1236.382 KiB	40 ms
https://assets.vidyard.com/play/js/vendors~player-pomo-6ec08f3ff9b98a414f4f7c431cd2f518.js	58.677 KiB	40 ms
https://cdn.vidyard.com/thumbnails/38705260/qayzKnSBqNI7aSRFoB7n7g.png	879.836 KiB	0 ms
https://assets.vidyard.com/play/js/7-3b17bdd35f1834729bf3956d98183551.js	100.532 KiB	0 ms
https://assets.vidyard.com/play/js/player-pomo-dd1458b09b70a7ab6618808b327d4f55.js	50.897 KiB	0 ms
https://assets.vidyard.com/play/js/vendors~player~player-pomo~unreleased-b9e7f416df9669c194b8ade451a1041c.js	47.814 KiB	0 ms
https://assets.vidyard.com/play/js/vendors~access-code~player-pomo~whitelisted-embed-61d05a035333aec4c9f4860e28e0b0c5.js	29.866 KiB	0 ms
https://play.vidyard.com/embed/v4.js	23.611 KiB	0 ms
https://assets.vidyard.com/play/js/main-0848513ab96834b7b8adae23e7926ac3.js	14.842 KiB	0 ms
https://assets.vidyard.com/play/stylesheets/player-pomo-dd1458b09b70a7ab6618808b327d4f55.css	7.898 KiB	0 ms
https://assets.vidyard.com/play/js/6-047e159f4416d53011456fcb5fb7d198.js	4.264 KiB	0 ms
https://play.vidyard.com/2gi1ks8PGHM63pKNsnc2Dt?disable_popouts=1&v=4.3.14&type=inline&src=https%3A%2F%2Fplay.vidyard.com%2F2gi1ks8PGHM63pKNsnc2Dt.jpg	4.106 KiB	0 ms
https://assets.vidyard.com/play/js/runtime~main-6336e99fbb94ad5aca4b88ef12264962.js	2.847 KiB	0 ms
https://play.vidyard.com/player/2gi1ks8PGHM63pKNsnc2Dt.json?disable_popouts=1&v=4.3.14&type=inline&src=https%3A%2F%2Fplay.vidyard.com%2F2gi1ks8PGHM63pKNsnc2Dt.jpg	2.439 KiB	0 ms
https://assets.vidyard.com/play/js/36-78cef22492e8977e4f25fd6db11d2a93.js	2.009 KiB	0 ms
https://play.vidyard.com/video/2gi1ks8PGHM63pKNsnc2Dt?disable_popouts=1&v=4.3.14&type=inline&src=https%3A%2F%2Fplay.vidyard.com%2F2gi1ks8PGHM63pKNsnc2Dt.jpg	0.748 KiB	0 ms
https://play.vidyard.com/v4/2gi1ks8PGHM63pKNsnc2Dt/style.js?callback=window.VidyardV4.jsonp.style_2gi1ks8PGHM63pKNsnc2Dt.done	0.744 KiB	0 ms
https://play.vidyard.com/v4/2gi1ks8PGHM63pKNsnc2Dt/integrations.js?callback=window.VidyardV4.jsonp.integrations_2gi1ks8PGHM63pKNsnc2Dt.done	0.741 KiB	0 ms
https://play.vidyard.com/v4/2gi1ks8PGHM63pKNsnc2Dt/details.js?callback=window.VidyardV4.jsonp.details_2gi1ks8PGHM63pKNsnc2Dt.done	0.723 KiB	0 ms
https://assets.vidyard.com/play/stylesheets/6-047e159f4416d53011456fcb5fb7d198.css	0.667 KiB	0 ms
https://cdn.vidyard.com/media/hls/ewgkxAvC3_pkeGbx75TLyg/,sd,.mp4.urlset/master.m3u8?MWa71WA4GwJRtWOHIvkiLtCfKtCrPgE48Gq_HDD1vn9pb2PmzVQd1EfC3m4lHxFHlw5XtWxrRemEEmGRJ3oxj2R7r5nphg2HT0jPquR-Nc_bT_Yilst35rzSwL7p7xl_L3lwc-c1pgLzYHXbBzYdc9_WfXZUzEMIAedu1hzQCG96QJDy	0.634 KiB	0 ms
https://play.vidyard.com/2gi1ks8PGHM63pKNsnc2Dt.jpg?disable_popouts=1&v=4.3.14&type=inline&src=https%3A%2F%2Fplay.vidyard.com%2F2gi1ks8PGHM63pKNsnc2Dt.jpg	0.632 KiB	0 ms
https://play.vidyard.com/2gi1ks8PGHM63pKNsnc2Dt.jpg	0.63 KiB	0 ms
https://raw.vidyard.com/v2/visitors	0.614 KiB	0 ms
https://raw.vidyard.com/v2/player_loads	0.611 KiB	0 ms
germainapm.com	232.822 KiB	0 ms
https://monitor.cloud.germainapm.com/config/agent/lookup/Web%20UX/germainux.com/Germain%20UX%20Website?profile=Germain%20UX%20Website	231.528 KiB	0 ms
https://monitor.cloud.germainapm.com/ingestion/cors/?url=https%3A%2F%2Ffonts.googleapis.com%2Fcss%3Ffamily%3DPoppins%253A100%252C100italic%252C200%252C200italic%252C300%252C300italic%252C400%252C400italic%252C500%252C500italic%252C600%252C600italic%252C700%252C700italic%252C800%252C800italic%252C900%252C900italic%257CWork%2BSans%253A100%252C100italic%252C200%252C200italic%252C300%252C300italic%252C400%252C400italic%252C500%252C500italic%252C600%252C600italic%252C700%252C700italic%252C800%252C800italic%252C900%252C900italic%26display%3Dswap%26ver%3D6.4.2	1.294 KiB	0 ms
myftpupload.com	140.333 KiB	0 ms
https://44t.017.myftpupload.com/wp-content/uploads/2023/01/15228-ai.png	92.088 KiB	0 ms
https://44t.017.myftpupload.com/wp-content/uploads/2023/01/header-bg-svg.png	36.58 KiB	0 ms
https://44t.017.myftpupload.com/wp-content/uploads/2023/05/CloudInfrastructureMonitoring_UsersMostLikelyToRecommend_Nps-231x300.png	6.188 KiB	0 ms
https://44t.017.myftpupload.com/wp-content/uploads/2023/05/ApplicationPerformanceMonitoringAPM_HighPerformer_HighPerformer-231x300.png	5.477 KiB	0 ms
Facebook	74.757 KiB	0 ms
https://connect.facebook.net/en_US/fbevents.js	59.384 KiB	0 ms
https://connect.facebook.net/signals/config/365654924986535?v=2.9.142&r=stable&domain=germainux.com&hme=e82209ddce2f5ef9f00773b102465283e977acad712d554991b839c35823b905&ex_m=62%2C103%2C91%2C95%2C53%2C3%2C87%2C61%2C14%2C85%2C78%2C44%2C46%2C145%2C148%2C159%2C155%2C156%2C158%2C25%2C88%2C45%2C68%2C157%2C140%2C143%2C152%2C153%2C160%2C112%2C13%2C43%2C164%2C163%2C114%2C16%2C29%2C32%2C1%2C36%2C57%2C58%2C59%2C63%2C82%2C15%2C12%2C84%2C81%2C80%2C92%2C94%2C31%2C93%2C26%2C22%2C141%2C144%2C121%2C24%2C9%2C10%2C11%2C5%2C6%2C21%2C19%2C20%2C49%2C54%2C56%2C66%2C89%2C23%2C67%2C8%2C7%2C71%2C41%2C18%2C17%2C4%2C73%2C79%2C72%2C77%2C33%2C35%2C76%2C48%2C74%2C28%2C37%2C65%2C0%2C83%2C75%2C2%2C30%2C55%2C34%2C90%2C38%2C70%2C60%2C40%2C39%2C96%2C52%2C51%2C27%2C86%2C50%2C47%2C42%2C69%2C64%2C97	15.045 KiB	0 ms
https://www.facebook.com/tr/?id=365654924986535&ev=PageView&dl=https%3A%2F%2Fgermainux.com%2F&rl=&if=false&ts=1706275422916&sw=800&sh=600&v=2.9.142&r=stable&ec=0&o=4126&fbp=fb.1.1706275422911.822692677&cs_est=true&ler=empty&it=1706275422551&coo=false&exp=d3&rqm=GET	0.328 KiB	0 ms
Google Fonts	45.382 KiB	0 ms
https://fonts.gstatic.com/s/poppins/v20/pxiByp8kv8JHgFVrLEj6Z1xlFd2JQEk.woff2	8.81 KiB	0 ms
https://fonts.gstatic.com/s/poppins/v20/pxiEyp8kv8JHgFVrJJfecnFHGPc.woff2	8.694 KiB	0 ms
https://fonts.gstatic.com/s/poppins/v20/pxiByp8kv8JHgFVrLDz8Z1xlFd2JQEk.woff2	8.648 KiB	0 ms
https://fonts.gstatic.com/s/poppins/v20/pxiByp8kv8JHgFVrLCz7Z1xlFd2JQEk.woff2	8.626 KiB	0 ms
https://fonts.gstatic.com/s/poppins/v20/pxiByp8kv8JHgFVrLGT9Z1xlFd2JQEk.woff2	8.556 KiB	0 ms
https://fonts.googleapis.com/css?family=Poppins%3A100%2C100italic%2C200%2C200italic%2C300%2C300italic%2C400%2C400italic%2C500%2C500italic%2C600%2C600italic%2C700%2C700italic%2C800%2C800italic%2C900%2C900italic%7CWork+Sans%3A100%2C100italic%2C200%2C200italic%2C300%2C300italic%2C400%2C400italic%2C500%2C500italic%2C600%2C600italic%2C700%2C700italic%2C800%2C800italic%2C900%2C900italic&display=swap&ver=6.4.2	2.048 KiB	0 ms
LinkedIn Ads	23.294 KiB	0 ms
https://snap.licdn.com/li.lms-analytics/insight.min.js	16.087 KiB	0 ms
https://www.linkedin.com/px/li_sync?redirect=https%3A%2F%2Fpx.ads.linkedin.com%2Fcollect%3Fv%3D2%26fmt%3Djs%26pid%3D57620%26time%3D1706275422368%26url%3Dhttps%253A%252F%252Fgermainux.com%252F%26cookiesTest%3Dtrue%26liSync%3Dtrue	3.674 KiB	0 ms
https://px.ads.linkedin.com/collect?v=2&fmt=js&pid=57620&time=1706275422368&url=https%3A%2F%2Fgermainux.com%2F&cookiesTest=true	1.388 KiB	0 ms
https://px.ads.linkedin.com/collect?v=2&fmt=js&pid=57620&time=1706275422368&url=https%3A%2F%2Fgermainux.com%2F	1.047 KiB	0 ms
https://px.ads.linkedin.com/collect?v=2&fmt=js&pid=57620&time=1706275422368&url=https%3A%2F%2Fgermainux.com%2F&cookiesTest=true&liSync=true	0.686 KiB	0 ms
https://px.ads.linkedin.com/wa/	0.412 KiB	0 ms
Google Analytics	22.001 KiB	0 ms
https://www.google-analytics.com/analytics.js	21.503 KiB	0 ms
https://www.google-analytics.com/j/collect?v=1&_v=j101&a=1876999083&t=pageview&_s=1&dl=https%3A%2F%2Fgermainux.com%2F&ul=en-us&de=UTF-8&dt=Real%20User%20Monitoring%20%7C%20Optimize%20User%20Engagement&sd=24-bit&sr=800x600&vp=1350x940&je=0&_u=YADAAEABAAAAACAAI~&jid=893149532&gjid=24262583&cid=1320417521.1706275422&tid=UA-136228976-1&_gid=1890138162.1706275422&_r=1&_slc=1&gtm=45He41o0n81T45WTK6v811314334&gcd=11l1l1l1l1&dma=0&z=1572952730	0.498 KiB	0 ms
https://www.google-analytics.com/g/collect?v=2&tid=G-1QPRD4B0EC&gtm=45je41o0v9171480814z8811314334&_p=1706275421690&gcd=11l1l1l1l1&dma=0&cid=1320417521.1706275422&ul=en-us&sr=800x600&uaa=x86&uab=64&uafvl=Not_A%2520Brand%3B8.0.0.0%7CChromium%3B120.0.6099.224%7CHeadlessChrome%3B120.0.6099.224&uamb=0&uam=&uap=macOS&uapv=10.15.7&uaw=0&_s=1&sid=1706275422&sct=1&seg=0&dl=https%3A%2F%2Fgermainux.com%2F&dt=Real%20User%20Monitoring%20%7C%20Optimize%20User%20Engagement&en=page_view&_fv=1&_nsi=1&_ss=1&tfd=908	0 KiB	0 ms
G2	20.1 KiB	0 ms
https://www.g2.com/products/germain-ux/widgets/stars?color=white&type=read	20.1 KiB	0 ms
Calendly	19.903 KiB	0 ms
https://assets.calendly.com/assets/external/widget.js	19.903 KiB	0 ms
https://calendly.com/germainux/intro?embed_domain=germainux.com&embed_type=Inline&hide_event_type_details=1&hide_gdpr_banner=1	0 KiB	0 ms
Google/Doubleclick Ads	0.569 KiB	0 ms
https://stats.g.doubleclick.net/j/collect?t=dc&aip=1&_r=3&v=1&_v=j101&tid=UA-136228976-1&cid=1320417521.1706275422&jid=893149532&gjid=24262583&_gid=1890138162.1706275422&_u=YADAAEAAAAAAACAAI~&z=1252502525	0.569 KiB	0 ms
Other Google APIs/SDKs	0.557 KiB	0 ms
https://www.google.com/ads/ga-audiences?t=sr&aip=1&_r=4&slf_rd=1&v=1&_v=j101&tid=UA-136228976-1&cid=1320417521.1706275422&jid=893149532&_u=YADAAEAAAAAAACAAI~&z=2066351969	0.557 KiB	0 ms
capterra.com	0.549 KiB	0 ms
https://ct.capterra.com/capterra_tracker.gif?vid=2143840&vkey=d1f28a23dd45ea338907ac555e5706b4	0.549 KiB	0 ms

▲ Largest Contentful Paint element - 1,910 ms

This is the largest contentful element painted within the viewport. Learn more about the Largest Contentful Paint element

Element
Node label: GERMAIN UX Deepest insights to identify the causes of UX frictions, in real-ti… **CSS selector:** body.home > div#page > div.elementor > section.elementor-section <section class="elementor-section elementor-top-section elementor-element elementor-elemen…" data-id="e69cf54" data-element_type="section" data-settings="{"background_background":"classic"}">

Phase	% of LCP	Timing
TTFB	10%	190 ms
Load Delay	36%	690 ms
Load Time	44%	834 ms
Render Delay	10%	193 ms

▲ Avoid large layout shifts - 13 elements found

These DOM elements were most affected by layout shifts. Some layout shifts may not be included in the CLS metric value due to windowing. Learn how to improve CLS

Element	Layout shift impact
Node label: GERMAIN UX Deepest insights to identify the causes of UX frictions, in real-ti… **CSS selector:** body.home > div#page > div.elementor <div data-elementor-type="wp-page" data-elementor-id="9212" class="elementor elementor-9212" data-elementor-post-type="page">	0.138
Node label: Carousel | Horizontal scrolling: Arrow Left & Right **CSS selector:** div.elementor-container > div.elementor-column > div.elementor-widget-wrap > div.elementor-element <div class="elementor-element elementor-element-ad14e7d logo-grey elementor-widget ele…" data-id="ad14e7d" data-element_type="widget" data-settings="{"slides_to_show_mobile":"2","navigation":"none","autoplay_speed":2000,"sl…" data-widget_type="image-carousel.default" aria-roledescription="carousel" aria-label="Carousel | Horizontal scrolling: Arrow Left & Right">	0.01
Node label: Software Teams Resources Blog **CSS selector:** div.elementor > header.elementor-section > div.elementor-container > div.elementor-column <div class="elementor-column elementor-col-20 elementor-top-column elementor-element e…" data-id="300b92e" data-element_type="column">	0.006
Node label: These amazing clients are available for a call to share their experience **CSS selector:** div.elementor-container > div.elementor-column > div.elementor-widget-wrap > div.elementor-element <div class="elementor-element elementor-element-71a0a99 elementor-widget elementor-wid…" data-id="71a0a99" data-element_type="widget" data-widget_type="text-editor.default">	0.005
Node label: Free Trial **CSS selector:** div.elementor > header.elementor-section > div.elementor-container > div.elementor-column <div class="elementor-column elementor-col-20 elementor-top-column elementor-element e…" data-id="d0df430" data-element_type="column">	0.002
Node label: Deepest insights to identify the causes of UX frictions, in real-time. **CSS selector:** div.elementor-widget-wrap > div.elementor-element > div.elementor-widget-container > p <p>	0.001
Node label: 91% customer retention since 2014 **CSS selector:** div.elementor-widget-wrap > div.elementor-element > div.elementor-widget-container > h2.elementor-heading-title <h2 class="elementor-heading-title elementor-size-default">	0.001
Node label: GERMAIN UX **CSS selector:** div.elementor-widget-wrap > div.elementor-element > div.elementor-widget-container > h1.elementor-heading-title <h1 class="elementor-heading-title elementor-size-default">	0.001
Node label: Resources **CSS selector:** nav.elementor-nav-menu--main > ul#menu-1-2f670d6 > li.menu-item > a#sm-17062754228285383-5 <a href="#" class="elementor-item elementor-item-anchor has-submenu" id="sm-17062754228285383-5" aria-haspopup="true" aria-controls="sm-17062754228285383-6" aria-expanded="false">	0
Node label: 2-min demo/video by one of our founders **CSS selector:** div.elementor-element > div.elementor-widget-container > p > span <span style="font-weight: bold;">	0
Node label: Blog **CSS selector:** nav.elementor-nav-menu--main > ul#menu-1-2f670d6 > li.menu-item > a.elementor-item <a href="https://germainux.com/blog/" class="elementor-item">	0
Node label: Teams **CSS selector:** nav.elementor-nav-menu--main > ul#menu-1-2f670d6 > li.menu-item > a#sm-17062754228285383-3 <a href="#" class="elementor-item elementor-item-anchor has-submenu" id="sm-17062754228285383-3" aria-haspopup="true" aria-controls="sm-17062754228285383-4" aria-expanded="false">	0
Node label: Discovers why users experience issues or drop off. **CSS selector:** div.elementor-widget-container > ul.elementor-icon-list-items > li.elementor-icon-list-item > span.elementor-icon-list-text <span class="elementor-icon-list-text">	0

▲ Reduce unused CSS - Potential savings of 92 KiB

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. Learn how to reduce unused CSS.

Consider reducing, or switching, the number of WordPress plugins loading unused CSS in your page. To identify plugins that are adding extraneous CSS, try running code coverage in Chrome DevTools. You can identify the theme/plugin responsible from the URL of the stylesheet. Look out for plugins that have many stylesheets in the list which have a lot of red in code coverage. A plugin should only enqueue a stylesheet if it is actually used on the page.

Enable Remove Unused CSS in 'WP Rocket' to fix this issue. It reduces page size by removing all CSS and stylesheets that are not used while keeping only the used CSS for each page.

URL	Transfer Size	Potential Savings
https://germainux.com/wp-content/plugins/elementor-pro/assets/css/frontend.min.css?ver=3.18.1	45.405 KiB	44.574 KiB
https://germainux.com/wp-content/plugins/elementor/assets/css/frontend.min.css?ver=3.18.0-dev4	21.545 KiB	20.402 KiB
https://germainux.com/wp-content/plugins/super-elements-for-elementor/assets/css/super-elements.min.css?ver=2.2.1	15.662 KiB	15.662 KiB
https://germainux.com/wp-content/plugins/elementor/assets/lib/font-awesome/css/all.min.css?ver=3.18.0-dev4	13.519 KiB	13.459 KiB

▲ Reduce JavaScript execution time - 3.3 s

Consider reducing the time spent parsing, compiling, and executing JS. You may find delivering smaller JS payloads helps with this. Learn how to reduce Javascript execution time.

URL	Total CPU Time	Script Evaluation	Script Parse
https://germainux.com/	1911 ms	1472 ms	6 ms
https://js.intercomcdn.com/frame-modern.023e02fb.js	786 ms	687 ms	18 ms
https://germainux.com/wp-includes/js/jquery/jquery.min.js?ver=3.7.1	358 ms	283 ms	1 ms
https://js.intercomcdn.com/app-modern.c37715be.js	245 ms	237 ms	7 ms
Unattributable	215 ms	8 ms	0 ms
https://assets.vidyard.com/play/js/vendors~player-pomo-6ec08f3ff9b98a414f4f7c431cd2f518.js	174 ms	165 ms	4 ms
https://germainux.com/wp-content/plugins/super-elements-for-elementor/assets/js/TweenMax.min.js?ver=2.2.1	146 ms	22 ms	2 ms
https://germainux.com/wp-content/plugins/super-elements-for-elementor/assets/js/lax.min.js?ver=1	119 ms	6 ms	0 ms
https://www.googletagmanager.com/gtag/js?id=G-1QPRD4B0EC&l=dataLayer&cx=c	104 ms	97 ms	6 ms
https://germainux.com/wp-content/plugins/elementor/assets/lib/swiper/v8/swiper.min.js?ver=8.4.5	79 ms	71 ms	2 ms
https://germainux.com/wp-content/plugins/elementor/assets/lib/dialog/dialog.min.js?ver=4.9.0	74 ms	66 ms	0 ms
https://snap.licdn.com/li.lms-analytics/insight.min.js	66 ms	15 ms	1 ms
https://germainux.com/wp-content/plugins/wp-smushit/app/assets/js/smush-lazy-load-native.min.js?ver=3.15.1	63 ms	35 ms	0 ms
https://germainux.com/wp-content/plugins/elementor-pro/assets/js/nav-menu.d43af66e5000fd109c04.bundle.min.js	52 ms	21 ms	0 ms
https://www.googletagmanager.com/gtm.js?id=GTM-T45WTK6	51 ms	46 ms	4 ms

▲ Avoid an excessive DOM size - 1,218 elements

A large DOM will increase memory usage, cause longer style calculations, and produce costly layout reflows. Learn how to avoid an excessive DOM size.

Statistic	Element	Value
Total DOM Elements		1218
Maximum DOM Depth	**Node label:** GetApp Category Leaders for Application Performance Management Jul-22 **CSS selector:** div.elementor-widget-container > p > a > img.aligncenter <img decoding="async" style="width: 140px; border: 0px;" alt="GetApp Category Leaders for Application Performance Management Jul-22" data-src="https://capterra.s3.amazonaws.com/assets/images/gdm-badges/GA_Badge_Catego…" class="aligncenter lazyloading" src="" loading="lazy">	20
Maximum Child Elements	**Node label:** body.home **CSS selector:** body.home <body data-rsssl="1" class="home page-template page-template-elementor_header_footer page page-id-9212…" data-elementor-device-mode="desktop">	67

▲ Eliminate render-blocking resources - Potential savings of 250 ms

Resources are blocking the first paint of your page. Consider delivering critical JS/CSS inline and deferring all non-critical JS/styles. Learn how to eliminate render-blocking resources.

There are a number of WordPress plugins that can help you inline critical assets or defer less important resources. Beware that optimizations provided by these plugins may break features of your theme or plugins, so you will likely need to make code changes.

Enable Remove Unused CSS and Load JavaScript deferred in 'WP Rocket' to address this recommendation. These features will respectively optimize the CSS and JavaScript files so that they don't block the rendering of your page.

URL	Transfer Size	Potential Savings
https://germainux.com/wp-content/plugins/quick-testimonials/public/assets/css/font-awesome.min.css?ver=2.1	7.627 KiB	54 ms
https://germainux.com/wp-content/plugins/elementor/assets/css/frontend.min.css?ver=3.18.0-dev4	21.545 KiB	54 ms
https://germainux.com/wp-content/plugins/elementor-pro/assets/css/frontend.min.css?ver=3.18.1	45.405 KiB	108 ms
https://germainux.com/wp-content/uploads/elementor/css/post-9212.css?ver=1703832213	4.139 KiB	54 ms
https://fonts.googleapis.com/css?family=Poppins%3A100%2C100italic%2C200%2C200italic%2C300%2C300italic%2C400%2C400italic%2C500%2C500italic%2C600%2C600italic%2C700%2C700italic%2C800%2C800italic%2C900%2C900italic%7CWork+Sans%3A100%2C100italic%2C200%2C200italic%2C300%2C300italic%2C400%2C400italic%2C500%2C500italic%2C600%2C600italic%2C700%2C700italic%2C800%2C800italic%2C900%2C900italic&display=swap&ver=6.4.2	2.048 KiB	205 ms
https://germainux.com/wp-includes/js/jquery/jquery.min.js?ver=3.7.1	32.052 KiB	54 ms

▲ Preload Largest Contentful Paint image - Potential savings of 560 ms

If the LCP element is dynamically added to the page, you should preload the image in order to improve LCP. Learn more about preloading LCP elements.

n/a	URL	Potential Savings
Node label: GERMAIN UX Deepest insights to identify the causes of UX frictions, in real-ti… **CSS selector:** body.home > div#page > div.elementor > section.elementor-section <section class="elementor-section elementor-top-section elementor-element elementor-elemen…" data-id="e69cf54" data-element_type="section" data-settings="{"background_background":"classic"}">	https://44t.017.myftpupload.com/wp-content/uploads/2023/01/header-bg-svg.png	561 ms

▲ Some third-party resources can be lazy loaded with a facade - 1 facade alternative available

Some third-party embeds can be lazy loaded. Consider replacing them with a facade until they are required. Learn how to defer third-parties with a facade.

Product	Transfer Size	Main-Thread Blocking Time
Intercom Widget (Customer Success)	773.4 KiB	534 ms
https://js.intercomcdn.com/frame-modern.023e02fb.js	255.978 KiB	349 ms
https://js.intercomcdn.com/vendors~app~tooltips-modern.e8f447f4.js	164.006 KiB	0 ms
https://js.intercomcdn.com/vendor-modern.c93438f4.js	144.781 KiB	0 ms
https://js.intercomcdn.com/app-modern.c37715be.js	132.833 KiB	185 ms
https://js.intercomcdn.com/app~tooltips-modern.d0c7debb.js	53.312 KiB	0 ms
Other resources	22.49 KiB	0 ms

▲ Max Potential First Input Delay - 590 ms

The maximum potential First Input Delay that your users could experience is the duration of the longest task. Learn more about the Maximum Potential First Input Delay metric.

▲ Time to Interactive - 6.8 s

Time to Interactive is the amount of time it takes for the page to become fully interactive. Learn more about the Time to Interactive metric.

DIAGNOSTICS (33)

Defer offscreen images - Potential savings of 23 KiB

Consider lazy-loading offscreen and hidden images after all critical resources have finished loading to lower time to interactive. Learn how to defer offscreen images.

Install a lazy-load WordPress plugin that provides the ability to defer any offscreen images, or switch to a theme that provides that functionality. Also consider using the AMP plugin.

Enable LazyLoad in WP Rocket to fix this recommendation. This feature delays the loading of the images until the visitor scrolls down the page and actually needs to see them.

n/a	URL	Resource Size	Potential Savings
Node label: Read Germain UX reviews on G2 **CSS selector:** div.elementor-element > div.elementor-widget-container > a > img.full-width <img decoding="async" class="full-width aligncenter" style="max-width: 150px;" src="https://www.g2.com/products/germain-ux/widgets/stars?color=white&type=read" alt="Read Germain UX reviews on G2">	https://www.g2.com/products/germain-ux/widgets/stars?color=white&type=read	17.549 KiB	17.549 KiB
Node label: body.home > div#wpfront-scroll-top-container > img **CSS selector:** body.home > div#wpfront-scroll-top-container > img <img src="https://germainux.com/wp-content/uploads/2023/02/up-arrow-1-2.png" alt="">	https://germainux.com/wp-content/uploads/2023/02/up-arrow-1-2.png	5.519 KiB	5.519 KiB

Does not use passive listeners to improve scrolling performance

Consider marking your touch and wheel event listeners as `passive` to improve your page's scroll performance. Learn more about adopting passive event listeners.

Source
https://germainux.com/wp-includes/js/jquery/jquery.min.js?ver=3.7.1:1:38476

Properly size images - Potential savings of 104 KiB

Serve images that are appropriately-sized to save cellular data and improve load time. Learn how to size images.

Upload images directly through the media library to ensure that the required image sizes are available, and then insert them from the media library or use the image widget to ensure the optimal image sizes are used (including those for the responsive breakpoints). Avoid using `Full Size` images unless the dimensions are adequate for their usage. Learn More.

n/a	URL	Resource Size	Potential Savings
Node label: Our Awards And Reviews **CSS selector:** div.elementor-element > div.elementor-widget-container > a > img.attachment-large <img loading="lazy" decoding="async" width="800" height="555" alt="Our Awards And Reviews" data-srcset="https://germainux.com/wp-content/uploads/2022/10/getapp2022-2-1024x710.png…" data-src="https://germainux.com/wp-content/uploads/2022/10/getapp2022-2-1024x710.png" data-sizes="(max-width: 800px) 100vw, 800px" class="attachment-large size-large wp-image-6110 lazyloaded" src="https://germainux.com/wp-content/uploads/2022/10/getapp2022-2-1024x710.png" sizes="(max-width: 800px) 100vw, 800px" srcset="https://germainux.com/wp-content/uploads/2022/10/getapp2022-2-1024x710.png…" …>	https://germainux.com/wp-content/uploads/2022/10/getapp2022-2-1024x710.png	85.274 KiB	33.198 KiB
Node label: Lloyd Q. **CSS selector:** div.tr-testimonial > div.tr-testimonial-author > div.tr-author-image > img.lazyloaded <img decoding="async" alt="Lloyd Q." data-src="https://germainux.com/wp-content/uploads/2023/02/0-1-300x300-1.jpg" class=" lazyloaded" src="https://germainux.com/wp-content/uploads/2023/02/0-1-300x300-1.jpg" loading="lazy">	https://germainux.com/wp-content/uploads/2023/02/0-1-300x300-1.jpg	17.787 KiB	16.819 KiB
Node label: Read Germain UX reviews on G2 **CSS selector:** div.elementor-element > div.elementor-widget-container > a > img.full-width <img decoding="async" class="full-width aligncenter" style="max-width: 150px;" src="https://www.g2.com/products/germain-ux/widgets/stars?color=white&type=read" alt="Read Germain UX reviews on G2">	https://www.g2.com/products/germain-ux/widgets/stars?color=white&type=read	17.549 KiB	15.081 KiB
Node label: All-in-one Custom Alerts **CSS selector:** div.elementor-widget-wrap > div.elementor-element > div.elementor-widget-container > img.attachment-large <img loading="lazy" decoding="async" width="719" height="673" alt="All-in-one Custom Alerts" data-srcset="https://germainux.com/wp-content/uploads/2023/04/1-768x778-1.png 719w, htt…" data-src="https://germainux.com/wp-content/uploads/2023/04/1-768x778-1.png" data-sizes="(max-width: 719px) 100vw, 719px" class="attachment-large size-large wp-image-16316 lazyloaded" src="https://germainux.com/wp-content/uploads/2023/04/1-768x778-1.png" sizes="(max-width: 719px) 100vw, 719px" srcset="https://germainux.com/wp-content/uploads/2023/04/1-768x778-1.png 719w, htt…" …>	https://germainux.com/wp-content/uploads/2023/04/1-768x778-1.png	46.814 KiB	14.751 KiB
Node label: GermainUX **CSS selector:** div.elementor-widget-wrap > div.elementor-element > div.elementor-widget-container > img.attachment-large <img loading="lazy" decoding="async" width="768" height="757" alt="GermainUX" data-srcset="https://germainux.com/wp-content/uploads/2020/07/marketing.png 768w, https…" data-src="https://germainux.com/wp-content/uploads/2020/07/marketing.png" data-sizes="(max-width: 768px) 100vw, 768px" class="attachment-large size-large wp-image-7007 lazyloaded" src="https://germainux.com/wp-content/uploads/2020/07/marketing.png" sizes="(max-width: 768px) 100vw, 768px" srcset="https://germainux.com/wp-content/uploads/2020/07/marketing.png 768w, https…">	https://germainux.com/wp-content/uploads/2020/07/marketing.png	31.258 KiB	13.421 KiB
Node label: American Airlines **CSS selector:** div#swiper-wrapper-1bfe10e116c4b4746 > div.swiper-slide > figure.swiper-slide-inner > img.swiper-slide-image <img decoding="async" alt="American Airlines" data-src="https://germainux.com/wp-content/uploads/2020/12/americanairlines.png" class="swiper-slide-image lazyloaded" src="https://germainux.com/wp-content/uploads/2020/12/americanairlines.png" loading="lazy">	https://germainux.com/wp-content/uploads/2020/12/americanairlines.png	6.682 KiB	5.268 KiB
Node label: SOC 2 Complaint **CSS selector:** div.elementor-widget-wrap > div.elementor-element > div.elementor-widget-container > img.attachment-medium <img loading="lazy" width="212" height="114" alt="SOC 2 Complaint" data-src="https://germainux.com/wp-content/uploads/2020/07/Compliance-01.png" class="attachment-medium size-medium wp-image-6163 lazyloaded" src="https://germainux.com/wp-content/uploads/2020/07/Compliance-01.png">	https://germainux.com/wp-content/uploads/2020/07/Compliance-01.png	5.604 KiB	4.339 KiB
Node label: Users Most Likely **CSS selector:** div.elementor-element > div.elementor-widget-container > a > img.alignnone <img loading="lazy" decoding="async" alt="Users Most Likely" width="120" height="250" data-src="https://44t.017.myftpupload.com/wp-content/uploads/2023/05/CloudInfrastruc…" class="alignnone size-medium wp-image-18061 lazyloaded" src="https://44t.017.myftpupload.com/wp-content/uploads/2023/05/CloudInfrastruc…">	https://44t.017.myftpupload.com/wp-content/uploads/2023/05/CloudInfrastructureMonitoring_UsersMostLikelyToRecommend_Nps-231x300.png	5.656 KiB	4.128 KiB

Image elements do not have explicit `width` and `height`

Set an explicit width and height on image elements to reduce layout shifts and improve CLS. Learn how to set image dimensions

n/a	URL
Node label: Allangray **CSS selector:** div#swiper-wrapper-1bfe10e116c4b4746 > div.swiper-slide > figure.swiper-slide-inner > img.swiper-slide-image <img decoding="async" alt="Allangray" data-src="https://germainux.com/wp-content/uploads/2020/12/allangray.png" class="swiper-slide-image lazyloaded" src="https://germainux.com/wp-content/uploads/2020/12/allangray.png" loading="lazy">	https://germainux.com/wp-content/uploads/2020/12/allangray.png
Node label: American Airlines **CSS selector:** div#swiper-wrapper-1bfe10e116c4b4746 > div.swiper-slide > figure.swiper-slide-inner > img.swiper-slide-image <img decoding="async" alt="American Airlines" data-src="https://germainux.com/wp-content/uploads/2020/12/americanairlines.png" class="swiper-slide-image lazyloaded" src="https://germainux.com/wp-content/uploads/2020/12/americanairlines.png" loading="lazy">	https://germainux.com/wp-content/uploads/2020/12/americanairlines.png
Node label: anzBank **CSS selector:** div#swiper-wrapper-1bfe10e116c4b4746 > div.swiper-slide > figure.swiper-slide-inner > img.swiper-slide-image <img decoding="async" alt="anzBank" data-src="https://germainux.com/wp-content/uploads/2020/12/anzBank.png" class="swiper-slide-image lazyloaded" src="https://germainux.com/wp-content/uploads/2020/12/anzBank.png" loading="lazy">	https://germainux.com/wp-content/uploads/2020/12/anzBank.png
Node label: ebay **CSS selector:** div#swiper-wrapper-1bfe10e116c4b4746 > div.swiper-slide > figure.swiper-slide-inner > img.swiper-slide-image <img decoding="async" alt="ebay" data-src="https://germainux.com/wp-content/uploads/2020/12/ebay.png" class="swiper-slide-image lazyloaded" src="https://germainux.com/wp-content/uploads/2020/12/ebay.png" loading="lazy">	https://germainux.com/wp-content/uploads/2020/12/ebay.png
Node label: Pepsico **CSS selector:** div#swiper-wrapper-1bfe10e116c4b4746 > div.swiper-slide > figure.swiper-slide-inner > img.swiper-slide-image <img decoding="async" alt="Pepsico" data-src="https://germainux.com/wp-content/uploads/2020/12/pepsico.png" class="swiper-slide-image lazyloaded" src="https://germainux.com/wp-content/uploads/2020/12/pepsico.png" loading="lazy">	https://germainux.com/wp-content/uploads/2020/12/pepsico.png
Node label: Allangray **CSS selector:** div#swiper-wrapper-1bfe10e116c4b4746 > div.swiper-slide > figure.swiper-slide-inner > img.swiper-slide-image <img decoding="async" alt="Allangray" data-src="https://germainux.com/wp-content/uploads/2020/12/allangray.png" class="swiper-slide-image lazyloaded" src="https://germainux.com/wp-content/uploads/2020/12/allangray.png" loading="lazy">	https://germainux.com/wp-content/uploads/2020/12/allangray.png
Node label: American Airlines **CSS selector:** div#swiper-wrapper-1bfe10e116c4b4746 > div.swiper-slide > figure.swiper-slide-inner > img.swiper-slide-image <img decoding="async" alt="American Airlines" data-src="https://germainux.com/wp-content/uploads/2020/12/americanairlines.png" class="swiper-slide-image lazyloaded" src="https://germainux.com/wp-content/uploads/2020/12/americanairlines.png" loading="lazy">	https://germainux.com/wp-content/uploads/2020/12/americanairlines.png
Node label: anzBank **CSS selector:** div#swiper-wrapper-1bfe10e116c4b4746 > div.swiper-slide > figure.swiper-slide-inner > img.swiper-slide-image <img decoding="async" alt="anzBank" data-src="https://germainux.com/wp-content/uploads/2020/12/anzBank.png" class="swiper-slide-image lazyloaded" src="https://germainux.com/wp-content/uploads/2020/12/anzBank.png" loading="lazy">	https://germainux.com/wp-content/uploads/2020/12/anzBank.png
Node label: ebay **CSS selector:** div#swiper-wrapper-1bfe10e116c4b4746 > div.swiper-slide > figure.swiper-slide-inner > img.swiper-slide-image <img decoding="async" alt="ebay" data-src="https://germainux.com/wp-content/uploads/2020/12/ebay.png" class="swiper-slide-image lazyloaded" src="https://germainux.com/wp-content/uploads/2020/12/ebay.png" loading="lazy">	https://germainux.com/wp-content/uploads/2020/12/ebay.png
Node label: Pepsico **CSS selector:** div#swiper-wrapper-1bfe10e116c4b4746 > div.swiper-slide > figure.swiper-slide-inner > img.swiper-slide-image <img decoding="async" alt="Pepsico" data-src="https://germainux.com/wp-content/uploads/2020/12/pepsico.png" class="swiper-slide-image lazyloaded" src="https://germainux.com/wp-content/uploads/2020/12/pepsico.png" loading="lazy">	https://germainux.com/wp-content/uploads/2020/12/pepsico.png
Node label: Allangray **CSS selector:** div#swiper-wrapper-1bfe10e116c4b4746 > div.swiper-slide > figure.swiper-slide-inner > img.swiper-slide-image <img decoding="async" alt="Allangray" data-src="https://germainux.com/wp-content/uploads/2020/12/allangray.png" class="swiper-slide-image lazyloaded" src="https://germainux.com/wp-content/uploads/2020/12/allangray.png" loading="lazy">	https://germainux.com/wp-content/uploads/2020/12/allangray.png
Node label: American Airlines **CSS selector:** div#swiper-wrapper-1bfe10e116c4b4746 > div.swiper-slide > figure.swiper-slide-inner > img.swiper-slide-image <img decoding="async" alt="American Airlines" data-src="https://germainux.com/wp-content/uploads/2020/12/americanairlines.png" class="swiper-slide-image lazyloaded" src="https://germainux.com/wp-content/uploads/2020/12/americanairlines.png" loading="lazy">	https://germainux.com/wp-content/uploads/2020/12/americanairlines.png
Node label: anzBank **CSS selector:** div#swiper-wrapper-1bfe10e116c4b4746 > div.swiper-slide > figure.swiper-slide-inner > img.swiper-slide-image <img decoding="async" alt="anzBank" data-src="https://germainux.com/wp-content/uploads/2020/12/anzBank.png" class="swiper-slide-image lazyloaded" src="https://germainux.com/wp-content/uploads/2020/12/anzBank.png" loading="lazy">	https://germainux.com/wp-content/uploads/2020/12/anzBank.png
Node label: ebay **CSS selector:** div#swiper-wrapper-1bfe10e116c4b4746 > div.swiper-slide > figure.swiper-slide-inner > img.swiper-slide-image <img decoding="async" alt="ebay" data-src="https://germainux.com/wp-content/uploads/2020/12/ebay.png" class="swiper-slide-image lazyloaded" src="https://germainux.com/wp-content/uploads/2020/12/ebay.png" loading="lazy">	https://germainux.com/wp-content/uploads/2020/12/ebay.png
Node label: Pepsico **CSS selector:** div#swiper-wrapper-1bfe10e116c4b4746 > div.swiper-slide > figure.swiper-slide-inner > img.swiper-slide-image <img decoding="async" alt="Pepsico" data-src="https://germainux.com/wp-content/uploads/2020/12/pepsico.png" class="swiper-slide-image lazyloaded" src="https://germainux.com/wp-content/uploads/2020/12/pepsico.png" loading="lazy">	https://germainux.com/wp-content/uploads/2020/12/pepsico.png
Node label: Lloyd Q. **CSS selector:** div.tr-testimonial > div.tr-testimonial-author > div.tr-author-image > img.lazyloaded <img decoding="async" alt="Lloyd Q." data-src="https://germainux.com/wp-content/uploads/2023/02/0-1-300x300-1.jpg" class=" lazyloaded" src="https://germainux.com/wp-content/uploads/2023/02/0-1-300x300-1.jpg" loading="lazy">	https://germainux.com/wp-content/uploads/2023/02/0-1-300x300-1.jpg
Node label: Lloyd Q. **CSS selector:** div#slick-slide03 > div.tr-testimonial-author > div.tr-author-image > img.lazyloaded <img decoding="async" alt="Lloyd Q." data-src="https://germainux.com/wp-content/uploads/2023/02/0-1-300x300-1.jpg" class=" lazyloaded" src="https://germainux.com/wp-content/uploads/2023/02/0-1-300x300-1.jpg" loading="lazy">	https://germainux.com/wp-content/uploads/2023/02/0-1-300x300-1.jpg
Node label: Lloyd Q. **CSS selector:** div.tr-testimonial > div.tr-testimonial-author > div.tr-author-image > img.lazyloaded <img decoding="async" alt="Lloyd Q." data-src="https://germainux.com/wp-content/uploads/2023/02/0-1-300x300-1.jpg" class=" lazyloaded" src="https://germainux.com/wp-content/uploads/2023/02/0-1-300x300-1.jpg" loading="lazy">	https://germainux.com/wp-content/uploads/2023/02/0-1-300x300-1.jpg
Node label: Read Germain UX reviews on G2 **CSS selector:** div.elementor-element > div.elementor-widget-container > a > img.full-width <img decoding="async" class="full-width aligncenter" style="max-width: 150px;" src="https://www.g2.com/products/germain-ux/widgets/stars?color=white&type=read" alt="Read Germain UX reviews on G2">	https://www.g2.com/products/germain-ux/widgets/stars?color=white&type=read
Node label: Beth B. **CSS selector:** div.tr-testimonial > div.tr-testimonial-author > div.tr-author-image > img.lazyloaded <img decoding="async" alt="Beth B." data-src="https://germainux.com/wp-content/uploads/2023/02/c8-ada.jpeg" class=" lazyloaded" src="https://germainux.com/wp-content/uploads/2023/02/c8-ada.jpeg" loading="lazy">	https://germainux.com/wp-content/uploads/2023/02/c8-ada.jpeg
Node label: Jim M. **CSS selector:** div.tr-testimonial > div.tr-testimonial-author > div.tr-author-image > img.lazyloaded <img decoding="async" alt="Jim M." data-src="https://germainux.com/wp-content/uploads/2023/02/c5-taimur.jpeg" class=" lazyloaded" src="https://germainux.com/wp-content/uploads/2023/02/c5-taimur.jpeg" loading="lazy">	https://germainux.com/wp-content/uploads/2023/02/c5-taimur.jpeg
Node label: John C. **CSS selector:** div#slick-slide00 > div.tr-testimonial-author > div.tr-author-image > img.lazyloaded <img decoding="async" alt="John C." data-src="https://germainux.com/wp-content/uploads/2023/02/c7-gilbert.jpeg" class=" lazyloaded" src="https://germainux.com/wp-content/uploads/2023/02/c7-gilbert.jpeg" loading="lazy">	https://germainux.com/wp-content/uploads/2023/02/c7-gilbert.jpeg
Node label: Robert M. **CSS selector:** div#slick-slide01 > div.tr-testimonial-author > div.tr-author-image > img.lazyloaded <img decoding="async" alt="Robert M." data-src="https://germainux.com/wp-content/uploads/2023/02/c3-eugene.jpeg" class=" lazyloaded" src="https://germainux.com/wp-content/uploads/2023/02/c3-eugene.jpeg" loading="lazy">	https://germainux.com/wp-content/uploads/2023/02/c3-eugene.jpeg
Node label: Mike T. **CSS selector:** div#slick-slide02 > div.tr-testimonial-author > div.tr-author-image > img.lazyloaded <img decoding="async" alt="Mike T." data-src="https://germainux.com/wp-content/uploads/2023/02/c1-sachin.jpeg" class=" lazyloaded" src="https://germainux.com/wp-content/uploads/2023/02/c1-sachin.jpeg" loading="lazy">	https://germainux.com/wp-content/uploads/2023/02/c1-sachin.jpeg
Node label: Beth B. **CSS selector:** div#slick-slide04 > div.tr-testimonial-author > div.tr-author-image > img.lazyloaded <img decoding="async" alt="Beth B." data-src="https://germainux.com/wp-content/uploads/2023/02/c8-ada.jpeg" class=" lazyloaded" src="https://germainux.com/wp-content/uploads/2023/02/c8-ada.jpeg" loading="lazy">	https://germainux.com/wp-content/uploads/2023/02/c8-ada.jpeg
Node label: Jim M. **CSS selector:** div#slick-slide05 > div.tr-testimonial-author > div.tr-author-image > img.lazyloaded <img decoding="async" alt="Jim M." data-src="https://germainux.com/wp-content/uploads/2023/02/c5-taimur.jpeg" class=" lazyloaded" src="https://germainux.com/wp-content/uploads/2023/02/c5-taimur.jpeg" loading="lazy">	https://germainux.com/wp-content/uploads/2023/02/c5-taimur.jpeg
Node label: John C. **CSS selector:** div.tr-testimonial > div.tr-testimonial-author > div.tr-author-image > img.lazyloaded <img decoding="async" alt="John C." data-src="https://germainux.com/wp-content/uploads/2023/02/c7-gilbert.jpeg" class=" lazyloaded" src="https://germainux.com/wp-content/uploads/2023/02/c7-gilbert.jpeg" loading="lazy">	https://germainux.com/wp-content/uploads/2023/02/c7-gilbert.jpeg
Node label: Robert M. **CSS selector:** div.tr-testimonial > div.tr-testimonial-author > div.tr-author-image > img.lazyloaded <img decoding="async" alt="Robert M." data-src="https://germainux.com/wp-content/uploads/2023/02/c3-eugene.jpeg" class=" lazyloaded" src="https://germainux.com/wp-content/uploads/2023/02/c3-eugene.jpeg" loading="lazy">	https://germainux.com/wp-content/uploads/2023/02/c3-eugene.jpeg
Node label: Mike T. **CSS selector:** div.tr-testimonial > div.tr-testimonial-author > div.tr-author-image > img.lazyloaded <img decoding="async" alt="Mike T." data-src="https://germainux.com/wp-content/uploads/2023/02/c1-sachin.jpeg" class=" lazyloaded" src="https://germainux.com/wp-content/uploads/2023/02/c1-sachin.jpeg" loading="lazy">	https://germainux.com/wp-content/uploads/2023/02/c1-sachin.jpeg
Node label: Beth B. **CSS selector:** div.tr-testimonial > div.tr-testimonial-author > div.tr-author-image > img.lazyloaded <img decoding="async" alt="Beth B." data-src="https://germainux.com/wp-content/uploads/2023/02/c8-ada.jpeg" class=" lazyloaded" src="https://germainux.com/wp-content/uploads/2023/02/c8-ada.jpeg" loading="lazy">	https://germainux.com/wp-content/uploads/2023/02/c8-ada.jpeg
Node label: Jim M. **CSS selector:** div.tr-testimonial > div.tr-testimonial-author > div.tr-author-image > img.lazyloaded <img decoding="async" alt="Jim M." data-src="https://germainux.com/wp-content/uploads/2023/02/c5-taimur.jpeg" class=" lazyloaded" src="https://germainux.com/wp-content/uploads/2023/02/c5-taimur.jpeg" loading="lazy">	https://germainux.com/wp-content/uploads/2023/02/c5-taimur.jpeg
Node label: body.home > img **CSS selector:** body.home > img <img src="https://ct.capterra.com/capterra_tracker.gif?vid=2143840&vkey=d1f28a23dd45…">	https://ct.capterra.com/capterra_tracker.gif?vid=2143840&vkey=d1f28a23dd45ea338907ac555e5706b4
Node label: GetApp Category Leaders for Application Performance Management Jul-22 **CSS selector:** div.elementor-widget-container > p > a > img.aligncenter <img decoding="async" style="width: 140px; border: 0px;" alt="GetApp Category Leaders for Application Performance Management Jul-22" data-src="https://capterra.s3.amazonaws.com/assets/images/gdm-badges/GA_Badge_Catego…" class="aligncenter lazyloading" src="" loading="lazy">	
Node label: Software Advice Frontrunners for Application Performance Management Jul-22 **CSS selector:** div.elementor-widget-container > p > a > img.aligncenter <img decoding="async" style="width: 140px; border: 0px;" alt="Software Advice Frontrunners for Application Performance Management Jul-22" data-src="https://capterra.s3.amazonaws.com/assets/images/gdm-badges/SA_Badge_FrontR…" class="aligncenter lazyloading" src="" loading="lazy">	
Node label: Capterra Shortlist for Application Performance Management Jul-22 **CSS selector:** div.elementor-widget-container > p > a > img.aligncenter <img decoding="async" style="width: 140px; border: 0px;" alt="Capterra Shortlist for Application Performance Management Jul-22" data-src="https://capterra.s3.amazonaws.com/assets/images/gdm-badges/CA_Badge_Shortl…" class="aligncenter lazyloading" src="" loading="lazy">	

DIAGNOSTICS (33)

Serve images in next-gen formats - Potential savings of 419 KiB

Image formats like WebP and AVIF often provide better compression than PNG or JPEG, which means faster downloads and less data consumption. Learn more about modern image formats.

> Consider using the Performance Lab plugin to automatically convert your uploaded JPEG images into WebP, wherever supported.
>
> Enable 'Imagify' from the Image Optimization tab in 'WP Rocket' to convert your images to WebP.

n/a	URL	Resource Size	Potential Savings
	https://cdn.vidyard.com/thumbnails/38705260/qayzKnSBqNI7aSRFoB7n7g.png	439.325 KiB	385.50715 KiB
Node label: Our Awards And Reviews **CSS selector:** div.elementor-element > div.elementor-widget-container > a > img.attachment-large `<img loading="lazy" decoding="async" width="800" height="555" alt="Our Awards And Reviews" data-srcset="https://germainux.com/wp-content/uploads/2022/10/getapp2022-2-1024x710.png…" data-src="https://germainux.com/wp-content/uploads/2022/10/getapp2022-2-1024x710.png" data-sizes="(max-width: 800px) 100vw, 800px" class="attachment-large size-large wp-image-6110 lazyloaded" src="https://germainux.com/wp-content/uploads/2022/10/getapp2022-2-1024x710.png" sizes="(max-width: 800px) 100vw, 800px" srcset="https://germainux.com/wp-content/uploads/2022/10/getapp2022-2-1024x710.png…" …>`	https://germainux.com/wp-content/uploads/2022/10/getapp2022-2-1024x710.png	85.274 KiB	22.180699999999998 KiB
Node label: Read Germain UX reviews on G2 **CSS selector:** div.elementor-element > div.elementor-widget-container > a > img.full-width `<img decoding="async" class="full-width aligncenter" style="max-width: 150px;" src="https://www.g2.com/products/germain-ux/widgets/stars?color=white&type=read" alt="Read Germain UX reviews on G2">`	https://www.g2.com/products/germain-ux/widgets/stars?color=white&type=read	17.549 KiB	11.04995 KiB
Node label: All-in-one Custom Alerts **CSS selector:** div.elementor-widget-wrap > div.elementor-element > div.elementor-widget-container > img.attachment-large `<img loading="lazy" decoding="async" width="719" height="673" alt="All-in-one Custom Alerts" data-srcset="https://germainux.com/wp-content/uploads/2023/04/1-768x778-1.png 719w, htt…" data-src="https://germainux.com/wp-content/uploads/2023/04/1-768x778-1.png" data-sizes="(max-width: 719px) 100vw, 719px" class="attachment-large size-large wp-image-16316 lazyloaded" src="https://germainux.com/wp-content/uploads/2023/04/1-768x778-1.png" sizes="(max-width: 719px) 100vw, 719px" srcset="https://germainux.com/wp-content/uploads/2023/04/1-768x778-1.png 719w, htt…" …>`	https://germainux.com/wp-content/uploads/2023/04/1-768x778-1.png	46.814 KiB	10.122949999999998 KiB

Avoid enormous network payloads - Total size was 3,577 KiB

Large network payloads cost users real money and are highly correlated with long load times. Learn how to reduce payload sizes.

URL	Transfer Size
https://cdn.vidyard.com/thumbnails/38705260/qayzKnSBqNI7aSRFoB7n7g.png	439.918 KiB
https://cdn.vidyard.com/thumbnails/38705260/qayzKnSBqNI7aSRFoB7n7g.png	439.918 KiB
https://js.intercomcdn.com/frame-modern.023e02fb.js	255.978 KiB
https://monitor.cloud.germainapm.com/config/agent/lookup/Web%20UX/germainux.com/Germain%20UX%20Website?profile=Germain%20UX%20Website	230.058 KiB
https://js.intercomcdn.com/vendors~app~tooltips-modern.e8f447f4.js	164.006 KiB
https://js.intercomcdn.com/vendor-modern.c93438f4.js	144.781 KiB
https://js.intercomcdn.com/app-modern.c37715be.js	132.833 KiB
https://assets.vidyard.com/play/js/7-3b17bdd35f1834729bf3956d98183551.js	100.532 KiB
https://www.googletagmanager.com/gtag/js?id=G-1QPRD4B0EC&l=dataLayer&cx=c	96.623 KiB
https://germainux.com/wp-content/uploads/2022/10/getapp2022-2-1024x710.png	85.996 KiB

Network Round Trip Times - 170 ms

Network round trip times (RTT) have a large impact on performance. If the RTT to an origin is high, it's an indication that servers closer to the user could improve performance. Learn more about the Round Trip Time.

URL	Time Spent
https://monitor.cloud.germainapm.com	167 ms
https://raw.vidyard.com	164 ms
https://api-iam.intercom.io	110 ms
https://44t.017.myftpupload.com	105 ms
https://germainux.com	14 ms
https://cdn.vidyard.com	9 ms
https://px.ads.linkedin.com	6 ms
https://fonts.googleapis.com	0 ms
https://www.googletagmanager.com	0 ms
https://ct.capterra.com	0 ms
https://play.vidyard.com	0 ms
https://www.g2.com	0 ms
https://assets.calendly.com	0 ms
https://fonts.gstatic.com	0 ms
https://www.google-analytics.com	0 ms
https://snap.licdn.com	0 ms
https://connect.facebook.net	0 ms
https://stats.g.doubleclick.net	0 ms
https://www.google.com	0 ms
https://www.facebook.com	0 ms
https://widget.intercom.io	0 ms
https://assets.vidyard.com	0 ms
https://js.intercomcdn.com	0 ms

Resources Summary

Aggregates all network requests and groups them by type

Resource Type	Requests	Transfer Size
Total	192	3662.871 KiB
Script	75	1814.974 KiB
Image	44	1308.569 KiB
Other	21	251.449 KiB
Stylesheet	44	209.528 KiB
Font	5	43.334 KiB
Document	3	35.017 KiB
Media	0	0 KiB
Third-party	79	2808.417 KiB

Metrics

Collects all available metrics.

Diagnostics

Collection of useful page vitals.

User Timing marks and measures - 6 user timings

Consider instrumenting your app with the User Timing API to measure your app's real-world performance during key user experiences. Learn more about User Timing marks.

Name	Type	Start Time	Duration
fbevents:start:estPageViewProcessing	Mark	1538 ms	
fbevents:end:estPageViewProcessing	Mark	1540 ms	
fbevents:start:unwantedDataProcessing_365654924986535	Mark	1540 ms	
fbevents:end:unwantedDataProcessing_365654924986535	Mark	1540 ms	
fbevents:start:validateUrlProcessing_365654924986535	Mark	1541 ms	
fbevents:end:validateUrlProcessing_365654924986535	Mark	1541 ms	

Avoid long main-thread tasks - 12 long tasks found

Lists the longest tasks on the main thread, useful for identifying worst contributors to input delay. Learn how to avoid long main-thread tasks

URL	Start Time	Duration
https://germainux.com/wp-content/plugins/wp-smushit/app/assets/js/smush-lazy-load-native.min.js?ver=3.15.1	3604 ms	594 ms
https://js.intercomcdn.com/app-modern.c37715be.js	6561 ms	246 ms
https://js.intercomcdn.com/frame-modern.023e02fb.js	4744 ms	224 ms
https://js.intercomcdn.com/frame-modern.023e02fb.js	6807 ms	170 ms
https://germainux.com/wp-content/plugins/wp-smushit/app/assets/js/smush-lazy-load-native.min.js?ver=3.15.1	2901 ms	140 ms
https://germainux.com/	2637 ms	105 ms
https://www.googletagmanager.com/gtag/js?id=G-1QPRD4B0EC&l=dataLayer&cx=c	3205 ms	101 ms
https://assets.vidyard.com/play/js/vendors~player-pomo-6ec08f3ff9b98a414f4f7c431cd2f518.js	1856 ms	98 ms
https://js.intercomcdn.com/frame-modern.023e02fb.js	7048 ms	80 ms
https://js.intercomcdn.com/frame-modern.023e02fb.js	6977 ms	71 ms
https://germainux.com/	4255 ms	57 ms
https://germainux.com/wp-content/plugins/wp-smushit/app/assets/js/smush-lazy-load-native.min.js?ver=3.15.1	4198 ms	50 ms

Initial server response time was short - Root document took 30 ms

Keep the server response time for the main document short because all other requests depend on it. Learn more about the Time to First Byte metric.

> Themes, plugins, and server specifications all contribute to server response time. Consider finding a more optimized theme, carefully selecting an optimization plugin, and/or upgrading your server.
> If you are server-side rendering any React components, consider using `renderToPipeableStream()` or `renderToStaticNodeStream()` to allow the client to receive and hydrate different parts of the markup instead of all at once. Learn more.

URL	Time Spent
https://germainux.com/	30 ms

Avoid chaining critical requests - 87 chains found

The Critical Request Chains below show you what resources are loaded with a high priority. Consider reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load. Learn how to avoid chaining critical requests.

Maximum critical path latency: 399 ms

- https://germainux.com/ (0.104 ms, 32.964 KiB)
  - https://germainux.com/wp-content/plugins/elementor/assets/js/frontend.min.js?ver=3.18.0-dev4 (0.042 ms, 13.41 KiB)
  - https://germainux.com/wp-content/plugins/super-elements-for-elementor/assets/js/super-extends.min.js?ver=2.2.1 (0.029 ms, 4.36 KiB)
  - https://germainux.com/wp-content/plugins/elementor-pro/assets/js/frontend.min.js?ver=3.18.1 (0.033 ms, 7.653 KiB)
  - https://germainux.com/wp-content/uploads/elementor/css/post-216.css?ver=1701962131 (0.055 ms, 1.098 KiB)
  - https://germainux.com/wp-content/plugins/header-footer-elementor/inc/widgets-css/frontend.css?ver=1.6.21 (0.098 ms, 8.939 KiB)
  - https://germainux.com/wp-content/uploads/elementor/css/post-7.css?ver=1701962130 (0.081 ms, 1.234 KiB)
  - › https://fonts.googleapis.com/css?family=Poppins%3A100%2C100italic%2C200%2C200italic%2C300%2C300italic%2C400%2C400italic%2C500%2C500i (0.026 ms, 2.048 KiB)
  - https://germainux.com/wp-content/plugins/elementor/assets/lib/font-awesome/js/v4-shims.min.js?ver=3.18.0-dev4 (0.182 ms, 4.884 KiB)
  - https://germainux.com/wp-includes/js/jquery/jquery-migrate.min.js?ver=3.4.1 (0.036 ms, 5.656 KiB)
  - https://germainux.com/wp-content/plugins/quick-testimonials/public/assets/js/masonry.pkgd.min.js?ver=2.1 (0.077 ms, 8.285 KiB)
  - https://germainux.com/wp-content/plugins/quick-testimonials/public/assets/css/font-awesome.min.css?ver=2.1 (0.082 ms, 7.627 KiB)
  - https://germainux.com/wp-content/plugins/quick-testimonials/public/assets/css/slick.css?ver=2.1 (0.096 ms, 1.748 KiB)
  - https://germainux.com/wp-content/plugins/awesome-contact-form7-for-elementor/assets/css/style.css?ver=6.4.2 (0.086 ms, 1.322 KiB)
  - https://germainux.com/wp-content/plugins/header-footer-elementor/assets/css/header-footer-elementor.css?ver=1.6.21 (0.068 ms, 0.924 KiB)
  - https://germainux.com/wp-content/plugins/quick-testimonials/public/assets/css/structure.css?ver=2.1 (0.063 ms, 3.97 KiB)
  - https://germainux.com/wp-content/plugins/super-elements-for-elementor/assets/js/tilt.jquery.min.js?ver=2.2.1 (0.035 ms, 2.473 KiB)
  - https://germainux.com/wp-content/plugins/elementor/assets/lib/waypoints/waypoints.min.js?ver=4.0.2 (0.041 ms, 3.822 KiB)
  - https://germainux.com/wp-content/plugins/super-elements-for-elementor/assets/js/TweenMax.min.js?ver=2.2.1 (0.031 ms, 39.956 KiB)
  - https://germainux.com/wp-content/plugins/add-search-to-menu/public/js/ivory-search.min.js?ver=5.5.4 (0.04 ms, 1.831 KiB)
  - https://germainux.com/wp-content/plugins/elementor/assets/js/frontend-modules.min.js?ver=3.18.0-dev4 (0.044 ms, 18.293 KiB)
  - https://germainux.com/wp-content/plugins/super-elements-for-elementor/assets/js/tipso.min.js?ver=2.2.1 (0.071 ms, 4.179 KiB)
  - https://germainux.com/wp-content/plugins/super-elements-for-elementor/assets/js/particles.min.js?ver=2.2.1 (0.034 ms, 6.849 KiB)
  - https://germainux.com/wp-content/uploads/elementor/css/post-8141.css?ver=1704897091 (0.079 ms, 2.907 KiB)
  - https://germainux.com/wp-content/plugins/quick-testimonials/public/assets/js/plugin-scripts.js?ver=2.1 (0.075 ms, 1.357 KiB)
  - https://germainux.com/wp-content/plugins/testimonial-slider-and-showcase/assets/vendor/swiper/swiper.min.css?ver=2.3.5 (0.066 ms, 5.2 KiB)
  - https://germainux.com/wp-content/plugins/sticky-header-effects-for-elementor/assets/js/she-header.js?ver=1.6.10 (0.083 ms, 3.032 KiB)
  - https://germainux.com/wp-content/uploads/elementor/css/post-125.css?ver=1701962131 (0.081 ms, 2.21 KiB)
  - https://germainux.com/wp-content/plugins/contact-form-7/includes/swv/js/index.js?ver=5.8.4 (0.026 ms, 3.895 KiB)
  - https://germainux.com/wp-content/plugins/super-elements-for-elementor/assets/css/owl.carousel.min.css?ver=2.2.1 (0.064 ms, 1.652 KiB)
  - https://germainux.com/wp-content/plugins/super-elements-for-elementor/assets/js/vegas.min.js?ver=2.2.1 (0.037 ms, 3.953 KiB)
  - https://germainux.com/wp-content/plugins/post-comment-validation/public/css/post-comment-validation-public.css?ver=1.0.0 (0.064 ms, 0.731 KiB)
  - https://germainux.com/wp-content/plugins/elementor/assets/js/webpack.runtime.min.js?ver=3.18.0-dev4 (0.031 ms, 2.869 KiB)
  - https://germainux.com/wp-content/plugins/wp-job-manager/assets/dist/css/job-listings.css?ver=598383a28ac5f9f156e4 (0.053 ms, 1.914 KiB)
  - https://germainux.com/wp-includes/js/dist/vendor/regenerator-runtime.min.js?ver=0.14.0 (0.038 ms, 3.206 KiB)
  - https://germainux.com/wp-content/plugins/super-elements-for-elementor/assets/css/vegas.min.css?ver=2.2.1 (0.084 ms, 1.857 KiB)
  - https://germainux.com/wp-content/plugins/quick-testimonials/public/assets/js/slick.min.js?ver=2.1 (0.076 ms, 11.554 KiB)
  - https://germainux.com/wp-content/plugins/super-elements-for-elementor/assets/css/tipso.min.css?ver=2.2.1 (0.074 ms, 1.077 KiB)
  - https://germainux.com/wp-content/uploads/elementor/css/post-8360.css?ver=1701962130 (0.08 ms, 1.979 KiB)
  - https://germainux.com/wp-content/plugins/super-elements-for-elementor/assets/js/lax.min.js?ver=1 (0.043 ms, 3.605 KiB)
  - https://germainux.com/wp-content/plugins/contact-form-7/includes/js/index.js?ver=5.8.4 (0.032 ms, 4.849 KiB)
  - https://germainux.com/wp-content/plugins/elementor-pro/assets/lib/smartmenus/jquery.smartmenus.min.js?ver=1.0.1 (0.046 ms, 8.174 KiB)
  - https://germainux.com/wp-content/uploads/elementor/css/global.css?ver=1701962130 (0.033 ms, 4.954 KiB)
  - https://germainux.com/wp-content/plugins/elementor/assets/lib/animations/animations.min.css?ver=3.18.0-dev4 (0.03 ms, 3.331 KiB)
  - https://germainux.com/wp-content/themes/hello-elementor/header-footer.min.css?ver=3.0.1 (0.055 ms, 2.094 KiB)
  - https://germainux.com/wp-content/plugins/elementor/assets/lib/font-awesome/css/all.min.css?ver=3.18.0-dev4 (0.082 ms, 13.519 KiB)
  - https://germainux.com/wp-content/plugins/super-elements-for-elementor/assets/js/jarallax.js?ver=2.2.1 (0.028 ms, 5.627 KiB)
  - https://germainux.com/wp-content/plugins/super-elements-for-elementor/assets/js/jquery-parallax.js?ver=2.2.1 (0.032 ms, 0.824 KiB)
  - https://germainux.com/wp-content/plugins/super-elements-for-elementor/admin//assets/css/sefont.css?ver=6.4.2 (0.166 ms, 1.5 KiB)
  - https://germainux.com/wp-content/plugins/testimonial-slider-and-showcase/assets/css/wptestimonial.css?ver=2.3.5 (0.088 ms, 9.034 KiB)
  - https://germainux.com/wp-content/plugins/elementor/assets/css/frontend.min.css?ver=3.18.0-dev4 (0.076 ms, 21.545 KiB)
  - https://germainux.com/wp-content/plugins/post-comment-validation/public/js/post-comment-validation-public.js?ver=1.0.0 (0.074 ms, 1.096 KiB)
  - https://germainux.com/wp-includes/js/dist/i18n.min.js?ver=7701b0c3857f914212ef (0.079 ms, 4.388 KiB)
  - https://germainux.com/wp-includes/js/dist/hooks.min.js?ver=c6aec9a8d4e5a5d543a1 (0.041 ms, 2.231 KiB)
  - https://germainux.com/wp-content/plugins/quick-testimonials/public/assets/css/plugin-styles.css?ver=2.1 (0.067 ms, 4.685 KiB)
  - https://germainux.com/wp-content/plugins/jquery-validation-for-contact-form-7/includes/assets/js/jvcf7_validation.js?ver=5.4.2 (0.035 ms, 1.383 KiB)
  - https://germainux.com/wp-content/plugins/elementor-pro/assets/js/webpack-pro.runtime.min.js?ver=3.18.1 (0.033 ms, 3.199 KiB)
  - https://germainux.com/wp-content/plugins/jquery-validation-for-contact-form-7/includes/assets/css/jvcf7_client.css?ver=5.4.2 (0.091 ms, 0.817 KiB)
  - https://germainux.com/wp-content/plugins/sticky-header-effects-for-elementor/assets/css/she-header-style.css?ver=1.6.10 (0.074 ms, 1.28 KiB)
  - https://germainux.com/wp-content/uploads/elementor/css/post-157.css?ver=1701962131 (0.077 ms, 1.411 KiB)
  - https://germainux.com/wp-content/uploads/elementor/css/post-9212.css?ver=1703832213 (0.072 ms, 4.139 KiB)
  - https://germainux.com/wp-content/themes/hello-theme-child/style.css?ver=1.0.0 (0.066 ms, 1.153 KiB)
  - https://germainux.com/wp-content/themes/hello-elementor/assets/js/hello-frontend.min.js?ver=3.0.1 (0.039 ms, 1.524 KiB)
  - https://germainux.com/wp-content/plugins/wpfront-scroll-top/js/wpfront-scroll-top.min.js?ver=2.2.10081 (0.031 ms, 1.266 KiB)
  - https://germainux.com/wp-includes/js/jquery/ui/core.min.js?ver=1.13.2 (0.046 ms, 7.916 KiB)
  - https://germainux.com/wp-content/plugins/jquery-validation-for-contact-form-7/includes/assets/js/jquery.validate.min.js?ver=5.4.2 (0.03 ms, 9.871 KiB)
  - https://germainux.com/wp-content/plugins/super-elements-for-elementor/assets/css/owl.theme.default.min.css?ver=2.2.1 (0.059 ms, 1.073 KiB)
  - https://germainux.com/wp-content/plugins/super-elements-for-elementor/assets/css/super-elements.min.css?ver=2.2.1 (0.074 ms, 15.662 KiB)
  - https://germainux.com/wp-content/plugins/super-elements-for-elementor/assets/css/animate.min.css?ver=2.2.1 (0.091 ms, 5.214 KiB)
  - https://germainux.com/wp-content/plugins/quick-testimonials/public/assets/css/responsive.css?ver=2.1 (0.06 ms, 1.635 KiB)
  - https://germainux.com/wp-content/plugins/super-elements-for-elementor/assets/js/jquery.ripples-min.js?ver=2.2.1 (0.043 ms, 5.411 KiB)
  - https://germainux.com/wp-content/plugins/wp-smushit/app/assets/js/smush-lazy-load-native.min.js?ver=3.15.1 (0.044 ms, 4.884 KiB)
  - https://germainux.com/wp-content/plugins/add-search-to-menu/public/css/ivory-search.min.css?ver=5.5.4 (0.081 ms, 2.303 KiB)
  - https://germainux.com/wp-content/plugins/elementor/assets/lib/font-awesome/css/v4-shims.min.css?ver=3.18.0-dev4 (0.057 ms, 4.858 KiB)
  - https://germainux.com/wp-content/plugins/menu-icons/css/extra.min.css?ver=0.13.7 (0.057 ms, 0.943 KiB)
  - https://germainux.com/wp-content/themes/hello-elementor/style.min.css?ver=3.0.1 (0.077 ms, 2.458 KiB)
  - https://germainux.com/wp-content/plugins/header-footer-elementor/inc/js/frontend.js?ver=1.6.21 (0.04 ms, 4.717 KiB)
  - https://germainux.com/wp-content/plugins/contact-form-7/includes/css/styles.css?ver=5.8.4 (0.079 ms, 1.599 KiB)
  - https://germainux.com/wp-includes/js/jquery/jquery.min.js?ver=3.7.1 (0.065 ms, 32.052 KiB)
  - https://germainux.com/wp-includes/js/dist/vendor/wp-polyfill-inert.min.js?ver=3.1.2 (0.039 ms, 3.166 KiB)
  - https://germainux.com/wp-includes/js/dist/vendor/wp-polyfill.min.js?ver=3.15.0 (0.057 ms, 37.027 KiB)
  - https://germainux.com/wp-content/plugins/elementor-pro/assets/css/frontend.min.css?ver=3.18.1 (0.092 ms, 45.405 KiB)
  - https://germainux.com/wp-content/themes/hello-elementor/theme.min.css?ver=3.0.1 (0.093 ms, 1.914 KiB)
  - https://germainux.com/wp-content/plugins/elementor-pro/assets/js/elements-handlers.min.js?ver=3.18.1 (0.048 ms, 10.235 KiB)

DIAGNOSTICS (33)

Server Backend Latencies - 760 ms

Server latencies can impact web performance. If the server latency of an origin is high, it's an indication the server is overloaded or has poor backend performance. Learn more about server response time.

URL	Time Spent
https://api-iam.intercom.io	761 ms
https://www.g2.com	652 ms
https://widget.intercom.io	356 ms
https://assets.calendly.com	283 ms
https://px.ads.linkedin.com	201 ms
https://connect.facebook.net	199 ms
https://monitor.cloud.germainapm.com	170 ms
https://44t.017.myftpupload.com	154 ms
https://ct.capterra.com	119 ms
https://www.facebook.com	117 ms
https://raw.vidyard.com	112 ms
https://germainux.com	30 ms
https://cdn.vidyard.com	11 ms
https://www.googletagmanager.com	10 ms
https://snap.licdn.com	9 ms
https://js.intercomcdn.com	9 ms
https://fonts.googleapis.com	5 ms
https://www.google.com	5 ms
https://play.vidyard.com	3 ms
https://assets.vidyard.com	3 ms
https://fonts.gstatic.com	1 ms
https://stats.g.doubleclick.net	1 ms
https://www.google-analytics.com	1 ms

Tasks

Lists the toplevel main thread tasks that executed during page load.

Start Time	End Time
108 ms	33 ms
141 ms	14 ms
198 ms	6 ms
228 ms	12 ms
283 ms	23 ms
312 ms	11 ms
323 ms	24 ms
348 ms	10 ms
362 ms	87 ms
485 ms	35 ms
520 ms	8 ms
529 ms	11 ms
540 ms	8 ms
549 ms	30 ms
584 ms	18 ms
603 ms	9 ms
618 ms	22 ms
652 ms	31 ms
683 ms	6 ms
693 ms	33 ms
733 ms	14 ms
748 ms	11 ms
760 ms	21 ms
782 ms	13 ms
796 ms	9 ms
809 ms	101 ms
911 ms	27 ms
939 ms	50 ms
989 ms	5 ms
995 ms	30 ms
1039 ms	6 ms
1052 ms	62 ms
1118 ms	29 ms
1148 ms	31 ms
1180 ms	30 ms
1214 ms	6 ms
1267 ms	11 ms
1288 ms	5 ms
1295 ms	15 ms
1311 ms	8 ms
1389 ms	5 ms
1420 ms	30 ms
1450 ms	52 ms
1507 ms	7 ms
1525 ms	18 ms
1572 ms	75 ms
1647 ms	7 ms
1655 ms	22 ms
1844 ms	85 ms
1932 ms	9 ms
1943 ms	11 ms
1969 ms	29 ms
2002 ms	14 ms
2094 ms	98 ms
2198 ms	14 ms
2234 ms	35 ms
2269 ms	13 ms
2283 ms	21 ms
2304 ms	7 ms
2312 ms	7 ms
2326 ms	5 ms
2331 ms	13 ms
2345 ms	5 ms
2391 ms	8 ms
2424 ms	224 ms
2648 ms	8 ms
2656 ms	14 ms
2755 ms	5 ms
2789 ms	1188 ms
3979 ms	8 ms
3990 ms	5 ms
3998 ms	44 ms
4045 ms	6 ms
4051 ms	60 ms
4111 ms	57 ms
4172 ms	8 ms
4199 ms	15 ms
4215 ms	7 ms
4226 ms	9 ms
4240 ms	13 ms
4269 ms	37 ms
4312 ms	246 ms
4561 ms	341 ms
4902 ms	18 ms
4924 ms	105 ms
5030 ms	140 ms
5176 ms	13 ms
5198 ms	71 ms
5278 ms	9 ms
5292 ms	13 ms
5362 ms	80 ms
7031 ms	9 ms
7567 ms	10 ms

Avoid non-composited animations - 32 animated elements found

Animations which are not composited can be janky and increase CLS. Learn how to avoid non-composited animations

Element	Name
Node label: Jim M. **CSS selector:** div.tr-testimonial > div.tr-testimonial-author > div.tr-author-info > span.tr-title <span class="tr-title">	
Unsupported CSS Property: visibility	visibility
Node label: John C. **CSS selector:** div.slick-track > div.tr-testimonial > div.tr-testimonial-author > div.tr-author-image <div class="tr-author-image tr-border-radius">	
Unsupported CSS Property: visibility	visibility
Node label: Robert M. **CSS selector:** div.tr-testimonial > div.tr-testimonial-author > div.tr-author-info > span.tr-title <span class="tr-title">	
Unsupported CSS Property: visibility	visibility
Node label: Jim M. **CSS selector:** div.tr-testimonial > div.tr-testimonial-author > div.tr-author-info > span.tr-title <span class="tr-title">	
Unsupported CSS Property: visibility	visibility
Node label: Jim M. **CSS selector:** div.slick-track > div#slick-slide05 > div.tr-testimonial-author > div.tr-author-image <div class="tr-author-image tr-border-radius">	
Unsupported CSS Property: visibility	visibility
Node label: Lloyd Q. **CSS selector:** div.tr-testimonial > div.tr-testimonial-author > div.tr-author-info > span.tr-title <span class="tr-title">	
Unsupported CSS Property: visibility	visibility
Node label: Lloyd Q. **CSS selector:** div.slick-track > div.tr-testimonial > div.tr-testimonial-author > div.tr-author-image <div class="tr-author-image tr-border-radius">	
Unsupported CSS Property: visibility	visibility
Node label: Robert M. **CSS selector:** div.slick-track > div.tr-testimonial > div.tr-testimonial-author > div.tr-author-image <div class="tr-author-image tr-border-radius">	
Unsupported CSS Property: visibility	visibility
Node label: Beth B. **CSS selector:** div.tr-testimonial > div.tr-testimonial-author > div.tr-author-info > span.tr-title <span class="tr-title">	
Unsupported CSS Property: visibility	visibility
Node label: Jim M. **CSS selector:** div.slick-track > div.tr-testimonial > div.tr-testimonial-author > div.tr-author-image <div class="tr-author-image tr-border-radius">	
Unsupported CSS Property: visibility	visibility
Node label: Jim M. **CSS selector:** div.slick-track > div.tr-testimonial > div.tr-testimonial-author > div.tr-author-image <div class="tr-author-image tr-border-radius">	
Unsupported CSS Property: visibility	visibility
Node label: Lloyd Q. **CSS selector:** div.tr-testimonial > div.tr-testimonial-author > div.tr-author-info > span.tr-title <span class="tr-title">	
Unsupported CSS Property: visibility	visibility
Node label: Robert M. **CSS selector:** div.slick-track > div#slick-slide01 > div.tr-testimonial-author > div.tr-author-image <div class="tr-author-image tr-border-radius">	
Unsupported CSS Property: visibility	visibility
Node label: John C. **CSS selector:** div#slick-slide00 > div.tr-testimonial-author > div.tr-author-info > span.tr-title <span class="tr-title">	
Unsupported CSS Property: visibility	visibility
Node label: Beth B. **CSS selector:** div#slick-slide04 > div.tr-testimonial-author > div.tr-author-info > span.tr-title <span class="tr-title">	
Unsupported CSS Property: visibility	visibility
Node label: Beth B. **CSS selector:** div.slick-track > div.tr-testimonial > div.tr-testimonial-author > div.tr-author-image <div class="tr-author-image tr-border-radius">	
Unsupported CSS Property: visibility	visibility
Node label: Mike T. **CSS selector:** div#slick-slide02 > div.tr-testimonial-author > div.tr-author-info > span.tr-title <span class="tr-title">	
Unsupported CSS Property: visibility	visibility
Node label: Beth B. **CSS selector:** div.tr-testimonial > div.tr-testimonial-author > div.tr-author-info > span.tr-title <span class="tr-title">	
Unsupported CSS Property: visibility	visibility
Node label: John C. **CSS selector:** div.tr-testimonial > div.tr-testimonial-author > div.tr-author-info > span.tr-title <span class="tr-title">	
Unsupported CSS Property: visibility	visibility
Node label: Lloyd Q. **CSS selector:** div.slick-track > div.tr-testimonial > div.tr-testimonial-author > div.tr-author-image <div class="tr-author-image tr-border-radius">	
Unsupported CSS Property: visibility	visibility
Node label: Robert M. **CSS selector:** div#slick-slide01 > div.tr-testimonial-author > div.tr-author-info > span.tr-title <span class="tr-title">	
Unsupported CSS Property: visibility	visibility
Node label: Mike T. **CSS selector:** div.tr-testimonial > div.tr-testimonial-author > div.tr-author-info > span.tr-title <span class="tr-title">	
Unsupported CSS Property: visibility	visibility
Node label: Mike T. **CSS selector:** div.slick-track > div.tr-testimonial > div.tr-testimonial-author > div.tr-author-image <div class="tr-author-image tr-border-radius">	
Unsupported CSS Property: visibility	visibility
Node label: Mike T. **CSS selector:** div.slick-track > div#slick-slide02 > div.tr-testimonial-author > div.tr-author-image <div class="tr-author-image tr-border-radius">	
Unsupported CSS Property: visibility	visibility
Node label: Beth B. **CSS selector:** div.slick-track > div#slick-slide04 > div.tr-testimonial-author > div.tr-author-image <div class="tr-author-image tr-border-radius">	
Unsupported CSS Property: visibility	visibility
Node label: Lloyd Q. **CSS selector:** div.slick-track > div#slick-slide03 > div.tr-testimonial-author > div.tr-author-image <div class="tr-author-image tr-border-radius">	
Unsupported CSS Property: visibility	visibility
Node label: John C. **CSS selector:** div.slick-track > div#slick-slide00 > div.tr-testimonial-author > div.tr-author-image <div class="tr-author-image tr-border-radius">	
Unsupported CSS Property: visibility	visibility
Node label: Jim M. **CSS selector:** div#slick-slide05 > div.tr-testimonial-author > div.tr-author-info > span.tr-title <span class="tr-title">	
Unsupported CSS Property: visibility	visibility
Node label: Beth B. **CSS selector:** div.slick-track > div.tr-testimonial > div.tr-testimonial-author > div.tr-author-image <div class="tr-author-image tr-border-radius">	
Unsupported CSS Property: visibility	visibility
Node label: Lloyd Q. **CSS selector:** div#slick-slide03 > div.tr-testimonial-author > div.tr-author-info > span.tr-title <span class="tr-title">	
Unsupported CSS Property: visibility	visibility
Node label: Play Video **CSS selector:** div#root > div._29Gjr > div._1tW_F > div._1Kl9L <div data-testid="splashScreen" class="_1Kl9L _1v5hd" aria-label="Play Video" role="button" tabindex="0" style="background-color: black;">	
Unsupported CSS Property: background-color	background-color
Node label: Got it! **CSS selector:** div.elementor-element > div.elementor-widget-container > div.elementor-button-wrapper > a.elementor-button <a class="elementor-button elementor-button-link elementor-size-sm" href="#elementor-action%3Aaction%3Dpopup%3Aclose%26settings%3DeyJkb19ub3Rfc2hvd1…">	
Unsupported CSS Property: outline-color	outline-color
Unsupported CSS Property: outline-offset	outline-offset
Unsupported CSS Property: outline-width	outline-width

PASSED AUDITS (16)

First Meaningful Paint - 0.8 s

First Meaningful Paint measures when the primary content of a page is visible. Learn more about the First Meaningful Paint metric.

Performance budget

Keep the quantity and size of network requests under the targets set by the provided performance budget. Learn more about performance budgets.

Minify CSS

Minifying CSS files can reduce network payload sizes. Learn how to minify CSS.

A number of WordPress plugins can speed up your site by concatenating, minifying, and compressing your styles. You may also want to use a build process to do this minification up-front if possible.

Enable Minify CSS files in 'WP Rocket' to fix this issue. Any spaces and comments in your site's CSS files will be removed to make the file size smaller and faster to download.

If your build system minifies CSS files automatically, ensure that you are deploying the production build of your application. You can check this with the React Developer Tools extension. Learn more.

Remove duplicate modules in JavaScript bundles

Remove large, duplicate JavaScript modules from bundles to reduce unnecessary bytes consumed by network activity.

Use video formats for animated content

Large GIFs are inefficient for delivering animated content. Consider using MPEG4/WebM videos for animations and PNG/WebP for static images instead of GIF to save network bytes. Learn more about efficient video formats

Consider uploading your GIF to a service which will make it available to embed as an HTML5 video.

Efficiently encode images

Optimized images load faster and consume less cellular data. Learn how to efficiently encode images.

Consider using an image optimization WordPress plugin that compresses your images while retaining quality.

Enable 'Imagify' from the Image Optimization tab in 'WP Rocket' and run Bulk Optimization to compress your images.

Has a `<meta name="viewport">` tag with `width` or `initial-scale`

A `<meta name="viewport">` not only optimizes your app for mobile screen sizes, but also prevents a 300 millisecond delay to user input. Learn more about using the viewport meta tag.

Preload key requests

Consider using `<link rel=preload>` to prioritize fetching resources that are currently requested later in page load. Learn how to preload key requests.

To fix this issue for fonts, enable Remove Unused CSS in 'WP Rocket'. Your site's critical fonts will be preloaded with priority.

Preconnect to required origins

Consider adding `preconnect` or `dns-prefetch` resource hints to establish early connections to important third-party origins. Learn how to preconnect to required origins.

Use Prefetch DNS Requests in 'WP Rocket' to add "dns-prefetch" and speed up the connection with external domains. Also, 'WP Rocket' automatically adds "preconnect" to Google Fonts domain and any CNAME(S) added via the Enable CDN feature.

Enable text compression

Text-based resources should be served with compression (gzip, deflate or brotli) to minimize total network bytes. Learn more about text compression.

You can enable text compression in your web server configuration.

Largest Contentful Paint image was not lazily loaded

Above-the-fold images that are lazily loaded render later in the page lifecycle, which can delay the largest contentful paint. Learn more about optimal lazy loading.

Element
Node label: GERMAIN UX Deepest insights to identify the causes of UX frictions, in real-ti… **CSS selector:** body.home > div#page > div.elementor > section.elementor-section `<section class="elementor-section elementor-top-section elementor-element elementor-elemen…" data-id="e69cf54" data-element_type="section" data-settings="{"background_background":"classic"}">`

All text remains visible during webfont loads

Leverage the `font-display` CSS feature to ensure text is user-visible while webfonts are loading. Learn more about `font-display`.

Avoid multiple page redirects

Redirects introduce additional delays before the page can be loaded. Learn how to avoid page redirects.

If you are using React Router, minimize usage of the `<Redirect>` component for route navigations.

Avoids `document.write()`

For users on slow connections, external scripts dynamically injected via `document.write()` can delay page load by tens of seconds. Learn how to avoid document.write().

Timing budget

Set a timing budget to help you keep an eye on the performance of your site. Performant sites load fast and respond to user input events quickly. Learn more about performance budgets.

Minify JavaScript

Minifying JavaScript files can reduce payload sizes and script parse time. Learn how to minify JavaScript.

A number of WordPress plugins can speed up your site by concatenating, minifying, and compressing your scripts. You may also want to use a build process to do this minification up front if possible.

Enable Minify JavaScript files in 'WP Rocket' to fix this issue. Empty spaces and comments will be removed from JavaScript files to make their size smaller and faster to download.

If your build system minifies JS files automatically, ensure that you are deploying the production build of your application. You can check this with the React Developer Tools extension. Learn more.

Accessibility

ARIA (2)

▲ Values assigned to `role=""` are not valid ARIA roles.

ARIA `role`s enable assistive technologies to know the role of each element on the web page. If the `role` values are misspelled, not existing ARIA `role` values, or abstract roles, then the purpose of the element will not be communicated to users of assistive technologies. Learn more about ARIA roles.

Failing Elements

Node label: div#intercom-container > div.intercom-app > div.intercom-dfosxs > iframe.intercom-launcher-frame
CSS selector: div#intercom-container > div.intercom-app > div.intercom-dfosxs > iframe.intercom-launcher-frame

```
<iframe allowfullscreen="" class="intercom-launcher-frame intercom-10ahgew efr23pf0" name="intercom-launcher-frame" data-intercom-frame="true" role="dialog">
```

Node label: body.home > div#intercom-container > div.intercom-app > iframe.intercom-launcher-discovery-frame
CSS selector: body.home > div#intercom-container > div.intercom-app > iframe.intercom-launcher-discovery-frame

```
<iframe allowfullscreen="" class="intercom-launcher-discovery-frame intercom-1b46zqb e1mq83fm0" name="intercom-launcher-discovery-frame" data-intercom-frame="true" role="dialog">
```

▲ `[aria-*]` attributes do not match their roles

Each ARIA `role` supports a specific subset of `aria-*` attributes. Mismatching these invalidates the `aria-*` attributes. Learn how to match ARIA attributes to their roles.

Failing Elements

Node label: This Website uses Cookies - We use cookies to personalise content and ads, to p…
CSS selector: body.home > div#elementor-popup-modal-157

```
<div class="dialog-widget dialog-lightbox-widget dialog-type-buttons dialog-type-light…" id="elementor-popup-modal-157" aria-modal="true" role="document" tabindex="0" style="">
```

NAMES AND LABELS (1)

▲ Image elements do not have `[alt]` attributes

Informative elements should aim for short, descriptive alternate text. Decorative elements can be ignored with an empty alt attribute. Learn more about the `alt` attribute.

Failing Elements

Node label: body.home > img
CSS selector: body.home > img

```
<img src="https://ct.capterra.com/capterra_tracker.gif?vid=2143840&amp;vkey=d1f28a23dd45…">
```

CONTRAST (1)

▲ Background and foreground colors do not have a sufficient contrast ratio.

Low-contrast text is difficult or impossible for many users to read. Learn how to provide sufficient color contrast.

Failing Elements

Node label: Free Trial
CSS selector: div.elementor-button-wrapper > a.elementor-button > span.elementor-button-content-wrapper > span.elementor-button-text
`<span class="elementor-button-text">`

Node label: Free Trial
CSS selector: div.elementor-element > div.elementor-widget-container > div.elementor-button-wrapper > a.elementor-button
`<a class="elementor-button elementor-button-link elementor-size-sm" href="/resources/free-trial/">`

Node label: Book A Demo
CSS selector: div.elementor-button-wrapper > a.elementor-button > span.elementor-button-content-wrapper > span.elementor-button-text
`<span class="elementor-button-text">`

Node label: Book A Demo
CSS selector: div.elementor-element > div.elementor-widget-container > div.elementor-button-wrapper > a.elementor-button
`<a class="elementor-button elementor-button-link elementor-size-md" href="#elementor-action%3Aaction%3Dpopup%3Aopen%26settings%3DeyJpZCI6IjIxNiIsInR…" target="_blank">`

Node label: John C.
CSS selector: div#slick-slide00 > div.tr-testimonial-author > div.tr-author-info > span.tr-title
`<span class="tr-title">`

Node label: John C. Director IT Development, Telecommunications
CSS selector: div.slick-list > div.slick-track > div#slick-slide00 > div.tr-testimonial-author
`<div class="tr-testimonial-author">`

Node label: Director IT Development, Telecommunications
CSS selector: div#slick-slide00 > div.tr-testimonial-author > div.tr-author-info > span
`<span>`

Node label: John C. Director IT Development, Telecommunications
CSS selector: div.slick-list > div.slick-track > div#slick-slide00 > div.tr-testimonial-author
`<div class="tr-testimonial-author">`

Node label: Robert M.
CSS selector: div#slick-slide01 > div.tr-testimonial-author > div.tr-author-info > span.tr-title
`<span class="tr-title">`

Node label: Robert M. Director Marketing and Customer Loyalty, Oil & Gas
CSS selector: div.slick-list > div.slick-track > div#slick-slide01 > div.tr-testimonial-author
`<div class="tr-testimonial-author">`

Node label: Director Marketing and Customer Loyalty, Oil & Gas
CSS selector: div#slick-slide01 > div.tr-testimonial-author > div.tr-author-info > span
`<span>`

Node label: Robert M. Director Marketing and Customer Loyalty, Oil & Gas
CSS selector: div.slick-list > div.slick-track > div#slick-slide01 > div.tr-testimonial-author
`<div class="tr-testimonial-author">`

Node label: Mike T.
CSS selector: div#slick-slide02 > div.tr-testimonial-author > div.tr-author-info > span.tr-title
`<span class="tr-title">`

Node label: Mike T. Manager IT Operations, Consumer Goods
CSS selector: div.slick-list > div.slick-track > div#slick-slide02 > div.tr-testimonial-author
`<div class="tr-testimonial-author">`

Node label: Manager IT Operations, Consumer Goods
CSS selector: div#slick-slide02 > div.tr-testimonial-author > div.tr-author-info > span
`<span>`

Node label: Mike T. Manager IT Operations, Consumer Goods
CSS selector: div.slick-list > div.slick-track > div#slick-slide02 > div.tr-testimonial-author
`<div class="tr-testimonial-author">`

Node label: Book A Demo
CSS selector: div.elementor-button-wrapper > a.elementor-button > span.elementor-button-content-wrapper > span.elementor-button-text
`<span class="elementor-button-text">`

Node label: Book A Demo
CSS selector: div.elementor-element > div.elementor-widget-container > div.elementor-button-wrapper > a.elementor-button
`<a class="elementor-button elementor-button-link elementor-size-sm" href="#elementor-action%3Aaction%3Dpopup%3Aopen%26settings%3DeyJpZCI6IjIxNiIsInR…" target="_blank">`

Node label: Book A Demo
CSS selector: div.elementor-button-wrapper > a.elementor-button > span.elementor-button-content-wrapper > span.elementor-button-text
`<span class="elementor-button-text">`

Node label: Book A Demo
CSS selector: div.elementor-element > div.elementor-widget-container > div.elementor-button-wrapper > a.elementor-button
`<a class="elementor-button elementor-button-link elementor-size-sm" href="#elementor-action%3Aaction%3Dpopup%3Aopen%26settings%3DeyJpZCI6IjIxNiIsInR…" target="_blank">`

Node label: Got it!
CSS selector: div.elementor-button-wrapper > a.elementor-button > span.elementor-button-content-wrapper > span.elementor-button-text
`<span class="elementor-button-text">`

Node label: Got it!
CSS selector: div.elementor-element > div.elementor-widget-container > div.elementor-button-wrapper > a.elementor-button
`<a class="elementor-button elementor-button-link elementor-size-sm" href="#elementor-action%3Aaction%3Dpopup%3Aclose%26settings%3DeyJkb19ub3Rfc2hvd1…">`

ADDITIONAL ITEMS TO MANUALLY CHECK (10)

- The user's focus is directed to new content added to the page

If new content, such as a dialog, is added to the page, the user's focus is directed to it. Learn how to direct focus to new content.

- Offscreen content is hidden from assistive technology

Offscreen content is hidden with display: none or aria-hidden=true. Learn how to properly hide offscreen content.

- Interactive elements indicate their purpose and state

Interactive elements, such as links and buttons, should indicate their state and be distinguishable from non-interactive elements. Learn how to decorate interactive elements with affordance hints.

- Custom controls have ARIA roles

Custom interactive controls have appropriate ARIA roles. Learn how to add roles to custom controls.

- Interactive controls are keyboard focusable

Custom interactive controls are keyboard focusable and display a focus indicator. Learn how to make custom controls focusable.

- HTML5 landmark elements are used to improve navigation

Landmark elements (`<main>` , `<nav>` , etc.) are used to improve the keyboard navigation of the page for assistive technology. Learn more about landmark elements.

- Custom controls have associated labels

Custom interactive controls have associated labels, provided by aria-label or aria-labelledby. Learn more about custom controls and labels.

- Visual order on the page follows DOM order

DOM order matches the visual order, improving navigation for assistive technology. Learn more about DOM and visual ordering.

- User focus is not accidentally trapped in a region

A user can tab into and out of any control or region without accidentally trapping their focus. Learn how to avoid focus traps.

- The page has a logical tab order

Tabbing through the page follows the visual layout. Users cannot focus elements that are offscreen. Learn more about logical tab ordering.

PASSED AUDITS (25)

- `[aria-hidden="true"]` elements do not contain focusable descendents

Focusable descendents within an `[aria-hidden="true"]` element prevent those interactive elements from being available to users of assistive technologies like screen readers. Learn how `aria-hidden` affects focusable elements.

- Elements with visible text labels have matching accessible names.

Visible text labels that do not match the accessible name can result in a confusing experience for screen reader users. Learn more about accessible names.

- No element has a `[tabindex]` value greater than 0

A value greater than 0 implies an explicit navigation ordering. Although technically valid, this often creates frustrating experiences for users who rely on assistive technologies. Learn more about the `tabindex` attribute.

- Heading elements appear in a sequentially-descending order

Properly ordered headings that do not skip levels convey the semantic structure of the page, making it easier to navigate and understand when using assistive technologies. Learn more about heading order.

- `<frame>` or `<iframe>` elements have a title

Screen reader users rely on frame titles to describe the contents of frames. Learn more about frame titles.

- Elements with `role="dialog"` or `role="alertdialog"` have accessible names.

ARIA dialog elements without accessible names may prevent screen readers users from discerning the purpose of these elements. Learn how to make ARIA dialog elements more accessible.

- List items (`<li>`) are contained within `<ul>`, `<ol>` or `<menu>` parent elements

Screen readers require list items (`<li>`) to be contained within a parent `<ul>`, `<ol>` or `<menu>` to be announced properly. Learn more about proper list structure.

- Lists contain only `<li>` elements and script supporting elements (`<script>` and `<template>`).

Screen readers have a specific way of announcing lists. Ensuring proper list structure aids screen reader output. Learn more about proper list structure.

- `[aria-hidden="true"]` is not present on the document `<body>`

Assistive technologies, like screen readers, work inconsistently when `aria-hidden="true"` is set on the document `<body>`. Learn how `aria-hidden` affects the document body.

- `[id]` attributes on active, focusable elements are unique

All focusable elements must have a unique `id` to ensure that they're visible to assistive technologies. Learn how to fix duplicate `id`s.

- `<html>` element has a `[lang]` attribute

If a page doesn't specify a `lang` attribute, a screen reader assumes that the page is in the default language that the user chose when setting up the screen reader. If the page isn't actually in the default language, then the screen reader might not announce the page's text correctly. Learn more about the `lang` attribute.

- Image elements do not have `[alt]` attributes that are redundant text.

Informative elements should aim for short, descriptive alternative text. Alternative text that is exactly the same as the text adjacent to the link or image is potentially confusing for screen reader users, because the text will be read twice. Learn more about the `alt` attribute.

- Links have a discernible name

Link text (and alternate text for images, when used as links) that is discernible, unique, and focusable improves the navigation experience for screen reader users. Learn how to make links accessible.

- `[role]` values are valid

ARIA roles must have valid values in order to perform their intended accessibility functions. Learn more about valid ARIA roles.

- Document has a `<title>` element

The title gives screen reader users an overview of the page, and search engine users rely on it heavily to determine if a page is relevant to their search. Learn more about document titles.

- `[user-scalable="no"]` is not used in the `<meta name="viewport">` element and the `[maximum-scale]` attribute is not less than 5.

Disabling zooming is problematic for users with low vision who rely on screen magnification to properly see the contents of a web page. Learn more about the viewport meta tag.

- Elements with an ARIA `[role]` that require children to contain a specific `[role]` have all required children.

Some ARIA parent roles must contain specific child roles to perform their intended accessibility functions. Learn more about roles and required children elements.

- `[role]`s are contained by their required parent element

Some ARIA child roles must be contained by specific parent roles to properly perform their intended accessibility functions. Learn more about ARIA roles and required parent element.

- Form elements have associated labels

Labels ensure that form controls are announced properly by assistive technologies, like screen readers. Learn more about form element labels.

- Buttons have an accessible name

When a button doesn't have an accessible name, screen readers announce it as "button", making it unusable for users who rely on screen readers. Learn how to make buttons more accessible.

- `[aria-*]` attributes are valid and not misspelled

Assistive technologies, like screen readers, can't interpret ARIA attributes with invalid names. Learn more about valid ARIA attributes.

- `[aria-*]` attributes have valid values

Assistive technologies, like screen readers, can't interpret ARIA attributes with invalid values. Learn more about valid values for ARIA attributes.

- `<html>` element has a valid value for its `[lang]` attribute

Specifying a valid BCP 47 language helps screen readers announce text properly. Learn how to use the `lang` attribute.

- `button`, `link`, and `menuitem` elements have accessible names

When an element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. Learn how to make command elements more accessible.

- `[role]`s have all required `[aria-*]` attributes

Some ARIA roles have required attributes that describe the state of the element to screen readers. Learn more about roles and required attributes.

NOT APPLICABLE (31)

- Links are distinguishable without relying on color.

Low-contrast text is difficult or impossible for many users to read. Link text that is discernible improves the experience for users with low vision. Learn how to make links distinguishable.

- ARIA `progressbar` elements have accessible names

When a `progressbar` element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. Learn how to label `progressbar` elements.

- ARIA `treeitem` elements have accessible names

When a `treeitem` element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. Learn more about labeling `treeitem` elements.

- `<dl>`'s contain only properly-ordered `<dt>` and `<dd>` groups, `<script>`, `<template>` or `<div>` elements.

When definition lists are not properly marked up, screen readers may produce confusing or inaccurate output. Learn how to structure definition lists correctly.

- Input buttons have discernible text.

Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. Learn more about input buttons.

- All heading elements contain content.

A heading with no content or inaccessible text prevent screen reader users from accessing information on the page's structure. Learn more about headings.

- `<input type="image">` elements have `[alt]` text

When an image is being used as an `<input>` button, providing alternative text can help screen reader users understand the purpose of the button. Learn about input image alt text.

- ARIA input fields have accessible names

When an input field doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. Learn more about input field labels.

- ARIA IDs are unique

The value of an ARIA ID must be unique to prevent other instances from being overlooked by assistive technologies. Learn how to fix duplicate ARIA IDs.

- ARIA `tooltip` elements have accessible names

When a tooltip element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. Learn how to name `tooltip` elements.

- Identical links have the same purpose.

Links with the same destination should have the same description, to help users understand the link's purpose and decide whether to follow it. Learn more about identical links.

- Tables use `<caption>` instead of cells with the `[colspan]` attribute to indicate a caption.

Screen readers have features to make navigating tables easier. Ensuring that tables use the actual caption element instead of cells with the `[colspan]` attribute may improve the experience for screen reader users. Learn more about captions.

- `<video>` elements contain a `<track>` element with `[kind="captions"]`

When a video provides a caption it is easier for deaf and hearing impaired users to access its information. Learn more about video captions.

- `<html>` element has an `[xml:lang]` attribute with the same base language as the `[lang]` attribute.

If the webpage does not specify a consistent language, then the screen reader might not announce the page's text correctly. Learn more about the `lang` attribute.

- `<td>` elements in a large `<table>` have one or more table headers.

Screen readers have features to make navigating tables easier. Ensuring that `<td>` elements in a large table (3 or more cells in width and height) have an associated table header may improve the experience for screen reader users. Learn more about table headers.

- Cells in a `<table>` element that use the `[headers]` attribute refer to table cells within the same table.

Screen readers have features to make navigating tables easier. Ensuring `<td>` cells using the `[headers]` attribute only refer to other cells in the same table may improve the experience for screen reader users. Learn more about the `headers` attribute.

- ARIA toggle fields have accessible names

When a toggle field doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. Learn more about toggle fields.

- Elements with the `role=text` attribute do not have focusable descendents.

Adding `role=text` around a text node split by markup enables VoiceOver to treat it as one phrase, but the element's focusable descendents will not be announced. Learn more about the `role=text` attribute.

- Select elements have associated label elements.

Form elements without effective labels can create frustrating experiences for screen reader users. Learn more about the `select` element.

- Definition list items are wrapped in `<dl>` elements

Definition list items (`<dt>` and `<dd>`) must be wrapped in a parent `<dl>` element to ensure that screen readers can properly announce them. Learn how to structure definition lists correctly.

- The document does not use `<meta http-equiv="refresh">`

Users do not expect a page to refresh automatically, and doing so will move focus back to the top of the page. This may create a frustrating or confusing experience. Learn more about the refresh meta tag.

- `<th>` elements and elements with `[role="columnheader"/"rowheader"]` have data cells they describe.

Screen readers have features to make navigating tables easier. Ensuring table headers always refer to some set of cells may improve the experience for screen reader users. Learn more about table headers.

- The page contains a heading, skip link, or landmark region

Adding ways to bypass repetitive content lets keyboard users navigate the page more efficiently. Learn more about bypass blocks.

- `[accesskey]` values are unique

Access keys let users quickly focus a part of the page. For proper navigation, each access key must be unique. Learn more about access keys.

- `[lang]` attributes have a valid value

Specifying a valid BCP 47 language on elements helps ensure that text is pronounced correctly by a screen reader. Learn how to use the `lang` attribute.

- Document has a main landmark.

One main landmark helps screen reader users navigate a web page. Learn more about landmarks.

- Skip links are focusable.

Including a skip link can help users skip to the main content to save time. Learn more about skip links.

- Tables have different content in the summary attribute and `<caption>`.

The summary attribute should describe the table structure, while `<caption>` should have the onscreen title. Accurate table mark-up helps users of screen readers. Learn more about summary and caption.

- ARIA `meter` elements have accessible names

When a meter element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. Learn how to name `meter` elements.

- `<object>` elements have alternate text

Screen readers cannot translate non-text content. Adding alternate text to `<object>` elements helps screen readers convey meaning to users. Learn more about alt text for `object` elements.

- No form fields have multiple labels

Form fields with multiple labels can be confusingly announced by assistive technologies like screen readers which use either the first, the last, or all of the labels. Learn how to use form labels.

SEO

CONTENT BEST PRACTICES (1)

▲ Image elements do not have `[alt]` attributes

Informative elements should aim for short, descriptive alternate text. Decorative elements can be ignored with an empty alt attribute. Learn more about the `alt` attribute.

Failing Elements

Node label: body.home > img
CSS selector: body.home > img
`<img src="https://ct.capterra.com/capterra_tracker.gif?vid=2143840&vkey=d1f28a23dd45…">`

ADDITIONAL ITEMS TO MANUALLY CHECK (1)

○ Structured data is valid

Run the Structured Data Testing Tool and the Structured Data Linter to validate structured data. Learn more about Structured Data.

PASSED AUDITS (11)

● Links have descriptive text

Descriptive link text helps search engines understand your content. Learn how to make links more accessible.

● Document has a valid `rel=canonical`

Canonical links suggest which URL to show in search results. Learn more about canonical links.

● Document has a valid `hreflang`

hreflang links tell search engines what version of a page they should list in search results for a given language or region. Learn more about `hreflang`.

● Links are crawlable

Search engines may use `href` attributes on links to crawl websites. Ensure that the `href` attribute of anchor elements links to an appropriate destination, so more pages of the site can be discovered. Learn how to make links crawlable

● Document avoids plugins

Search engines can't index plugin content, and many devices restrict plugins or don't support them. Learn more about avoiding plugins.

● Has a `<meta name="viewport">` tag with `width` or `initial-scale`

A `<meta name="viewport">` not only optimizes your app for mobile screen sizes, but also prevents a 300 millisecond delay to user input. Learn more about using the viewport meta tag.

● Document has a meta description

Meta descriptions may be included in search results to concisely summarize page content. Learn more about the meta description.

● Page isn't blocked from indexing

Search engines are unable to include your pages in search results if they don't have permission to crawl them. Learn more about crawler directives.

● Document has a `<title>` element

The title gives screen reader users an overview of the page, and search engine users rely on it heavily to determine if a page is relevant to their search. Learn more about document titles.

● robots.txt is valid

If your robots.txt file is malformed, crawlers may not be able to understand how you want your website to be crawled or indexed. Learn more about robots.txt.

● Page has successful HTTP status code

Pages with unsuccessful HTTP status codes may not be indexed properly. Learn more about HTTP status codes.

NOT APPLICABLE (2)

○ Tap targets are sized appropriately

Interactive elements like buttons and links should be large enough (48x48px), or have enough space around them, to be easy enough to tap without overlapping onto other elements. Learn more about tap targets.

○ Document uses legible font sizes

Font sizes less than 12px are too small to be legible and require mobile visitors to "pinch to zoom" in order to read. Strive to have >60% of page text ≥12px. Learn more about legible font sizes.



PWA

INSTALLABLE (1)

▲ Web app manifest or service worker do not meet the installability requirements - 1 reason

Service worker is the technology that enables your app to use many Progressive Web App features, such as offline, add to homescreen, and push notifications. With proper service worker and manifest implementations, browsers can proactively prompt users to add your app to their homescreen, which can lead to higher engagement. Learn more about manifest installability requirements.

Failure reason
No manifest was fetched

PWA OPTIMIZED (3)

▲ Manifest doesn't have a maskable icon

A maskable icon ensures that the image fills the entire shape without being letterboxed when installing the app on a device. Learn about maskable manifest icons.

▲ Is not configured for a custom splash screen

A themed splash screen ensures a high-quality experience when users launch your app from their homescreens. Learn more about splash screens.

▲ Does not set a theme color for the address bar.

The browser address bar can be themed to match your site. Learn more about theming the address bar.

ADDITIONAL ITEMS TO MANUALLY CHECK (3)

○ Site works cross-browser

To reach the most number of users, sites should work across every major browser. Learn about cross-browser compatibility.

○ Page transitions don't feel like they block on the network

Transitions should feel snappy as you tap around, even on a slow network. This experience is key to a user's perception of performance. Learn more about page transitions.

○ Each page has a URL

Ensure individual pages are deep linkable via URL and that URLs are unique for the purpose of shareability on social media. Learn more about providing deep links.

PASSED AUDITS (1)

● Has a `<meta name="viewport">` tag with `width` or `initial-scale`

A `<meta name="viewport">` not only optimizes your app for mobile screen sizes, but also prevents a 300 millisecond delay to user input. Learn more about using the viewport meta tag.

NOT APPLICABLE (1)

○ Content is sized correctly for the viewport

If the width of your app's content doesn't match the width of the viewport, your app might not be optimized for mobile screens. Learn how to size content for the viewport.

Resource Bytes: 6.1 MiB (100 %)

URL	RESOURCE (KIB)	UNUSED (KIB)	COVERAGE (%)
https://js.intercomcdn.com/frame-modern.023e02fb.js	878.01	591.00	67
https://js.intercomcdn.com/vendors~app~tooltips-modern.e8f447f4.js	655.25	182.55	28
https://js.intercomcdn.com/app-modern.c37715be.js	472.49	310.72	66
https://js.intercomcdn.com/vendor-modern.c93438f4.js	458.18	188.25	41
https://assets.vidyard.com/play/js/7-3b17bdd35f1834729bf3956d98183551.j	437.64	294.94	67
https://www.googletagmanager.com/gtag/js?id=G-1QPRD4B0EC&l=dataLaye	288.35	100.81	35